START

Superfund Technical Assessment and Response Team - Region VIII

SDMS Document ID



United States Environmental Protection Agency

Contract No. 68-W5-0031

ANALYTICAL RESULTS REPORT

RICO ARGENTINE Rico, Dolores County, Colorado

TDD #9511-0015

JUNE 19, 1996



Rico Argentine ARR/ES1 Revision: 0 Date: 06/1996 Page i of iv

ANALYTICAL RESULTS REPORT

RICO ARGENTINE Rico, Dolores County, Colorado

CERCLIS ID No. COD980952519

EPA Contract No. 68-W5-0031 TDD No. 9511-0015

> Prepared By: Barry Hayhurst Site Investigator

URS Operating Services, Inc. 1099 18th Street, Suite 710 Denver, CO 80202-1908

Approved:	T. F. Staible, START Team Leader, UOS	Date: 19 June 96
Approved:	Barry Hayhurst, Site Investigator, UOS	Date: Twe 19,199(
Approved:	Robert Heise, U.S. Environmental Protection Agency, Re	Date: <u>6-19-96</u>

This document has been prepared for the U.S. Environmental Protection Agency under Contract No. 68-W5-0031. The material contained herein is not to be disclosed to, discussed with, or made available to any person or persons for any reason without prior express approval of a responsible officer of the U.S. Environmental Protection Agency. In the interest of conserving natural resources, this document is printed on recycled paper and double-sided as appropriate.

Rico Argentine ARR/ESI Revision: 0 Date: 06/1996 Page ii of iv

DISTRIBUTION LIST

ENVIRONMENTAL PROTECTION AGENCY

Robert Heise (3 copy)

START, EPA Region VIII

URS OPERATING SERVICES, INC.

Barry Hayhurst

Site Investigator, UOS, START, EPA Region VIII

File (2 copies)

START, EPA Region VIII

Rico-Argentine ARR/ESI Table of Contents Revision: 0 Date: 06/1996 Page iii of iv

ANALYTICAL RESULTS REPORT for EXPANDED SITE INSPECTION

Rico-Argentine Rico, Dolores County, Colorado

TABLE OF CONTENTS

			PAGE #
SIGN	NATUR	RE PAGE	i
DIST	RIBUT	TION LIST	ii
TAB	LE OF	CONTENTS	iii
1.0	INT	RODUCTION	1
2.0	OBJ	IECTIVES	2
			_ _
3.0		CKGROUND INFORMATION	2
	3.1	Site Location and Description	
	3.2	Site Description	
	3.3	Site History and Previous Work	
	3.4	Site Geology	•
	3.5	Site Hydrogeology	
	3.6	Site Hydrology	
	3.7	Site Meteorology	
4.0	FIEI	LD OPERATIONS	
,	4.1	Sample Collection Activities	·
	4.2	Non Sample Collection Field Activities	
5.0	ANA	ALYTICAL DATA	11
	5.1	Data Validation and Interpretation	
	5.2	Quality Assurance/Quality Control Samples	
6.0	sou	RCE CHARACTERIZATION	12
	6.1	Source Sample Locations	
	6.2	Source Analytical Results	
7.0	GRO	DUNDWATER PATHWAY	14
	7.1	Groundwater Sample Locations	
	7.2	Groundwater Analytical Results and Targets	
8.0	RES	IDENTIAL SOIL EXPOSURE PATHWAY	15
	8.1	Residential Soil Sample Locations	
	8.2	Residential Soil Analytical Results and Targets	

Rico-Argentine ARR/ESI * Table of Contents Revision: 0
Date: 06/1996
Page iv of iv

TABLE OF CONTENTS (continued)

		·	
			PAGE #
9.0	9.1 9.2	ACE WATER AND SEDIMENT PATHWAY Aqueous and Sediment Sample Locations Silver Creek - Aqueous and Sediment Analytical Results and Targets	16
	9.3	Dolores River - Aqueous and Sediment Analytical Results and Targets	
10.0	SUMN	MARY	21
11.0	LIST	OF REFERENCES	23
FIGUE	RES		
Figure	1	Site Location	
Figure	2	Sample Locations	
TABLI	ES	•	
Table 1		Discharge Permit Condition Violations in 1995	
Table 2	2	Geothermal Springs Water Quality (9-12-95)	•
Table 3	3	Sample Locations and Rationale	
Table 4	ļ	Source Soils and Tailings Inorganic Sample Results	
Table 5	5	Source Soils and Tailings - Organic Sample Results	
Table 6	,	Source Aqueous and Sediment Inorganic Sample Results from Settling Ponds	
Table 7	7	Source Aqueous and Sediment from Settling Ponds - Organic Sample Results	
Table 8	;	Source Groundwater - Inorganic Sample Results	•
Table 9)	Source Groundwater Organic Sample Results	
Table 1		Groundwater Inorganic Sample Results	
Table 1		Groundwater Organic Sample Results	
Table 1		Residential Soil Inorganic Sample Results	
Table 1		Residential Soil Organic Sample Results	
Table 1		Aqueous and Sediment from Silver Creek - Inorganic Sample Results	
Table 1		Aqueous and Sediment from Silver Creek - Organic Sample Results	
Table 1		Aqueous from the Dolores River - Inorganic Sample Results	
Table 1		Dolores River: Aqueous - Organic Sample Results	
Table 1		Sediment from Dolores River - Inorganic Sample Results	
Table 1		Sediment from Dolores River - Organic Sample Results	
Table 2		Quality Assurance/Quality Control - Inorganic Sample Results	
Table 2	1	Quality Assurance/Quality Control - Organic Sample Results	
APPEN	DICES	3	
Append		Sample Activities Report	
Append		. Photolog	

Site Inspection Data Summary

Validation Reports and Laboratory Data (under separate cover)

Appendix C

Appendix D

Rico-Argentine ARR/ESI Revision: 0

> Date: 06/1996 Page 1 of 52

1.0 INTRODUCTION

This Analytical Results Report (ARR) of the Rico-Argentine site in Rico, Dolores County, Colorado

(CERCLIS ID # COD980952519), has been prepared to satisfy the requirements of Technical Direction

Document (TDD) No. 9511-0015 issued to URS Operating Services, Inc. (UOS) on November 22, 1995,

and amended by TDD No. 9511-0015A on January 25, 1996, by the Region VIII office of the U.S.

Environmental Protection Agency (EPA). Field work at the Rico-Argentine site was conducted during

the week of September 11 through 15, 1995, and followed the Expanded Site Inspection (ESI) format

(U.S. Environmental Protection Agency (EPA) 1992).

Field activities were conducted by URS Consultants, Inc. (URS) and followed the applicable URS

Technical Standard Operating Procedures (TSOPs). Field activities specifically included collecting 45

environmental samples comprised of 16 source samples, 11 surface water and 11 sediment samples, 6

residential soil samples, and 1 groundwater sample, plus 9 field Quality Assurance/Quality Control

(QA/QC) samples (in addition to the laboratory matrix spike/matrix spike duplicate (MS/MSD) (Table 3).

Non-sampling activities included gauging the flow of Silver Creek, Scotch Creek and the Dolores River,

describing and delineating wetlands for approximately one mile along the Dolores River downstream of

the confluence with Silver Creek, and measuring water quality parameters (pH, temperature and

conductivity) at five non-sampling locations (Figure 2).

The samples were shipped through the contract laboratory program (CLP), routine analytical services

(RAS). Samples that were analyzed for volatile organic compounds (VOCs), semivolatile organic

compounds (SVOCs) and pesticides/PCBs were sent to RECRA Environmental, Columbia, Maryland.

Samples that were analyzed for cyanide and total or dissolved metals were sent to Southwest Labs of

Oklahoma at Broken Arrow, Oklahoma. This ARR is intended to be used in conjunction with the Rico-

Argentine Field Sampling Plan (FSP) (URS Consultants, Inc. (URS) 1995a) and the Rico-Argentine

Sample Activities Report (URS 1995b) (Appendix A).

75-51115.00

Rico-Argentine ARR/ES1 Revision: 0 Date: 06/1996

Page 2 of 52

2.0 OBJECTIVES

The purpose of the ESI was to gather data pertinent to the evaluation of the Rico-Argentine site with

regard to the EPA's Hazard Ranking System (HRS) criteria. The specific objectives of the ESI were to:

· Acquire and utilize non-sampling data (i.e., existing reports, analytical data or physical

measurements) documenting past releases from the site source areas;

Identify and delineate receptor targets for the surface water and groundwater pathways;

Determine resident populations subject to contamination via the soil exposure pathway;

Document potential release of site contaminants to users of groundwater from the alluvial aquifer;

and

Document potential releases of site contaminants to targets along the surface water pathway.

3.0 BACKGROUND INFORMATION

3.1 SITE LOCATION AND DESCRIPTION

The Rico-Argentine site is located in the Rico Mountains of southwestern Colorado and

encompasses approximately 75 acres of settling ponds and tailings piles north and east of the town

of Rico in Eastern Dolores County, Colorado (Figures 1 and 2). The legal description of the site

is the southeast quarter of Section 25, T. 40 N, R. 11 W. The approximate site coordinates are

37° 42' 05" North latitude and 108° 01' 39" West longitude (U.S. Geological Survey (USGS)

1960). The Rico-Argentine site can be reached by proceeding south from Telluride, Colorado,

on State Highway 145 over Lizard Head Pass to the town of Rico, or by proceeding north from

Cortez, Colorado, on State Highway 145 to the town of Rico.

75-51115.00 \START\Rico-Arg\Final.ARR\Text:jmb

Rico-Argentine ARR/ES1 Revision: 9

> Date: 06/1996 Page 3 of 52

3.2 SITE DESCRIPTION

The Rico-Argentine site is an inactive mining and milling operation located in two drainages, the

Dolores River and its tributary Silver Creek. Part of the site is within the northern and eastern

city limits of Rico, Colorado. One part of the site extends northeastward up the Silver Creek

drainage, and another part extends northward along the east bank of the Dolores River drainage

(Figure 2). The Rico-Argentine Mill, Blain Tunnel and two large tailings piles are located

adjacent to Silver Creek, approximately one mile east northeast of the town of Rico (Figure 2).

The St. Louis Tunnel adit, an inactive sulfuric acid plant, two inactive cyanide heap leach basins,

11 settling ponds, and two hot spring feed ponds are located along the east bank of the Dolores

River approximately 1/4 to 3/4 miles north of the town of Rico (Figure 2). Water from the

underground mine working associated with the Rico-Argentine site drains from the mine to the

St. Louis Tunnel adit, where it flows into the settling pond system prior to discharging into the

Dolores River (URS 1995a; URS 1995b).

The Rico-Argentine has a National Pollutant Discharge Elimination System (NPDES) permit

(#CO-0029793) dating from 1976, and has frequently been in violation of permit standards

(U.S. Environmental Protection Agency (EPA) 1994). The discharge has also been regulated

under the Colorado Pollutant Discharge Elimination System (CPDES). The discharge averages

approximately 1.1 million to 1.5 million gallons per day (EPA 1994).

The Rico, Colorado, area has been heavily mined and several potential sources of contamination,

primarily settling ponds and tailings piles, have been identified along Silver Creek and the Dolores

River (URS 1995a). The exact origin of all of the specific potential sources is unknown. The

area surrounding the Rico-Argentine site is primarily Bureau of Land Management (BLM) land

located within the San Juan National Forest, with surrounding peaks reaching 14,000 feet above

mean sea level (msl) and summits in the local Rico Mountains reaching more than 12,000 feet

above msl. The town of Rico and the settling ponds along the east bank of the Dolores River are

at 8,800 feet above msl and the Rico-Argentine Mill and tailings along Silver Creek are at 9,200

feet above msl (USGS 1960).

75-51115.00

1974).

Rico-Argentine ARR/ESI Revision: 0

Date: 06/1996 Page 4 of 52

3.3 SITE HISTORY AND PREVIOUS WORK

The Rico area has an extended mining history of which a detailed account can be found in the Site Inspection Prioritization Report (URS 1994). Early mining activity in the Rico area began in the 1860s when several claims were staked in the Pioneer District at the confluence of Silver Creek with the Dolores River. Silver production reached a peak in 1893. In 1902, all of the important mines in the district were consolidated under the United Rico Mine Company which primarily produced base metal ores. The Rico-Argentine Mining Company, was formed in 1915 to produce base metal ores. A custom mill was built in 1926 by the International Smelting Company, a subsidiary of Anaconda Mining Company. Base metal ore production peaked in 1927 but by 1928 the mill had shut down and by 1932 all mining activity in the area had ceased (USGS

The Rico-Argentine Mining Company resumed sporadic mining activities in 1934 and resumed steady production in 1939 (State of Colorado, Department of Natural Resources, Bureau of Mines (BOM) 1939a; BOM 1939b). A sulfuric acid plant located north of the settling ponds along the Dolores River was operated between 1955 and 1964 (USGS 1974). All mining operations again ceased in 1971 and most of the mine workings were allowed to flood and drain through the St. Louis Tunnel (BOM 1971).

The Rico-Argentine Mining Company built a 300-foot by 500-foot leach pad next to the old sulfuric acid plant in 1973. A cyanide solution was used to leach silver and gold from raw ore, and an overflow of an unknown quantity of leaching liquor to the Dolores River occurred sometime in 1974 (BOM 1974). In 1975 an additional cyanide leach pad was constructed in a settling pond originally used by the acid plant (BOM 1975).

A Notice of Violation (NOV) and a Cease and Desist Order (CDO) were issued to the Rico-Argentine Mining Company in 1990 by the Colorado Department of Health and Water Quality Control Division because of the company's failure to meet the compliance of its NPDES permit (EPA 1994).

75-51115.00 \START\Rico-Arg\Final.ARR\Text;jmb

Rico-Argentine ARR/ESI-Revision: 0 Date: 06/1996 Page 5 of 52

A review of the Colorado Department of Public Health and the Environment Water Quality Control Division's files, for the Rico-Argentine CDPS Permit No. CO-0029793, revealed the following discharge permit condition violations in 1995 (State of Colorado Department of Public Health and the Environment (CDPHE) 1988):

TABLE 1
Discharge Permit Condition Violations in 1995
(reported in mg/l)

Report Period	Parameter · -	Reported Results	Permit Conditions
04/95	Total Recoverable Cadmium	0.0035 (30-day avg.)	0.0004 (30-day avg.)
04/95	Total Recoverable Zinc	0.57 (30-day avg.)	0.237 (30-day avg.)
05/95	Total Recoverable Cadmium	0.0065 (30-day avg.)	0.0004 (30-day avg.)
05/95	Total Recoverable Zinc	0.75 (30-day avg.)	0.237 (30-day avg.)
07/95 .	Total Recoverable Cadmium	0.0125 (30-day avg.)	0.0004 (30-day avg.)
07/95	Total Recoverable Zinc	2.85 (30-day avg.)	0.237 (30-day avg.)
09/95	Total Recoverable Cadmium	0.0025 (30-day avg.)	0.0004 (30-day avg.)
09/95	Total Recoverable Zinc	0.37 (30-day avg.)	0.237 (30-day avg.)

Anaconda purchased the property in 1980 and in response to the outstanding NOV and CDO, carried out several environmental efforts such as building a water treatment plant at the St. Louis Tunnel discharge, capping wells, plugging adits, and stabilizing tailings and treatment ponds (Anaconda Minerals Company (AMC) 1994).

The EPA collected surface water and sediment samples from Silver Creek and the Dolores River during a site inspection conducted in November 1984. Analytical results indicated that the surface water and sediments contained elevated concentrations of arsenic, cadmium, copper, iron, lead, manganese and zinc (Ecology and Environment (E&E) 1985).

Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996

Page 6 of 52

Rico Development Corporation purchased the property in 1988 (CDPHE 1988). NOVs and CDOs

were issued to Rico Development Corporation in 1990 for violations of the NPDES permitted

discharge levels of lead and silver standards, in 1993 for violations of the silver standards, and

in 1994 for violations of silver, lead and zinc standards (CDPHE 1995; EPA 1994).

The U.S. Department of Interior, Bureau of Reclamation conducted surface water and sediment

sampling in the Dolores River and its tributaries between 1989 and 1993. The results show Silver

Creek to be a major, but not the only, source of mercury and other heavy metals in the upper

Dolores River Basin (U.S. Department of the Interior, Bureau of Reclamation, undated).

The Atlantic Richfield Corporation (ARCO) has initiated a voluntary environmental site

characterization of the town of Rico and surrounding area within the framework of the Colorado

Voluntary Cleanup and Redevelopment Act (PTI Environmental Services and ESA Consultants.

1995).

3.4 SITE GEOLOGY

Detailed information about the geology of the Rico, Colorado, area can be found in "Geology and

Ore Deposits of the Rico District, Colorado," by Edwin T. McKnight (USGS 1974). The geology

of the Rico District is extremely complex in detail. The dominant structure of the district is a

faulted dome centered on a monzonite stock. Sedimentary strata exposed in the area are the

Ouray and Leadville limestones, overlain by the Hermosa Formation, whose limestone beds are

the source of the district's massive sulfide ore deposits. The youngest sedimentary strata in the

Rico District is the red beds of the Cutler Formation. The lower slopes of the Rico District are

generally covered by debris resulting from wash, talus and landslide processes (USGS 1974).

Surface materials in the valley sides and bottoms are glacial or stream deposits (URS 1995c).

75-51115.00 \START\Rico-Arg\Final.ARR\Text:jmb ١

3.5 SITE HYDROGEOLOGY

A shallow unconfined aquifer is located in the glacial, stream, wash, talus and landslide debris found along the valley floors. Groundwater in the shallow aquifer would be greatly influenced by seasonal weather conditions and the nearby surface water bodies. Conductivity is assumed to be high, between 10⁻² to 10¹ centimeters per second (cm/sec) (USGS 1987). Groundwater flow should follow the valley contours.

Deeper bedrock aquifers are found at the site. Several exploratory drill holes along the Dolores River portion of the site flowed water and were capped (AMC 1988; AMC 1994). Two exposed and several underwater geothermal springs are found along the Dolores River. Water quality data in Table 2 from the two exposed geothermal springs indicates a common source. Water flowing from these springs is depositing calcium carbonate and iron about the springs and there are visible geothermal deposits between the springs and the town of Rico (URS 1995a; URS 1995c).

TABLE 2
Geothermal Springs Water Quality (9-12-95)

	Water Temp. (°F)	pH (Std Units)	Conductivity (µs/cm)	Flow (gal/min)
Hot Tub Spring	107.9	6.60	7,280	30-50
2nd Hot Spring	107:3	6.66	7,080	15-20

3.6 SITE HYDROLOGY

The Rico-Argentine site is located in the Dolores River Basin. The Dolores River and its tributary Silver Creek are the major surface water bodies in the area. The Dolores River flows to the south past the St. Louis Tunnel adit, the old sulfuric acid plant, the cyanide heap leach basins, the tailings piles, settling ponds and the NPDES Outfall 002 (Figure 2). Silver Creek flows from the east, past the old mill site and several tailings piles and through the town of Rico before joining the Dolores River west of Rico (Figure 2). The 41-year annual mean flow on the Dolores River,

Rico-Argentine ARR/ESI

Revision: 0 Date: 06/1996 Page 8 of 52

approximately four miles below the town of Rico, is 136 cubic feet per second (cfs) and the

upstream drainage basin encompasses 105 square miles (USGS 1993). The flow rate of Silver

Creek was measured during the September 14, 1995, field work at sample station RA-SW/SE-07

(Figure 2). The average of three readings was 10.1 cfs and the upstream drainage basin of Silver

Creek encompasses an estimated seven square miles (USGS 1976; URS 1995b).

3.7 SITE METEOROLOGY

The Rico-Argentine site is located in a semiarid climate zone. The mean annual precipitation, as

totaled from the University of Delaware (UD) database, is 12.8 inches. The net annual

precipitation as calculated from precipitation and evaporation data obtained from the UD is 4.1

inches (University of Delaware (UD) 1986). The 2-year, 24-hour rainfall event for the site is

approximately 1.5 inches (Dunne and Leopold 1978).

4.0 FIELD OPERATIONS

Field operations for the Rico-Argentine ESI included the collections of groundwater, surface water,

sediment, residential soil and source samples. Other tasks performed during the field operations at the site

included wetlands characterization, stream flow measurements, interviews with local residents,

characterization of thermal springs and measurement of field water quality parameters for non-sampled

tributary streams of the Dolores River.

SAMPLE COLLECTION ACTIVITIES 4.1

Sampling activities included the collection of 45 samples, specifically 16 source, 1 groundwater,

11 stream surface water, 11 stream sediment and 6 residential soil samples. Additionally, 9

QA/QC samples plus a laboratory MS/MSD were collected. Table 3 lists the sample locations and

rationale for each sample.

75-51115.00

Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996

Page 9 of 52

4.2 NON SAMPLE COLLECTION FIELD ACTIVITIES

The following non-sampling activities were conducted during the Rico-Argentine ESI (URS

1995b):

Delineation and characterization of wetlands along the Dolores River for approximately

one mile downstream of the confluence with Silver Creek.

Unconsolidated bottom land obligate wetlands were identified along the Dolores River

downstream of the confluence with Silver Creek. Individual wetlands are less than one

acre in size. Obligate emergent wetlands are located immediately south of Rico and

approximately one mile south of the confluence of Silver Creek and the Dolores River,

on the Dolores River between sample stations RA-07 and RA-08 (Figure 2). The

wetlands on the west side of the Dolores River cover approximately two to three acres

and the wetlands on the east side of the river are less than one acre in size.

Measuring the flow of the NPDES Outfall 002 flume, Silver Creek and the Dolores River

within the site boundaries on September 15, 1996. Site investigators employed a Marsh

McBirney flow meter to measure these flows.

The flow of the NPDES Outfall 002 flume was measured and determined to be 6.25 cfs

or approximately 540,000 cubic feet per day.

Three stream flow measurements were taken of Silver Creek at sample station RA-07

(Figure 2). These flow measurements were 10.35 cfs, 11.00 cfs, and 8.96 cfs. The

average of these three readings is 10.1 cfs, or approximately 872,000 cubic feet per day.

The flow of the Dolores River was measured and determined from a single measurement

taken between sample stations RA-02 and RA-03 (Figure 2). The flow was measured at

48.16 cfs or approximately 4,160,000 cubic feet per day. This flow measurement

75-51115.00 \START\Rico-Arg\Final,ARR\Text;jmb

Rico-Argentine ARR/ESI Revision: 0

Date: 06/1996

Page 10 of 52

compares well with the flow published for the U.S. Geological Survey's (USGS's) Montelores Bridge gauging station downstream of Rico (Figure 2) which for September

15, 1993 was 51 cfs and for September 15, 1994, was 69 cfs (USGS 1993; USGS 1994).

Interviewing local residents to determine if any anecdotal evidence could be discovered

concerning use of mine tailings as fill or construction material in the town of Rico.

The field teams interviewed over a dozen local residents, many of whom have lived in Rico for decades. No construction or fill materials were positively identified by local

residents as derived from mine tailings. Material which the residents or field crews

believed were characteristic of mine tailings were preferentially sampled.

Characterization of thermal springs by measuring flow and the field parameters of pH,

conductivity and water temperature.

Field water quality readings were taken and flow estimated for the two subaerial thermal

springs located at the site (Table 2). Similar water quality parameters indicate a common

source. Several other hot springs were noted to be bubbling through ponds located south

of the settling ponds.

Measuring field water quality parameters of pH, conductivity and water temperature of

six tributary streams entering the Dolores River below the town of Rico, Colorado, as a

screen for unusual conditions which would trigger sampling.

All tributary streams exhibited normal ranges of pH, conductivity and temperature. No

opportunity sampling of the tributaries was required.

75-51115.00

Rico-Argentine ARR/ES1 Revision: 0

> Date: 06/1996 Page 11 of 52

5.0 ANALYTICAL DATA

5.1 DATA VALIDATION AND INTERPRETATION

The sample data collected during this ESI was reviewed using the HRS guidelines for analytical

interpretation (Office of the Federal Register 1990). As reported in the analytical results in Tables

4 through 21, elevated concentrations of contaminants, as noted by a star (★), are determined by

sample concentrations based on the following:

If the sample concentrations are greater than or equal to three times the highest

background sample concentrations and greater than or equal to five times the blank

concentrations and greater than or equal to the sample quantitation limit (SQL); and

If not detected in background or blank samples, the sample concentrations are greater than

or equal to the SQL.

All data analyzed by the CLP RAS laboratories were validated by the Environmental Services

Assistance Team (ESAT). All data are acceptable for use as qualified in the data validation

report. The complete data validation report, laboratory forms and SQL calculations are located

in Appendix D.

5.2 QUALITY ASSURANCE/QUALITY CONTROL SAMPLES

The results of QA/QC samples are presented in Tables 20 and 21. The inorganic analyses of field

QA/QC samples included rinsate samples and indicate that the decontamination procedures were

effective (Table 20). There are no confirmed detections of inorganic compounds that are above

the Contract Required Quantitation Level (CRQL). The organic analyses of QA/QC samples

included trip and rinsate blanks collected from de-ionized water in the field (Table 21). The

QA/QC sample results presented in Table 21 show only detections of acetone and chloroform

which are common laboratory contaminants. These laboratory contaminants have been corrected

for in the final analytical results.

75-51115.00

Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996

Page 12 of 52

6.0 SOURCE CHARACTERIZATION

6.1 SOURCE SAMPLE LOCATIONS

Source Samples were collected from the two abandoned cyanide leach pits along the Dolores River (RA-WSO-01 and RA-WSO-02), a spring flowing from beneath the abandoned cyanide leach pits (RA-WSW-09), the St. Louis Tunnel outfall (RA-WGW-01), the hot-tub geothermal spring (RA-WGW-02) (Photo 5), the uppermost settling pond (RA-WSW-01/RA-WSE-01) (Photo 1), the lowermost settling pond (RA-WSW-02/RA-WSE-02), the drainage ditch between the upper settling ponds and the Dolores River (RA-WSW-03/RA-WSE-03) (Photo 4), the stained soil adjacent to a fuel tank at the mill site (RA-WSO-08), the tailings piles along upper Silver Creek, just below the old mill building (RA-WSO-03 and RA-WSO-04) (Photo 2), tailings at the confluence of Silver Creek and the Dolores River (RA-WSO-05), and from two tailings piles along the Dolores River south of Rico (RA-WSO-06 and RA WSO-07) (Photos 12 and 13). Please refer to Figure 2 for the exact sample locations and to Table 3 for sample rationale.

The source samples can be divided into three different groups: soils and tailings along Silver Creek and the Dolores River; the tailings ponds along the Dolores River; and the groundwater sources. The background for inorganic and organic soil parameters are found in Tables 9 and 10, as background sample RA-SO-01. Background for inorganic and organic surface water and sediment parameters are found in Tables 14 through 19 as background samples RA-SW-01 (Dolores River) and RA-SW-05 (Silver Creek). Background for inorganic and organic groundwater parameters can be found in Tables 10 and 11 as background sample RA-GW-01.

Source areas are posted but are not secured from public access. There are several locations along Silver Creek and the Dolores River where tailings were noted to be slumping into surface water bodies. The settling ponds along the Dolores River are in good condition and no evidence of a spill was located during the field work (URS 1995b).

Date: 06/1996

Page 13 of 52

6.2 SOURCE ANALYTICAL RESULTS

Source samples contained a total of six VOCs. Acetone, carbon disulfide, 2-butanone,

2-hexanone, tetrachloroethene, and toluene were all detected in source soils and tailings (Table

5). Only acetone and 2-butanone were detected, in a single sample, above the method detection

limit. This sample was an opportunity sample from underneath a leaking fuel tank at the Silver

Creek Mill site. A single acetone detection below the method detection limit, was reported in the

uppermost settling pond (Table 7).

Source samples contained a total of 12 SVOCs. Chrysene, fluoranthene, bis(2-ethylhexyl)

phthalate, di-n-octylphthalate, butylbenzylphthalate, di-n-butylphthalate, pyrene, phenanthrene,

benzo (a) anthracene, benzo (b) fluoranthene, benzo (a) pyrene, and phenol were all detected

below the method detection limit and flagged as estimated by the validator (Tables 5 and 7).

Source samples contained a total of 10 pesticides. Aldrin was detected in three samples below

the method detection limit (Tables 5 and 7). All other pesticides were detected in the opportunity

soil sample (RA-WSO-08, Table 5) from beneath a leaking fuel tank. The pesticides detected are

aldrin, endosulfan II, endrin aldehyde, endrin ketone, heptachlor, gamma-Chlordane, 4,4'-DDE,

4,4'DDD, endosulfan sulfate, and methoxychlor. All detections were below the method detection

limit except endrin ketone, 4,4'DDE and 4,4'DDD (Table 5).

Source samples were analyzed for cyanide. Background for cyanide in the Rico area is

approximately 0.5 parts per million (ppm). Source samples from the Rico-Argentine site can be

divided into two groups, one group that is near background and one group that is approximately

10 times background. Source sediment/soil samples from the uppermost cyanide leach pit

(RA-WSO-01), the tailings piles along Silver Creek (RA-WSO-03 and RA-WSO-04), and the

uppermost settling pond (RA-WSE-01) all recorded cyanide levels greater than background and

are reported as elevated concentrations (Tables 4 and 6).

Source samples that were analyzed for inorganic analytes other than cyanide indicated elevated

concentrations above the background for aluminum, antimony, arsenic, barium, cadmium, calcium,

75-51115.00

Rico-Argentine ARR/ES1 Revision: 0

> Date: 06/1996 Page 14 of 52

chromium, copper, iron, lead, mercury, nickel, selenium, silver, thallium and zinc (Tables 4 and 6). The analytical results were generally between approximately two to ten times background and are characteristic of mining waste material. Most of the elevated readings were from the tailings

piles along Silver Creek and the Dolores River where cadmium, calcium, copper, iron, lead, silver

and zinc occurred in most samples at between five to ten times background. There appears to be

no discernable difference between the tailings along Silver Creek and the tailings along the

Dolores River. The sample from the upper cyanide leach pit has elevated concentrations from

background of aluminum, chromium, iron, lead, nickel and silver and the sample from the lower cyanide leach pit has slightly elevated concentrations from background of cadmium, copper, iron

and nickel (Table 6). The samples from the settling ponds indicate that all the settling pond water

and sediments have elevated concentrations of calcium. Calcium is used in the water treatment

process to reduce the acidity of the mine water outfall (Anaconda Minerals Company 1994).

Sediment in the uppermost (first) settling pond contains elevated concentrations of aluminum,

antimony, arsenic, cadmium, calcium, copper, and lead; and the aqueous sample from the

uppermost settling pond contains elevated levels of calcium and copper (Table 6).

7.0 GROUNDWATER PATHWAY

7.1 GROUNDWATER SAMPLE LOCATIONS

Only one groundwater sample was collected during this ESI. This groundwater sample was collected from the domestic well at the Rico Ranger Station, northwest of the site. Please refer to Figure 2 for the exact sample location and to Table 2 for the sample rationale. The sample was specifically collected from the spigot used as a source of water for the trailer where the summer staff lives on site. The well draws water from valley fill talus, landslide, and alluvial material,

and is across the Dolores River (west) and topographically above the site (URS 1995c).

7.2 GROUNDWATER ANALYTICAL RESULTS AND TARGETS

Analytical results of the groundwater sample did not reveal the presence of any organic

compounds (Table 9). Analytical results of the inorganic samples, both total and dissolved metals,

75-51115.00

Rico-Argentine ARR/ESI Revision: 0

Date: 06/1996

Page 15 of 52

show detectable concentrations of barium, calcium, magnesium, manganese, potassium, sodium

and zinc (Table 8). The detections and concentrations of inorganics detected in the groundwater

well do not indicate contamination or contact with the source areas of the Rico-Argentine site.

8.0 RESIDENTIAL SOIL EXPOSURE PATHWAY

8.1 RESIDENTIAL SOIL SAMPLE LOCATIONS

Residential soil samples were collected from six properties within the town of Rico (Photos 7, 8,

9, 10, and 11). Please refer to Figure 2 and Table 3 for exact sample locations and rationale.

Signed access agreements were obtained from all property owners before the sample was taken.

Samples were taken from areas on the properties that the field crew or residents believed could

potentially contain fill material derived from local mine workings.

*8.2 RESIDENTIAL SOIL ANALYTICAL RESULTS AND TARGETS

There were no detections of VOCs in any of the residential soil samples (Table 9). There were

detections of 17 SVOCs, primarily in samples RA-SO-02, RA-SO-04 and RA-SO-05, and

estimated detections of three SVOCs were made in sample RA-SO-06. The compounds detected

were generally qualified as estimated, except for detections at RA-SO-02, because quality control

criteria were not met. Minor estimated detections of three SVOCs were made in sample

RA-SO-06. The compounds positively identified from sample RA-SO-02 are fluoranthene, pyrene,

benzo (a) anthracene, chrysene, benzo (b) fluoranthene, benzo (k) fluoranthene, and benzo (a)

pyrene.

Pesticides were detected in small amounts in all samples at low concentrations, which were

estimated because quality control criteria were not met (Table 13). The pesticides detected were

endosulfate, 4,4'-DDD, heptachlor, aldrin, heptachlor epoxide, endosulfan I, 4,4'-DDE, endrin,

4.4'-DDT, endrin ketone, alpha-chlordane, gamma-chlordane, and delta-BHC. These compounds

could be expected to be present if commercial pesticides were used at these homes. These

compounds are not associated with any Rico-Argentine source.

75-51115.00

Rico-Argentine ARR/ESI Revision: 0

> Date: 06/1996 Page 16 of 52

The inorganic results for two of the residential soil samples, RA-SO-03 and RA-SO-05, were very

close to background. Four of the samples, RA-SO-02, RA-SO-04, RA-SO-06 and RA-SO-07,

exhibited elevated concentrations of inorganics (Table 12). Elevated concentrations of copper

were found in four samples. Elevated concentrations of lead were found in three samples, RA-

SO-02, RA-SO-04, and RA-SO-07. Elevated concentrations of antimony, arsenic, manganese,

mercury, silver, and zinc were found in at least two samples. Single detections, at separate locations, of cadmium, calcium, sodium, magnesium, vanadium and cyanide were recorded at

elevated concentrations. When these locations are plotted on a map, the area defined by these

elevated concentrations is approximately 776,000 square feet.

9.0 SURFACE WATER AND SEDIMENT PATHWAY

9.1 AQUEOUS AND SEDIMENT SAMPLE LOCATIONS

Three surface water and sediment samples, including a specific background sample, were collected

from Silver Creek. Eight surface water and sediment samples, including a specific background

sample, were collected from the Dolores River. Please refer to Figure 2 and Table 3 for exact

sample locations and rationale.

The analytical results for each drainage are presented separately in the following discussions.

9.2 SILVER CREEK - AQUEOUS AND SEDIMENT ANALYTICAL RESULTS AND

TARGETS

The background sample on Silver Creek (RA-SW/SE-05) was taken just upstream from the Rico

municipal drinking water intake (Figure 1). A review of the analytical results presented in Tables .

14 and 15 for Silver Creek and in Tables 16, 17, 18 and 19 for the Dolores River indicate that

background conditions in both streams are similar.

Two qualified detections of tetrachloroethene (PCE) were made in sediment from Silver Creek

(samples RA-SE-06 and RA-SE-07) (Table 15). Both detections are estimated values that are

75-51115.00

Rico-Argentine ARR/ES1 Revision: 0 Date: 06/1996

Page 17 of 52

below the detection limit. There was also a very low level estimated detection of

tetrachloroethene made in the source sample RA-WSO-03 (Table 5) which was taken from tailings

along upper Silver Creek.

Phthalates were detected from the background sample (RA-SE-05) and from the sample just below

the tailings (RA-SE-06). The detections are probably the result of sample collection or laboratory

contamination. The sediment in Silver Creek tended to be composed of cobbles and boulders and

considerable digging and picking were required to collect a sufficient quantity of fine-grained

sediment for analysis.

Elevated concentrations of iron, manganese, and zinc were detected in both of the downstream

aqueous samples (Table 14). The samplers noted that water seemed to be seeping from beneath

the tailings pile directly into the creek. The concentrations decreased from the sample station just

below the Silver Creek tailings piles (RA-SE-06) to the sample station located on Silver Creek

just before the confluence with the Dolores River (RA-SW-07). Photo 3 shows the rusty-colored

iron staining near the location of sample station RA-SW-06. The rusty-colored staining was less

noticeable at RA-SW-07.

Elevated concentrations of 14 inorganics were detected from sediment at sample station RA-SE-06

(Table 14). The sampling crew noted that the stream was in direct contact with the tailings. It

was observed that tailings were slumping into the creek and that the creek bed appeared to be

composed entirely of fine-grained tailings material derived from the tailings piles along the creek.

Most of the elevated concentrations of inorganics were flagged by the validator as estimated

because of the dilution required before the concentrated sample could be analyzed. Three metals

were positively identified: beryllium, copper and selenium. Ten metals were identified and their

quantity estimated because quality control criteria were not met. These 10 metals are aluminum,

arsenic, cadmium, calcium, iron, lead, manganese, nickel, silver, and zinc.

An unqualified elevated concentration of copper was detected at RA-SE-07 located on Silver

Creek just before the confluence with the Dolores River (Table 14). Elevated concentrations with

estimated values were detected at RA-SE-07 for six inorganic compounds: arsenic, iron, lead,

75-51115.00

Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996 Page 18 of 52

manganese, silver, and zinc. Elevated concentrations at the downstream Silver Creek sample location (RA-SE-07) were between one-half to one-tenth those of the upstream location (RA-SE-06). Seven inorganic compounds, aluminum, beryllium, cadmium, calcium, nickel, selenium, and cyanide that were detected at elevated concentrations at the upper sample station (RA-SE-06) were not detected at elevated concentrations at the lower sample station (RA-SE-07).

A survey of Silver Creek from the Rico municipal water intake to the confluence with the Dolores River (Figure 2) performed during the URS field sampling in September 1995 did not detect any wetlands or evidence of a fishery. The flow of Silver Creek was determined to be approximately 10.1 cfs (see Section 4.2). Concrete reinforced rip-rap was in place along the upper end of the tailings pile along the Silver Creek stream course. This containment prevented the tailings from entering the stream. There were no containment features along the more downstream reaches of Silver Creek where tailings were coming into direct contact with the stream, as noted at sample location RA-SW/SE-06 (URS 1995b).

9.3 DOLORES RIVER - AQUEOUS AND SEDIMENT ANALYTICAL RESULTS AND TARGETS

Eight aqueous and sediment samples were taken along the Dolores River. The background sample was taken on the east bank of the river, across from the Rico Ranger Station. There is no indication, either physical or analytical, that the background location is influenced by the site.

The aqueous organic samples (Table 17) indicated only one isolated very low level detection of carbon disulfide at RA-SW-09. This location is south (downstream) of Rico and adjacent to approximately one acre of wetlands (Figure 2). This single organic detection does not appear to be related to any identifiable source.

The aqueous inorganic samples (Table 16) present a more consistent picture. Iron and manganese are found at elevated concentrations in all Dolores River samples downstream of the background sample (RA-SW-01). Zinc is detected at elevated concentrations in all Dolores River aqueous samples below RA-SW-02 (Figure 2). The highest concentrations of iron, manganese, zinc and

Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996

Page 19 of 52

copper are also found in aqueous sample RA-SW-08. Iron at this location is 54 times background,

manganese is 20 times background, zinc is 68 times background, and copper is 8 times

background. These elevated concentrations cannot be traced directly back to Silver Creek or the

Outfall 002 from the settling ponds, since concentrations actually decrease at the previous sample

location on the Dolores River (RA-SW-04).

There are also elevated concentrations of aluminum from sample stations RA-SW-02 and

RA-SW-08. These two stations report aluminum concentrations that are approximately ten times

background and there is no apparent source for these concentrations. All other sample stations

report aluminum readings near background (Table 16).

Organic sediment sample results from the Dolores River (Table 19) report an estimated result for

tetrachloroethene at RA-SE-08. An elevated concentration of acetone is reported in the duplicate

(RA-SE-11) and is probably due to laboratory contamination. Phthalates are reported at low

concentrations in several samples and are probably the results of sample collection or laboratory

contamination. 4-methylphenol is also estimated to be present below the detection limit in the

rnost downstream sample and in the duplicate of that sample (RA-SE-10 and RA-SE-11). This

is most likely the result of laboratory contamination.

Elevated concentrations of inorganic compounds are recorded at two sample stations on the

Dolores River, stations RA-SE-08 and RA-SE-09 (Table 19 and Figure 2). Both of these sample

stations are located near tailings piles that are being actively eroded by the Dolores River (Photos

12 and 13). There are no elevated concentrations of inorganic compounds reported for any other

sediment sample along the Dolores River (Table 18). Copper is positively identified at elevated

concentrations at both sample stations. The copper in the sediment is elevated to 9 times

background at sample station RA-SE-08 and to 5.5 times background at the next most downstream

location, RA-SE-09. Lead, manganese, and zinc are all detected at estimated quantities, below

the detection limit but above background, at RA-SE-08 and RA-SE-09. The concentrations of

lead, manganese, and zinc in the sediment range from three to five times background...

75-51115.00

Rico-Argentine ARR/ES1 Revision: 0

Date: 06/1996 Page 20 of 52

There is substantial evidence of sport fishing along the Dolores River in the Rico area. The field sampling crews observed and interviewed several cold water trout fisherman, particularly below Rico, between sample stations RA-SE/SW-08 and RA-SE/SW-10 (URS 1995b).

The field crew also measured and classified several wetlands for one mile along the Dolores River between the confluence of Silver Creek with the Dolores River and RA-SW/SE-09 (see section 4.2). Several small wetlands (less than one acre) were noted for the first three-quarters of a mile. A larger palustrine scrub/shrub (obligate) wetland, approximately five acres in size, was documented between three-quarters of a mile and one mile downstream of the Silver Creek/Dolores River confluence (Figure 2).

URS Operating Services, Inc. START, EPA Region VIII

Contract No. 68-W5-0031

Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996

Page 21 of 52

10.0 <u>SUMMARY</u>

Field work conducted at the Rico Argentine site in Rico, Colorado, during the week of September 11

through September 15, 1995, involved the collection of samples for laboratory analyses and non-sampling

site specific information. This information has been used in this report to evaluate pathways and

associated targets to determine if the Rico Argentine site potentially impacts the environment or human

health.

The air pathway was not evaluated during this site inspection because no evidence was discovered during

the background research which would indicate that a potential release to the air pathway was possible.

No groundwater users were identified during the field work. The only groundwater well located was the

background well at the Rico Ranger Station. Data collected for this site inspection was inconclusive

regarding the groundwater pathway.

Soil samples were collected from six residences. Organic compounds found in the residential soil samples

can not be directly attributed to the site and are most likely the result of activities occurring at each

specific residence. Samples from four of the residences had elevated concentrations of metals, which

indicate that tailings material, from an unspecified source, could have been used as fill on the property.

These locations define the boundaries of an area that covers approximately 766,000 square feet.

Aqueous and sediment samples were taken from Silver Creek and the Dolores River. The results of these

samples indicate that there are localized incidents of metals entering the surface water and sediment of

these streams from tailings that are not contained. Areas that appear to be potential sources of

contamination are the lower part of the tailings piles on Silver Creek and the tailings piles that are being

actively eroded along the Dolores River, south of Rico. These tailings piles appear to be a source for

localized contamination that occurs immediately downstream of the tailings piles on Silver Creek and the

Dolores River.

75-51115.00

Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996-Page 22 of 52

Source areas which are controlled by engineered containment features, such as the berm on the tailings on upper Silver Creek and the water treatment and settling pond system for the St. Louis Discharge do not appear to be the source for elevated concentration of metals in the surface waters and sediments of Silver Creek and the Dolores River. A review of the water quality data for the Dolores River ("pH on Dolores River" (Figure 3) and "Conductivity on Dolores River" (Figure 4) in Appendix A - Sample Activities Report) indicate that Outfall 002 and Silver Creek significantly influence water quality on the Dolores River at their respective points of confluence. A review of the analytical data from samples collected for this ESI indicates that Outfall 002 and Silver Creek are not the probable source of metals contamination in the Dolores River.

Rico-Argentine ARR/ES1 Revision: 0 Date: 06/1996

Page 23 of 52

11.0 LIST OF REFERENCES

Anaconda Minerals Company (AMC). 1988. Letter from Robert Dent (AMC) Minerals Environmental

Manager, to James B. Horn, Colorado Department of Health, Water Quality Control Division, District

Engineer. August 28, 1988.

Anaconda Minerals Company (AMC). 1994. Personal communication with Bob Dent, Minerals

Environmental Manager. May 20, 1994,

Dunne, Thomas and Luna B. Leopold. 1978. "Water in Environmental Planning." W. H. Freeman and

Company, San Francisco.

Ecology and Environment, Inc. (E&E). 1985. Analytical Results for Rico-Argentine Mine, Rico,

Colorado. Prepared by Meg Babits. July 29, 1985.

Office of the Federal Register. 1990. National Archives and Records Administration. December 14,

1990. Code of Federal Regulations (CFR) 40, Part 300, "Hazard Ranking System (HRS) for Uncontrolled

Hazardous Substances Releases." Appendix A of the National Oil and Hazardous Substances Release

Contingency Plan.

PTI Environmental Services and ESA Consultants. 1995. Field Guidance Document: Rico Mine District,

Dolores County, Colorado.

State of Colorado, Department of Natural Resources, Bureau of Mines (BOM). 1939a. Inspectors Report

prepared by District No. 4 State Mine Inspector, D. C. McNaughton. April 15, 1939.

State of Colorado, Department of Natural Resources, Bureau of Mines (BOM). 1939b. Report to Bureau

of Mines. March 18, 1939.

State of Colorado, Department of Natural Resources, Bureau of Mines (BOM). 1971. Information Report

by District No. 4 Inspector. June 10, 1971.

75-51115.00

State of Colorado, Department of Natural Resources, Bureau of Mines (BOM). 1974. Information Report by District No. 4 Metal Mining Inspector, Thomas D. High. December 5, 1974,

State of Colorado, Department of Natural Resources, Bureau of Mines (BOM). 1975. Information Report by District No. 4 Metal Mining Inspector Thomas D. High. July 17, 1975.

State of Colorado, Department of Public Health and the Environment (CDPHE). 1988. Application for Transfer and Acceptance of Terms of a Colorado Permit. July 25, 1988.

State of Colorado, Department of Public Health and the Environment (CDPHE). 1995. Review of files.

U.S. Department of the Interior, Bureau of Reclamation (BOR). Undated. Dolores River Basin Water Quality Study.

U.S. Environmental Protection Agency (EPA). 1992. Guidance for Performing Site Inspections Under CERCLA. Interim Final.

U.S. Environmental Protection Agency (EPA), Water Management Division. 1994. File review.

U.S. Geological Survey (USGS). 1960. 7.5-Minute Series Topographic Quadrangle, Rico, Colorado. (Photoinspected 1975).

U.S. Geological Survey (USGS). 1974. Professional Paper 723 "Geology and Ore Deposits of the Rico District, Colorado," by Edwin T. McKnight.

U.S. Geological Survey (USGS). 1976. Dolores County, Colorado - County Map Series (Topographic).

U.S. Geological Survey (USGS). 1982. 30 x 60 Minute Topographic Quadrangle: 1:100,000 scale, Dove Creek.

Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996 Page 25 of 52

U.S. Geological Survey. 1987. Water Supply Paper 2220 "Basic Ground-Water Hydrology" by Ralph C. Heath.

U.S. Geological Survey (USGS). 1993. Water Data Report CO-93-2, "Water Resources Data, Colorado Water Year 1993, Volume 2, Colorado River Basin."

U.S. Geological Survey (USGS). 1994. Water Data Report CO-94-2, "Water Resources Data, Colorado Water Year 1994, Volume 2, Colorado River Basin."


University of Delaware, Center for Climate Research, Department of Geography (UD). 1986. Terrestrial Water Budget Data Archive; Version 1.01, compiled by C. J. Willmott and C. M. Rowe.


URS Consultants, Inc. (URS) 1994. Site Inspection Prioritization, Rico-Argentine, Rico, Colorado.

URS Consultants, Inc. (URS) 1995a. Field Sampling Plan for Expanded Site Inspection of the Rico-Argentine, Dolores County, Colorado.

URS Consultants, Inc. (URS). 1995b. Sample Activities Report, Rico-Argentine Mine and Mill site, Rico, Colorado.

URS Consultants, Inc. (URS). 1995c. Field Observations during field work.





6/23/35

67:57

Rico-Argentine ARR/ES1 Revision: 0 Date: 06/1996 Page 28 of 52

TABLE 3
Sample Locations and Rationale

Sample Matrix	Sample ID	Location	Rationale
Surface Water	RA-SW-01	Upstream of site influences on the Dolores River.	Establish background conditions on the Dolores River.
	RA-SW-02	Adjacent to tailings piles on the Dolores River.	Test for impacted fishery.
	RA-SW-03	Confluence of drainage from settling ponds and the Dolores River.	Test for impacted fishery.
	RA-SW-04	Confluence of Silver Creek and the Dolores River.	Test for impacted fishery
	RA-SW-05	Upstream of site influences on Silver Creek.	Establish background conditions on Silver Creek.
	RA-SW-06	Downstream of tailings piles on Silver Creek.	Test for impacted fishery.
	RA-SW-07	Silver Creek, downstream of tailings pile in town of Rico.	Test for impacted fishery.
·	RA-SW-08	1.7 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.
	RA-SW-09	1.9 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.
	RA-SW-10	2.8 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.
	RA-SW-11	5.8 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.
Sediment	RA-SE-01	Upstream of site influences on the Dolores River.	Establish background conditions on the Dolores River.

Rico-Argentine ARR/ES1 Revision: 0 Date: 06/1996 Page 29 of 52

TABLE 3
Sample Locations and Rationale (continued)

(continued)				
Sample Matrix	Sample ID	Location	Rationale	
Sediment (continued)	RA-SE-02	Adjacent to tailings piles on the Dolores River.	Test for impacted fishery.	
	RA-SE-03	Confluence of drainage from settling ponds and the Dolores River.	Test for impacted fishery.	
	RA-SE-04	Confluence of Silver Creek and the Dolores River.	Test for impacted fishery.	
	RA-SE-05	Upstream of site influences on Silver Creek.	Establish background conditions on Silver Creek.	
	RA-SE-06	Downstream of tailings pile on Silver Creek.	Test for impacted fishery.	
	RA-SE-07	Silver Creek, downstream of tailings pile in the town of Rico.	Test for impacted fishery.	
	RA-SE-08	1.7 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.	
	RA-SE-09	1.9 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.	
	RA-SE-10	2.8 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.	
	RA-SE-11	5.3 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.	
Surface Soil	RA-SO-01	Sample from off-site location, outside of site influences.	Establish background soil conditions.	
,	RA-SO-02	Opportunity soil sample from residential property in Rico.	Establish contaminated soil source area.	

Rico-Argentine ARR/ES1 Revision: 0 Date: 06/1996 Page 30 of 52

TABLE 3 Sample Locations and Rationale (continued)

(continued)				
Sample Matrix	Sample ID	Location	Rationale	
Surface Soil (continued)	RA-SO-03	Opportunity soil sample from residential property in Rico.	Establish contaminated soil source area.	
	RA-SO-04	Opportunity soil sample from residential property in Rico.	Establish contaminated soil source area.	
	RA-SO-05	Opportunity soil sample from residential property in Rico.	Establish contaminated soil source area.	
	RA-SO-06	Opportunity soil sample from residential property in Rico.	Establish contaminated soil source area.	
Groundwater	RA-GW-01	Groundwater sample from upgradient well in the Dolores River Valley.	Establish background conditions in same aquifer as downgradient groundwater sample.	
Adit Sample	RA-WGW-01	Source sample from the outfall of the St. Louis Tunnel.	Characterize mine discharge from St. Louis Tunnel.	
Hot Spring Sample	RA-WGW-02	Surface water sample from geothermal spring adjacent to settling pond.	Characterize public use geothermal spring.	
Source Characterization	RA-WSO-01	Soil sample from abandoned cyanide leach pits along the Dolores River.	Characterize cyanide leach pits.	
	RA-WSO-02	Soil sample from abandoned cyanide leach pits along the Dolores River.	Characterize cyanide leach pits.	
	RA-WSO-03	Tailings piles along Silver Creek.	· Characterize tailings piles.	
	RA-WSO-04	Tailings piles along Silver Creek.	Characterize tailings piles.	

Rico-Argentine ARR/ES1 Revision: 0 Date: 06/1996 Page 31 of 52

TABLE 3 Sample Locations and Rationale (continued)

Sample Matrix	Sample ID	Location	Rationale
Source Characterization (continued)	RA-WSO-05	Tailings pile at confluence of Silver Creek and the Dolores River.	Characterize tailings pile.
	RA-WSO-06	Tailings pile along the Dolores River, south of Rico.	Characterize tailings pile.
i	RA-WSO-07	Tailings along the Dolores River, one mile south of Rico.	Characterize tailings pile.
	RA-WSO-08	Opportunity soil sample from soil in the vicinity of fuel tank at the mill site.	Characterize former contents of empty tank.
	RA-WSW-01	Aqueous sample from uppermost settling pond adjacent to the Dolores River.	Characterize contents of settling pond.
	RA-WSW-02	Aqueous sample from lowermost settling pond adjacent to the Dolores River.	Characterize contents of settling pond.
	RA-WSW-03	Aqueous sample from ditch adjacent to upper settling ponds along the Dolores River.	Characterize contents of ditch.
	RA-WSE-01	Sediment sample from uppermost settling pond adjacent to the Dolores River.	Characterize contents of settling pond.
	RA-WSE-02	Sediment sample from lowermost settling pond adjacent to the Dolores River.	Characterize contents of settling pond.
	RA-WSE-03	Sediment sample from ditch adjacent to upper settling ponds along the Dolores River.	Characterize contents of ditch.

URS Operating Services, Inc. START, EPA Region VIII Contract No. 68-W5-0031 Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996 Page 32 of 52

TABLE 3
Sample Locations and Rationale (continued)

	<u> </u>	(continued)	
Sample Matrix	Sample ID	Location	Rationale
QA/QC	RA-SW-18	VOA Trip Blank Sample	Document contamination introduced during sample handling and shipping.
	RA-SW-19	VOA Trip Blank Sample	Document contamination introduced during sample handling and shipping.
	RA-SW-20	VOA Trip Blank Sample	Document contamination introduced during sample handling and shipping.
	RA-SW-22	Rinsate Blank Sample	Document thoroughness of decontamination procedures on soil sampling equipment
	RA-SW-23	Rinsate Blank Sample	Document thoroughness of decontamination procedures on soil sampling equipment
	RA-SW-24	Rinsate Blank Sample	Document thoroughness of decontamination procedures on sediment sampling equipment.
	RA-SW-25	Rinsate Blank Sample	Document thoroughness of decontamination procedures on soil sampling equipment.
	RA-SW-26	Duplicate of RA-SW-04	Determine the precision of sample collection procedures and laboratory analyses.
	RA-SW-27	Duplicate of RA-SW-11	Determine the precision of sample collection procedures and laboratory analyses.
	RA-SW-93	VOA Trip Blank Sample	Document contamination introduced during sample handling and shipping.

> Date: 06/1996 Page 33 of 52

TABLE 4
Source Soils and Tailings Inorganic Sample Results
Concentrations in mg/kg

Sample ID: Case #: Traffic Report #: Location: Location Description		2352703 24008 MHCQ96 RA-WSO-01 Soil sample from abandoned cyanide leach pits along the Dolores River	Dolores River	2350420 24008 MHDD89 RA-WSO-03 Tailings piles along Silver Creek	2350426 24008 MHDD95 RA-WSO-04 Tailings piles along Silver Creek	2350407 24008 MHDD76 RA-WSO-05 Tailings pile at confluence of Silver Creek and the Dolores River	2350405 24008 AHDD74 RA-WSO-06 Tailings pile along the Dolores River south of Rico	2350406 24008 MHDD75 RA-WSO-07 Tailings along the Dolores River one mile south of Rico	2353404 24008 MHDD35 RA-WSO-08 Opportunity soil sample from soil in the vicinity of fuel tank at the mill site.
Aluminum	(AI)	15200 J	8210 J	2770 J	11800 1	9360 J	425 J	6210 J	1270 J
Antimony	(Sb)	[7.6]	0.93 UI	[5.2]	[7.8]	0.66 UJ	1.7 J	[4,8]	14.7
Arsenic	(As)	32.1 J	16.7 J	139 J	43.5 J	9.13	. 137 J	43.5 J	343
Barium	(Ba)	182	(55.6)	[42.8]	747	55.6	[39.4]	60.3	[20,8]
Beryllium	(Be)	1.5	6.0	2.8	1.5	1.2	. [0.58]	0.23 U	0.21 U
Cadmium	(Cd)	0.25 UJ	68.7	0.24 UJ	19.2	79.1	32.7	4.4	52.5
Calcium	(Ca)	4120 J	135000 J	t 00899	54500 J	65900 1	62000 J ·	1 0000	17200 J
Chromium	(Cr)	25.3	5.0	11.6	17.9	13.0	[1.6]	9.3	4.2
Cobalt	(Co)	[12.4]	[13.0]	[2.9]	13.7	[10.4]	[2.5]	[1.1]	11.5
Соррег	(Cu)	233	1070	372	324	215	565	. 191	299 J
1ron	(Fe)	81500 J	62300 J	146000 J	39400 J	31900 J	103000 J	37800 J	229000 J
Lead	(Pb)	833 J	165.1	5130 J	2170 J	4100 J	13300 J	.3610 J	9450 J
Magnesium	(Mg)	11500	11500	2120	33700	9540	[107]	5830	1300 -
Manganese	(Mn)	2130 J	. 6010 J	1410 J	12300 J	3980 J	62.3 J	213 J	736 J
Mercury	(Hg)	0.16	0.16 U	0.12 U	0.30	0.48	0.21	0.37	0.10 U
Nickel	(Ni)	24.7	, 19.1	[4.5]	27.2	15.7	[2.7]	[4.6]	17.0
Potassium	(K)	3290 J	1 0 40 J	3410	2320	1450 J	2180	2420	1740
Seleniom	(Sc)	2.2	0.62 ป	5.6	1.1 3	0.44 U	3.5	2.5 յ	14.5
Silver	(Ag)		3.3	21.8	127	30.9	45.7	17.7	31.6
Sodium	(Na)	38.6 UJ	44.2 UJ	34.7 UJ	34.9 UJ	31.4 UJ	33.9 UJ	33.3 UJ	[931]
Thallium	(TI)	4.7 3	2.7 UJ	4.9	2.2 UJ	1.3 UJ	10.4	L,8 UJ	1,8 J
Vanadium	(V)	19.9	{3.4}	23.6	17.5	16.5	[1.8]	12.0	[3.1]
Zine	(Zn)	, 981 J	14900 J	1850 J	2960 J	10400 J	5450 J	915 J	9870 J
Cyanide	(CN)	4.6	0.23 U	4.2	5.4	[0.20]	[0.40]	0.18 U	[0.22]

The associated numerical value is an estimated quantity because quality control criteria were not met.

U The analyte was not detected at reported concentration (qualified by laboratory software).

UI The associated numerical value is an estimated quantity because quality control criteria were not met. The analyte was not detected.

The associated numerical value was detected below the CRDL, but greater than the method detection limit and is therefore an estimate (qualified by laboratory software). Presence of the compound is reliable.

Date: 06/1996 Page 34 of 52

TABLE 5
Source Soils and Tailings - Organic Sample Results
Concentrations in µg/kg

Sample 1D#: Case #: Sample #: Location:	RA-WSO-01 24008 HR-581 Soil sample from upper abandoned cyanide leach pit	RA-WSO-02 24008 HR-582 Soil sample from lower abandoned cyanide leach pit	RA-WSO-03 24008 HR-566 Upper half of tailings pile along Silver Creek at mill	RA-WSO-04 24008 HR-573 Lower balf of tailings pile along Silver Creck at mill	RA-WSO-05 24008 HR-922 Tailings at confluence of Silver Creek with Dolores River	RA-WSO-06 24008 HQ-923 Tailings immediately south of Rico along Dolores River	RA-WSO-07 24008 HQ-924 Tailings one mile south of Rico along Dolores River	RA-WSO-08 24008 HQ-929 Opportunity soil sample from vicinity of aboveground tank at mill site
Volatile Organic Compounds	Dilution:	Dilution:	Dilution: I	Dilution:	Dilution:	Dilution: 1	Dilution: 1	Dilution: 1
Acetone	-	•	<u> </u>		•		-	150
Carbon disulfide		-	<u></u>		<u>-</u>	2 J		6 J
2-Butanone	-	-			-		-	110
2-Hexanone				<u> </u>	•	-	-	14 J
Tetrachloroethene			2 J	<u> </u>		1.3		
Toluene .	•	•	<u> </u>	-	-		-	I J
Semivolatile Organic Compounds	Dilution: 1	Dilution:	Dilution:	Dilution: 1	Dilution:	Dilution: I	Dilution:	Dilution: 1
Chrysene	-	•		31 J	24 J	-	-	
Fluoranthene	30 J	•	-	64 J	20 J			
bis(2-ethylhexyl)phthalate	69 J	110 J	32 J	37 J	250 J	-	-	730 J
Di-n-octylphthalate	-	-	-	•	42 J	-	-	1000 J
Butylbenzylphthalate	-			-	-	-	-	2100 J
Di-n-butylphthalate	24 J	33 J	25 J	33 J	-	-	-	- ,
Pyrene	25 J	-	-	55 J	20 J	-	-	-
Phenanthrene	24 J		-	39 J	i _	-	-	
Benzo (a) anthracene	-	-	-	25 J	-		-	-
Benzo (b) fluoranthene	-	-	-	23 J.	1 -		-	-
Benzo (a) pyrene		-	-	25 J	-		-	-
Phenol	-	-	-	-	-	150 J.	-	790 J

> Date: 06/1996 Page 35 of 52

TABLE 5 Source Soils and Tailings - Organic Sample Results Concentrations in µg/kg (continued)

Sample ID#: Case #: Sample #: Location:	RA-WSO-01 24008 HR-581 Soil sample from upper abandoned cyanide leach pit	RA-WSO-02 24008 HR-582 Soil sample from lower abandoned cyanide leach pit	RA-WSO-03 24008 HR-566 Upper half of tailings pile along Silver Creek at mill	RA-WSO-04 24008 HR-573 Lower half of tailings pile along Silver Creek at mill	RA-WSO-05 24008 HR-922 Tailings at confluence of Silver Creek with Dolores River	RA-WSO-06 24008 HQ-923 Tailings immediately south of Rico along Dolores River	RA-WSO-07 24008 HQ-924 Tailings one mile south of Rico along Dolores River	RA-WSO-08 24008 HQ-929 Opportunity soil sample from vicinity of aboveground tank at mill site
Pesticides	Dilution:	Dilution: L	Dilution:	Dilution: 8	Dilution:	Dilution:	Dilution: 1	Dilution: 5
Aldrin	-	-	-	-	5.5 NJ ·	-	-	14 NJ
Endosulfan II		•		·	-	-	_	21 NJ
Endrin aldehyde		-	-		-	-		9 NJ
Endrin ketone	-	•	-	•	•	-		24
Heptachlor	-	•	:	-	-		-	2.9 NJ
gamma-Chlordane		•	-		-	•	-	6.9 NJ
4,4'-DDE	-	•	-			-	-	19
4,4'-DDD	-	-	-		-	•	-	22
Endosulfan sulfate		-	-	•	-	-	-	10 NJ
Methoxychlor	•	-	<u> </u>		-	-	-	47 NJ

The associated numerical value was detected below the CRQL, but greater than the method detection limit and is therefore an estimate (qualified by laboratory software). Presence of the compound is reliable.

The associated numerical value is an estimated quantity because quality control criteria were not met.

⁻ The analyte was not detected (qualified by laboratory software).

⁽⁾ Sample Quantitation Limit (SQL).

 $[\]bigstar$ Sample values are \ge to the SQL, \ge 3x background concentrations and \ge 5x all blank concentrations.

TABLE 6 Source Aqueous and Sediment Inorganic Sample Results from Settling Ponds Concentrations in µg/l or mg/kg

Sample ID:		2352713	2352711	2352707	2352706	2352709	2352708	2352710
Case #:		24008	24008	24008	24008	24008	24008	24008
Traffic Report	: #:	MHDA95	MHDA93	MHDA89	MHDA88	MHDA91	MHDA90	MHDA92
Location:		RA-WSE-01	RA-WSW-01	RA-WSE-02	RA-WSW-02	RA-WSE-03	RA-WSW-03	RA-WSW-09
Location Desci	rintion	Sediment sample from	Aqueous sample from	Sediment sample from	Aqueous sample from	Sediment sample from ditch	Aqueous sample from ditch	Aqueous sample from spring
		uppermost settling pond	uppermost settling pond	lowermost settling pond	lowermost settling pond	adjacent to upper settling	adjacent lo upper settling	trickling out into rocks
li	j	adjacent to the Dolores	adjacent to the Dolores River	adjacent to the Dolores	adjacent to the Dolores	ponds along the Dolores	ponds along the Dolores	beneath cyanide leach pond (no
		River (mg/kg)	(μg/ℓ)	River (mg/kg)	River (µg/2)	River (mg/kg)	River (μg/ℓ)	sediment) (µg/ℓ)
Aluminum	(Al)	25500 J	3860 J	8560 J	53.3 J	3620 J	22.1 UJ	234 J
Antimony	(Sb)	19.6 UJ	3.0 U	1.8 UJ	3.0 U	0.88 U	3.0 U	3.0 U
Arsenic	(As)	49.4	[6.9]	12.9	2.0 U	10.6	2.0 U	2.0 U
Barium	(Ba)	[94.5]	[23.9]	[44.7]	(13.1)	[54.2]	[48.1]	[40.3]
Beryllium	(Bc)	13.6	2.3 UJ	1.3 U	1.0 U	0.48 UJ	1.0 υ	1.0 U
Cadmium	(Cd)	227	26.4	10,9	[1.9]	[0.32]	1.0 U	1.0 U
Calcium	(Ca)	153000 J	215000	13700 J	206000	5700 J	67100	72900
Chromium	(Cr)	[15.5]	[1.9]	13.5	1.0 U	4.2	1.0 U	1.0 U
Cobalt	(Co)	[40.5]	[5.2]	[12.5]	1.0 U	[4.4]	1.0 U	1.0 U
Соррст	(Cu)	4250 J	, 453	69.2 J	[4.2]	12.8 J	4.0 U	[4.9]
Iron	(Fc)	195000 J	28500	19800 J	297	12300 J	369	537
Lead	(Pb)	838 J	172	137 J	1.0 U	19.0 \$	' 1.0 U	44.7
Magnesium	(Mg)	[8470]	19800	7530	20200	2290	± 8750	9000
Manganese	(Mn)	18600 J	2950	3900 J	820	483 J	334	45,4
Мегсигу	(Hg)	1.2 U	0.20 U	0.13 U	0.20 U	0.15 U	0.20 U	0.20 U
Nickel	(Ni)	[63.7]	[10.0]	20.2	[2.4]	[8.2]	1.0 U	1.0 U
Potassium	(K)	[8050]	5050	1660	[4830]	[1240]	{ [3230]	2380 J
Selenium	(Se)	4.8 U	2.0 U	0.54 U	2.0 U	0.59 U	2.0 U	2.0 U
Silver	(Ag)	[8.0]	[1.2]	[2.3]	1.0 U	0.29 U	1.0 U	1.0 U
Sodium	(Na)	2480 UJ	9010	38.0 U	9110	75.8 UJ	[1700]	[1880]
Thallium	(TI)	4.8 U	[4.3]	0.54 U	[3.4]	0.59 U	2.2 UJ	[2.8]
Vanadium	(V)	[9.0]	[1.5]	[10.5]	1.0 U	[10.1]	1.0 U	1.0 U
Zinc	(Zn)	43900 J	5660	1300 J	351	79.3 J	27.2 UJ	49.2
Cyanide	(CN)	(3.1)	3.0 U	0.20 U	3.0 U	0.22 U	3.0 UJ	3.0 U

The associated numerical value is an estimated quantity because quality control criteria were not met.

75 51115 00

The analyte was not detected at reported concentration (qualified by laboratory software).

UJ The associated numerical value is an estimated quantity because quality control criteria were not met. The analyte was not detected.

The associated numerical value was detected below the CRDL, but greater than the method detection limit and is therefore an estimate (qualified by laboratory software). Presence of the compound is reliable.

> Date: 06/1996 Page 37 of 52

TABLE 7
Source Aqueous and Sediment from Settling Ponds - Organic Sample Results
Concentrations in µg/ℓ (surface water) and µg/kg (sediment)

Sample ID#: Case #: Sample #: Location:	RA-WSW-01 24008 HR-479 Aqueous sample from uppermost settling pond adjacent to the Dolores River	RA-WSE-01 24008 HR-481 Sediment sample from uppermost settling pond adjacent to the Dolores River	RA-WSW-02 24008 HR-584 Aqueous sample from lowermost settling pond adjacent to the Dolores River	RA-WSE-02 24008 HR-474 Sediment sample from lowermost settling pond adjacent to the Dolores River	RA-WSW-03 24008 HR-475 Aqueous sample from ditch adjacent to upper settling ponds along the Dolores River	RA-WSE-03 24008 HR-476 Sediment sample from ditch adjacent to upper settling ponds along the Dolores River	RA-WSW-09 24008 HR-477 Aqueous sample from spring trickling out into rocks from beneath cyanide leach pad (NO SEDIMENT)
Volatile Organic Compounds	Dilution:	Dilution: 1	Dilution:	Dilution:	Dilution:	Dilution:	Dilution: I
Acetone	6 J	-	-	•	-	-	-
Semivolatile Organic Compounds	Dilution:	Dilution: I	Dilution: I	Dilution: 1	Dilution: I	Dilution: 1	Dilution:
Bis(2-Ethylhexyl) Phthalate	-	170 J		23 J	-		
Di-n- Butylphthalate	-	240 J	-	21 J	-	30 J	-
Pesticides	Dilution:	Dilution:	Dilution: I	Dilution: 1	Dilution:	Dilution:	Dilution: I
Aldrin		<u>-</u>	-		-	0.32 NJ	

The associated numerical value is an estimated quantity because the compounds were detected below the method detection limit.

The analyte was not detected above the method detection limit.

Page 38 of 52

TABLE 8
Source Groundwater - Inorganic Sample Results
Concentrations in µg/ℓ

Sample ID: Case #: Traffic Report #: Sample Location: Location Description:		2352712 24008 MHDA94 RA-WGW-01 Source sample from the outfall of the St. Louis Tunnel	2352705 24008 MHCQ98 RA-WGW-02 Surface water sample from the geothermal spring adjacent to the
			settling pond
Aluminum	(Al)	1660	9.4 U
Antimony	(Sb)	3.0 U	3.0 U
Arsenic	(As)	[4.3]	33.9
Barium	(Ba)	[21.1]	[40.8]
Beryllium	(Be)	1.7 UJ	5.3 _
Cadmium	(Cd)	. 20.1	ຸ 1.0 ປ
Calcium	(Ca)	262000	615000
Chromium	(Cr)	U 0.1	1.0 U
Cobalt	(Co)	[3.6]	1.0 U
Copper	(Cu)	215	1.0 U
Iron	(Fe)	15200	6680
Lead	(Pb)	21.3	1.0 U
Magnesium	(Mg)	21000	89500
Manganese	(Mn)	2770	1070
Mercury	(Hg)	· 0.20 U	0.20 U
Nickel	(Ni)	. [7.3]	2.7 J
Potassium	(K)	[4860]	26000
Selenium	(Se)	2.0 U	2.0 U
Silver	(Ag)	1.0 U	1.0 U
Sodium	(Na)	8930	64700
Thallium	(Tl)	2.0 U	5.0 J
Vanadium	(v)	U 0.1	U 0.1
Zinc	(Zn)	4100	77.9
Cyanide	(CN)	3.0 U	3.0 U

The associated numerical value is an estimated quantity because quality control criteria were not met.

Ü

ΙU

The analyte was not detected at reported concentration (qualified by laboratory software).

The associated numerical value is an estimated quantity because quality control criteria were not met. The analyte was not detected.

The associated numerical value was detected below the CRDL, but greater than the method detection limit and is therefore an estimate (qualified by laboratory software). Presence of the compound is reliable.

URS Operating Services, Inc. START, EPA Region VIII Contract No. 68-W5-0031 Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996 Page 39 of 52

TABLE 9 Source Groundwater Organic Sample Results Concentrations in µg/ℓ

Sample ID#: Case #: Sample #: Location:	RA-WGW-01 24008 HR-480 Source Sample from St. Louis Tunnel Outfall	RA-WGW-02 24008 HR-583 Water Sample from Geothermal Spring adjacent to settling pond
Volatile Organic Compounds	Dilution: 1	Dilution:
•	-	-
Semivolatile Organic Compounds	Dilution:	Dilution: I
-		·
Pesticides	Dilution:	Dilution:
-	-	-

- () The associated numerical value was detected below the CRQL, but greater than the method detection limit and is therefore an estimate (qualified by laboratory software). Presence of the compound is reliable.
 - The associated numerical value is an estimated quantity because quality control criteria were not met.
 - The analyte was not detected (qualified by laboratory software),
- Sample Quantitation Limit (SQL).
- \bigstar Sample values are \ge to the SQL, \ge 3x background concentrations and \ge 5x all blank concentrations.

Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996 Page 40 of 52

TABLE 10 Groundwater Inorganic Sample Results Concentrations in µg/ℓ

Sample ID: Case #: Traffic Report #: Sample Location: Location Description:	2353401 24008 MHDA99 RA-GW-01 (Total metals.) Background Groundwater Sample	2353407 24008 MHDD36 RA-GW-01 (Dissolved metals.) Background Groundwater Sample
·	from Ugradient Well in the Dolores River Valley.	from Upgradient Well in the Dolores River Valley.
Aluminum	8.0 U .	U 0.8
Antimony -	3.0 U	3.0 U
Arşenic	2.0 U	2.0 Ų
Barium	(32.8)	[32,4]
Beryllium	U 0.1	U 0.1
Cadmium	I.0 U	1.0 U
Calcium	75900	76600
Chromium .	1.0 U	1.0 U
Cobalt	1.0 U	(1.1)
Copper	4.0 U	4.0 U
[ron	10.0 U	10.0 U
Lead	,1.0 U	1.0 U
Magnesium	5950	5750
Manganese	2.0 U	[2.3]
Mercury	0.20 U	0.20 ป
Nickel	1.0 U	1.0 U
Potassium	[3360]	[4680]
Selenium	2.0 U	2.0 U
Silver	1.0 U	ι.ο υ
Sodium	[1350]	[2250]
Thallium	2.8 UJ	2.0 U
Vanadium	U 0.1	ו ס ט
Zinc ·	73.3	76.2
Cyanide	3.0 U	NR

The associated numerical value is an estimated quantity because Quality Control criteria were not met.

UJ The reported amount is estimated because Quality Control criteria were not met. Element was not detected.

U The analyte was not detected at reported concentration. (Qualified by laboratory software.)

^[] The associated numerical value was detected below the CRQL, but greater than the method detection limit and is therefore an estimate. Presence of the compound is reliable. (Qualified by laboratory software.)

NR No result reported by laboratory.

URS Operating Services, Inc. START, EPA Region VIII Contract No. 68-W5-0031 Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996

Page 41 of 52

TABLE 11 Groundwater Organic Sample Results Concentrations in µg/l

Sample ID#: Case #: Sample #: Location:	RA-GW-01 24008 HQ925 Background well at Rico Ranger Station
Volatile Organic Compounds	Dilution:
•	
Semivolatile Organic Compounds	Dilution:
-	
Pesticides	Dilution:
·	

- [] The associated numerical value was detected below the CRQL, but greater than the method detection limit and is therefore an estimate (qualified by laboratory software). Presence of the compound is reliable.
- The associated numerical value is an estimated quantity because quality control criteria were not met.
- The analyte was not detected (qualified by laboratory software).
- () Sample Quantitation Limit (SQL).
- ★ Sample values are \geq to the SQL, \geq 3x background concentrations and \geq 5x all blank concentrations.

TABLE 12
Residential Soil Inorganic Sample Results
Concentrations in mg/kg

Sample ID:	2350423	2350430	2352715	2352716	2353402	2353403	
Case #:	24008	24008	24008	24008	24008	24008	
Traffic Report #:	MHDD92	MHDD99	MHDA97	MHDA98	MHDB00	MHDD34	
Sample Location:	RA-SO-01	RA-SO-02	RA-SO-03	RA-SO-04	RA-SO-05	RA-SO-06	
Location Description:	Sample from off-site	Opportunity soil sample from	1	Opportunity soil sample from	Opportunity soil sample from	Opportunity soil sample from	
Location Description.	location outside of site	residential property in Rico	, -		residential property in Rico	residential property in Rico	
	influences.	residential property in Rico					
Aluminum	8950 J	7900 J	7750 J	9250 J	3230 J	8700 J	
Antimony	0.70 U	0.68 U	1.0 U)	★ 3.1 UJ (0.73)	[0.80]	[1.8]	
Arsenic	9.7 J	18.2 J	11.8	14.8	5.7	★ 21.4 (0.48)	
Barium	143	125	205	167	74.5	176	
Beryllium	[0.55]	[0.75]	0.72 UJ	1.4	[0.30]	[0.92]	
Cadmium	4.7	★ 41.8 (0.23)	5.7	3.6	[0.57]	11.7	
Calcium	4700 J	3770 J	8330 J	4040 J	2550 J	4260 J	
Chromium	13.5 .	10.1	9.5	9.5	3.2	10.7	
Cobalt	[6.4]	[10.6]	[5.5]	[4.5]	[3.1]	[11.1]	
Copper	30.2	★ 331 (0.23)	37.4 J	★ 97.2 J (0.97)	17.9 \$	★ 92.8 J (0.97)	
tron	15600 J	25900 J	13000 J	14600 J	7870;J	24800 J	
Lead	221 J	★ 2620 J	156 J	★ 673 J (0.24)	67.5 J	433 J	
Magnesium	4160	4480	2840	1980	1570	4810	
Manganese	623 J	★ 2030 J (0.46)	717 J	597 J	399 1	★ 3090 J (0.48)	
Mercury	0.12 U	★ 1.7 (0.11)	0.20	★ 0.89 (0.12)	0,20	0.12 U	
Nickel	9.8	10.3	[7.8]	[8.1]	[7.5]	13.3	
Potassium	2280	1880	2240	1520	[804]	1470	
Selenium	0.47 U	0.66 J	[1.2]	1.3	0.44 Ų	0.48 U	
Silver	[1.0]	★ 9.4 (0.23)	[1.1]	★ 5.2 (0.24)	0.22 ปั	[1.1]	
Sodium	33.3 U	32.4 UJ	96.3 UJ	★ 106 UJ (34.34)	[69.8]	[66.4]	
Thallium	0.66 ปัง	1.5 UJ	0.47 U	0.48 U	0.44 ป	0.48 U	
Vanadiem	21.2	15.3	14.8	18.5	[9.9]	18.7	
Zinc	499 1	★ 5180 J (1.14)	724 J	528 J	109.1	★ 1720 J (1.21)	
Cyanide	[0.49]	[0.24]	[0.51]	0.98	0.89	[0.26]	

The associated numerical value is an estimated quantity because Quality Control criteria were not met.

The reported amount is estimated because Quality Control criteria were not met. Element was not detected.

U The analyte was not detected at reported concentration. (Qualified by laboratory software.)

The associated numerical value was detected below the CRQL, but greater than the method detection limit and is therefore an estimate. Presence of the compound is reliable. (Qualified by laboratory software.)

⁽⁾ Sample Quantitation Limit (SQL)

[★] Sample values are \ge to the SQL, \ge 3x background concentration and \ge 5x all blank concentrations.

Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996 Page 43 of 52

TABLE 13 Residential Soil Organic Sample Results Concentrations in µg/kg

Sample ID#; Case #: Sample #: Location:	RA-SO-01 24008 HR569 Background residential soil sample	RA-SO-02 24008 HR578 Residential Soil	RA-SO-03 24008 HR484 Residential Soil	RA-SO-04 24008 HR485 Residential Soil	RA-SO-05 24008 HQ926 Residential Soil	RA-SO-06 24008 HQ927 Residential Soil
Volatile Organic Compounds	Dilution: 1	Dilution: 1	Dilution; 1	Dilution: 1	Dilution:	Dilution:
	•	•	-	•		<u>-</u>
Semivolatile Organic Compounds	Dilution:	Dilution: I	Dilution: 1	Dilution:	Dilution:	Dilution: 1
Butylbenzylphthalate	-	-	-	-	-	28 J
bis (2-Ethylhexyl) Phthalate	50 J	68 J	-	23 J	30 J	30 J
Phenanthrene		64 J (388.24)	-	85 J (412.5)	24 J (362.64)	•
Anthracene	•	40 J (388.24)		-	•	· -
Di-n-Butylphthalate	•	58 J (388.24)	•		31 J (362.64)	36 J (407.41)
Fluoranthene		★ 730 (388.24)	<u> </u>	100 J (412.5)	50 J (362.64)	-
Pyrene	-	★ 750 (388.24)	-	86 J (412.5)	41 J (362.64)	•
Benzo (a) Anthracene	-	★ 550 (388.24)	•	94 J (412.5)	35 J (362.64)	-
Chrysene	-	★ 550 (388.24)	•	95 J (412.5)	39 J (362.64)	-
Benzo (b) Fluoranthene	•	★ 500 (388.24)	-	85 J (412.5)	33 J (362.64)	-
Benzo (k) Fluoranthene	-	★ 390 (388.24)	-	97 J (412.5)	43 J (362.64)	-
Benzo (a) Pyrene	-	★ 530 (388.24)	-	74 J (412.5)	33 J (362.64)	
Indeno (1,2,3-cd) Pyrene	-	280 J (388.24)	-	65 J (412.5)	29 J (362.64)	-
Dibenz (a,h) Anthracene	-	150 J (388.24)	·	34 J (412.5)	-	-
Benzo (g,h,i) Perlene		330 J (388.24)	-	79 J (412.5)	32 J (362.64)	•
Naphthalene	-			31 J (412.5)	-	•
2 Methylnaphthalene	-	<u> </u>	•	46 J (412.5)	-	-

Page 44 of 52

TABLE 13 Residential Soil Organic Sample Results Concentrations in µg/kg (continued)

Sample ID#: Case #: , Sample #: Location:	RA-SO-01 24008 HR569 Background residential soil sample	RA-SO-02 24008 HR578 Residential Soil	RA-SO-03 24008 HR484 Residential Soil	RA-SO-04 24008 HR485 Residential Soil	RA-SO-05 24008 HQ926 Residential Soil	RA-SO-06 24008 HQ927 Residential Soil
Pesticides	Dilution:	Dilution: 1	Dilution:	Dilution:	Dilution: 1	Dilution:
Endosulfan sulfate	.48 NJ	.76 NJ	-	-	.77 NJ	-
4,4'-DDD	.52 NJ	.52 NJ			•	-
Heptachlor	-	.21 NJ (2.00)	-	.,	.88 J (1.87)	-
Aldrin	-	1.6 NJ (2.00)	.40 NJ (2.1)	2.2 J (8.5)	.67 NJ (1.87)	.3 NJ (2.10)
Heptachlor Epoxide	-	★ 3.2 NJ (2.00)	.29 NJ (2.1)	4.2 N (8.5)	1.5 NJ (1.87)	-
Endosulfan 1		★ 2.2 NJ (2.00)	•	<u>-</u>	.31 NJ (1.87)	-
4,4'-DDE		★ 4.4 NJ (3.88)	.43 NJ (4.07)	•	1.2 NJ (1.87)	-
Endrin	-	1.8 NJ (3.88)	-			-
4,4'-DDT	-	.82 NJ (3.88)	1.1 NJ (4.07)	-	3.7 NJ	-
Endrin ketone	•	★ 3.9 NJ (3.88)		-		-
alpha-Chlordane		★ 2.1 NJ (2.00)		-	.29 NJ (1.87)	
gamma-Chlordane		.33 NJ (2.00)	<u> </u>	-	-	-
delta-BHC		-	-		.17 NJ (1.87)	-

The associated numerical value was detected below the CRQL, but greater than the method detection limit and is therefore an estimate (qualified by laboratory software). Presence of the compound is reliable. The associated numerical value is an estimated quantity because quality control criteria were not met.

The analyte was not detected (qualified by laboratory software).

Sample Quantitation Limit (SQL).

[★] Sample values are \geq to the SQL, \geq 3x background concentrations and \geq 5x all blank concentrations.

NJ Estimated value of a tentatively identified compound. Pesticide compounds which were qualified "I" for surrogate recovery results and the percent difference (%D) between the dual column quantitation of several positive results was greater than 25%, were qualified "NJ."

Date: 06/1996 Page 45 of 52

TABLE 14

Aqueous from Silver Creek - Inorganic Sample Results Concentrations in mg/e

Sediment from Silver Creek - Inorganic Sample Results Concentrations in mg/kg

Sample ID: Case #: Traffic Report: Sample Location:	RA-SW-05 24008 MHDD96 Silver Creek Background	RA-SW-06 24008 MHDD87 Silver Creek below tailings piles		RA-SW-07 24008 MHDD82 Silver Creek, just before confluence with Dolores Rive		
Aluminum	16.0 UJ	94.2 UJ	(0.2)	20.6 UJ		
Antimony	3.0 U	3.0	υ	3.0 U		
Arsenic	2.0 U	2.0	υ	2.0 U		
Barium	[123]	[95	.8]	[87.9]		
Beryllium	1.0 U	1.0		1.0 U		
Cadmium	1.0 U	[1.	8]	[2.1]		
Calcium	33800	54700		69100		
Chromium	1.0 U	1.0 U		ι.ο υ		
Cobalt	1.0 U	- 1.0	U	1.0 U		
Copper	1.0 ป	[2.	2]	[1.8]		
Iron	10.0 U	★ 919	(0.1)	★ 159	(0.1)	
Lead	1.0 U	3.9	(0.003)	[1.1]		
Magnesium	[3380]	71	20	7890		
Manganese	1.0 U	★ 484	(0.015)	★ 192	(0.015)	
Mercury	0.20 U	0.20	งบ	0.20 U		
Nickel	1.0 U	[1.	.0]	[1.0]		
Potassium	834 U	[21	00)	[3290]	(0.5)	
Selenium	2.0 U	2.0	U	2.0 U		
Silver	1.0 U	1.0	U	1.0 U		
Sodium	1500 UJ	1560	ιυ (1760 UJ		
Thallium	2.0 U	2.0	U	2.0 U		
Vanadium	1.0 U	1.0	U	1.0 U		
Zinc	4.0 UJ	★ 1060	(0.02)	★ 720	(0.02)	
Cyanide	3.0 U	3.0	U	3.0 U		

Sample ID: Case #: Traffic Report: Sample Location:	RA-SE-05 24008 MHDD97 Silver Creek background	RA-SE-06 24008 MHDD88 Silver Creek below tailings pile		RA-SE-07 24008 MHDD83 Silver Creek, just before confluence with Dolores River		
Aluminum	3820 1	★ 1,7300 J	(84.62)	5500 J		
Antimony	1.1 U	7.7 UJ .		0.71 U		
Arsenic	6.9 J	★ 52.6 J	(5.13)	★ 22.0 J	(0.47)	
Barium	133	[58]	-	76.8		
Beryllium	[0.45]	★ 16.9	(2.56)	[0.67]		
Cadmium	0.38 U	★ 17.8 J	(2.56)	6.4		
Calcium	3660 J	★ 16900 J i (12.82)		3810 J		
Chromium	6.3	7.4 UJ		9.1		
Cobalt	[3.3]	[6.1]		[5.3]		
Copper .	[6.7]	★ 123	(2.56)	★ 255	(0.24)	
Iron	8580 J	★ 225000 J	(23.05)	★ 30400 J	(2.13)	
Lead	13.2 J	★ 2000 J	(2.56)	★ 1540 J	(0.24)	
Magnesium	2280	[136	50]	4910		
Manganese	343 J	★ 3060 J	(5.0)	★ 1580 J	(0.47)	
Мегсигу	0.19 U	1.3 U		0.12 U		
Nickel	[5.6]	★ 22.7 J l	(2.56)	9.6		
Potassium	[1720]	345	0 3	1280 J		
Selenium	0.76 U	★ 5.1	(5.13)	0.77 J		
Silver	0.38 U	★ 3.9 3	- (2.56)	★ [2.3]	(0.24)	
Sodium	165 UJ	364	UJ	33.5 UJ		
Thallium	0.76 U] ເມ.9 ບາ		1,5 UJ		
Vanadium	[10.8]	[5.	7]	11.9		
Zinc	30.8 J	★ 48300 J	(12.5)	★ 2010 J	(1.18)	
Cyanide	0.28 U	+ (2.2)	(0.002)	0.18 U	, ,	

The associated numerical value is an estimated quantity because Quality Control criteria were not met.

The reported amount is estimated because Quality Control criteria were not met. Element was not detected.

U The analyte was not detected at reported concentration. (Qualified by laboratory software.)

The associated numerical value was detected below the CRQL, but greater than the method detection limit and is therefore an estimate. Presence of the compound is reliable. (Qualified by laboratory software.)

^() Sample Quantitation Limit (SQL).

Sample values are \ge to the SQL, \ge 3x background concentration and \ge 5x all blank concentrations.

Page 46 of 52

TABLE 15

Aqueous from Silver Creek - Organic Sample Results Concentrations in µg/ℓ

Sediment from Silver Creek - Organic Sample Results Concentrations in mg/kg

Sample ID#: Case #: Sample #: Location:	RA-SW-05 24008 HR-574 Silver Creek Background	RA-SW-06 24008 HR-564 Silver Creek below tailings piles	RA-SW-07 24008 HR-558 Silver Creek just before confluence with Dolores River	
Volatile Organic Compounds	Dilution: 1	Dilution:	Dilution:	
Tetrachlorethene				
Semivolatile Organic Compounds	Dilution:	Dilution: 1	Dilution: l	
Di-n-Butylphthalate			<u> </u>	
Bis(2-Ethylhexyl) Phthalate		-		
Pesticides	Dilution: 1	Dilution: 1	Dilution:	
	÷	-	-	

RA-SE-05 24008 HR-575 Silver Creek Background	RA-SE-06 24008 HR-564 Silver Creek below tailings piles	RA-SE-07 24008 HR-558 Silver Creek just before confluence with Dolores River		
Dilution: 1	Dilution: 1	Dilution:		
<u> </u>	12 J (111)	2 J (11.76)		
Dilution:	Dilution:	Dilution: l		
31 J	190 J . (3666)	-		
62 J (485)	290 J (3666)			
Dilution:	Dilution:	Dilution;		
-	-			

NJ Estimated value of a tentatively identified compound. SVOC compounds were qualified "NJ" because the sample spectra were not included with the data package. Pesticide compounds which were qualified "J" for surrogate recovery results and the percent difference (%D) between the dual column quantitation of several positive results was greater than 25%, were qualified "NJ."

J The associated numerical value is an estimated quantity because quality control criteria were not met.

TABLE 16 Aqueous from the Dolores River - Inorganic Sample Results Concentrations in µg/0

Sample ID: Case #: Traffic Report #: Sample Location: Location Description:	2352701 24008 MHCQ94 RA-SW-01 Background on Dolores River	2350424 24008 MHDD93 RA-SW-02 Adjacent to settling ponds on the Dolores River	2350421 24008 MHDD90 RA-SW-03 Confluence of drainage from settling ponds and Dolores River	Silver Creek and of outfall 002 on the the Dolores River Dolores River		2350412 24008 24008 24008 MHDD81 RA-SW-09 1.9 miles downstream of outfall 002 on the Dolores River 2350401 24008 MHDD70 RA-SW-10 2.8 miles downstream of outfall 002 on the Dolores River		2350402 24008 MHDD71 RA-SW-11 5.8 miles downstream of outfall 002 on the Dolores River	2350408 24008 MHDD77 RA-SW-27 Duplicate of RA-SW-11
Aluminum	46.5 UJ	★ 492 J (0.2)	56.3 UJ	49.5 UJ	★ 349 (0.2)	[42.1]	[61:2]	(131)	[35.1]
Antimony	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
Arsenic	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 ป	2.0 U	2.0 U
Barium '	[61.2]	[64.5]	[38.4]	[57.9]	[58.5]	[58.0]	[60.7]	[73.8]	[73.7]
Beryllium	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	บ 0.1	1.0 U	1.0 U	1.0 บ
Cadmium	1.0 U	1.0 U	[1.0]	[1.1]	(1.1)	1.0 U	1.0 U	1.0 ป	1.0 U
Calcium	34800	39100	★ 118000 (5.0)	51000	51700	52400	50900	51700	51800
Chromium	1.0 U	1.0 U	1.0 U	U 0.1	1.0 U	1.0 U	1.ดู้ บ	เ.ช บ	1,0 U
Cobalt	1.0 U	1.0 ប	1.0 U	1.0 U	U 0.1	1.0 U	i.ď U	1.0 U	1.0 U
Copper	ט 1.0	[1.8]	[3.0] (0.025)	1.0 U	★ [8.0] (0.025)	(1.1)	[1,1]	[1.3]	[1.2]
Tron	24.2 J	★ 772 (0.1)	★ 242 (0.1)	★ 82.8 (0.1)	★ 1310 (0.1)	★ 124 J (0.1)	★ I14 J (0.1)	★ 152 (0.1)	★ 86.8 (0.1) J
Lead	1.0 U	[1.5]	1.0 U	11.3	(1.3)	U 0.1	3.3 (0.003)	1.0 U	1.0 U
Magnesium	5320	5770	12200	6550	7430	6940	6760	6700	6840
Manganese	17.7	★ 103 (0.015)	★ 450 (0.015)	★ 126 (0.015)	★ 359 (0.015)	★ 137 (0.015)	★ 113 (0.015)	★ 80.5 (0.015)	★ 79.7 (0.015)
Mercury	0.20 Ŭ	0.20 U	0.20 U	0.20 Ų	0.20 U	0.20 U	0.20 U	0.20 U	0,20 U
Nickel	1.0 U	1.0 U	[1.4]	1.0 U	1.0 U	U 0.1	LÓU	1.0 U	1.0 U
Potassium	3120 J	[3820]	[3130]	834 U	[3220]	[3060]	[3360]	[2520]	[2310]
Sclenium	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Silver	. 1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 ປ	າ.o່ ບ	1,0 U	1.0 U
Sodium	[1950]	2070	5140	[2270]	[2740]	[2730]	[2650]	[2590]	[2740]
Thallium	2.0 U	2.0 ♥	[2.3]	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Vanadium	1.0 U	[1.4]	1.0 U	1.0 U	1.0 U	1.0 ប	1.Q U	U 0.1	1.0 บ
Zinc	4.5 UJ	10.0 UJ	★ 198 (0.03)	★ 85.9 (0.02)	★ 307 (0.02)	★ 81.0 (0.02)	★ 73.3 (0.02)	★ 99.2 (0.02)	★ 62.5 (0.02)
Cyanide	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 [†] UJ	3.0 U	3.0 U

The associated numerical value is an estimated Quantity because Quality Control criteria were not met. The reported amount is estimated because Quality Control criteria were not met. Element was not detected.

The analyte was not detected at reported concentration. (Qualified by laboratory software.)

The associated numerical value was detected below the CRQL, But greater than the method detection limit and is therefore an estimate. Presence of the compound is reliable. (Qualified by laboratory software.)

Sample Quantitation Limit (SQL)

Sample values are ≥ to the SQL, ≥ 3x background concentration and ≥ 5x all blank concentrations.

Page 48 of 52

TABLE 17 Dolores River: Aqueous - Organic Sample Results Concentrations in µg/l

Sample ID#: Case #: Sample #: Location:	RA-SW-01 24008 HR-579 Background	RA-SW-02 24008 HR-570 Adjacent to settling ponds	RA-SW-03 24008 HR-567 Below outfall from settling ponds	RA-SW-04 24008 HR-561 Below confluence with Silver Creek	RA-SW-08 24008 HR-555 1.7 mi. below settling ponds outfall	RA-SW-09 24008 HR-554 1.9 mi. below settling ponds outfall	RA-SW-10 24008 HR-549 2.8 mi. below settling ponds outfall	RA-SW-11 24008 HR-551 5.3 mi. below settling ponds outfall
Volatile Organic Compounds	Dilution: 1	Dilution: 1	Dilution:	Dilution: 1	Dilution:	Dilution: 1	Dilution;	Dilution: 1
Carbon Disulfide	-	•		-	12	-	-	-
Semivolatile Organic Compounds	Dilution:	Dilution: 1	Dilution: 1	Dilution:	Dilution: 1	Dilution:	Dilution:	Dilution:
	-	-	-		-	-	-	-
Pesticides	Dilution: 1	Dilution:	Dilution: 1	Dilution:	Dilution:	Dilution:	Dilution:	Dilution: -
	-		- -	-		-		

NJ Estimated value of a tentatively identified compound. SVOC compounds were qualified "NJ" because the sample spectra were not included with the data package. Pesticide compounds which were qualified "J" for surrogate recovery results and the percent difference (%D) between the dual column quantitation of several positive results was greater than 25%, were qualified "NJ."

J The associated numerical value is an estimated quantity because quality control criteria were not met.

Page 49 of 52

TABLE 18
Sediment from Dolores River - Inorganic Sample Results
Concentrations in mg/kg

Sample ID:	2352702	2350425	2350422	2350417	2350410	2350411	2350404	2350403
Case #:	24008	24008	24008	24008	24008	24008	24008	24008
Traffic Report #:	MHCQ95	MHDD94	MHDD91	MHDD86	MHDD79	MHDD80	MHDD73	MHDD72
Sample Location:	RA-SE-01	RA-SE-02	RA-SE-03	RA-SE-04	RA-SE-08	RA-SE-09	RA-SE-10	RA-SE-11
Location	Upstream of site	Adjacent to tailings	Confluence of	Confluence of Silver	1.7 miles	1.9 miles	2.8 miles	5.3 miles
	influences on the	piles on the Dolores	drainage from	Creek and the	downstream of	downstream of	downstream of	
Description:	1	11 -	_	t l			1	downstream of
	Dolores River	River	settling ponds and	Dolores River	outfall 002 on the	outfall 002 on the	outfall 002 on the	outfall 002 on the
	Ì		the Dolores River	l i	Dolores River	Dolores River	Dolores River	Dolores River
Aluminum	4630 J	6300 1	2650 J	3220 J	6240 J	7020 J	4480 J	3080 J
Antimony	0.85 U	U 18.0	0.78 U	נוט	[1.3]	1.0 U	1.3 U	0.91 U
Arsenic	25.1 J	9.8 J	6.2 J	9.2 J	16.5 J	!8.2 J	10.5 J	6.4 J
Barium	79.3	72.6	52.9	[43.0]	[47.8]	117	90.8	[60.2]
Beryllium	0.45 UJ	[0.55]	[0.51]	0.37 U	[0.89]	[0.76]	[0.58]	[0.40]
Cadmium	[0.62]	0.27 U	[0.67]	[0.62]	[1.4]	4.2	[1.1]	[1.2]
Calcium	26900 J	5130 J	5490 J	1710 3	2460 J	15500 J	23100 Ј	13900 J
Chromium	5.2	8.2	2.8	[3.7]	7.5	9.2	6.3	4.3
Cobalt	[5.0]	[5.4]	[5.2]	[4.8]	. [4.9]	[8.9]	[5.0]	[3.4]
Соррег	12.1	35.6	8.1 .	25.9	★ 112 (0.28)	★ 66.5 (0.34)	27.3	20.2
Iron	15500 J	15200 J	7700 J	10200 J	25200 J	22200 J	14900 J	9350 J
Lend '	69.8 J	28.4 J	14.5 J	192 J	★ 223 J (0.28)	★ 277 J (0.34)	65.2 J	52.1 J
Magnesium	3310	3680	2090	[1840]	3760	6460	6780	2980
Manganese	400 J	504 J	966 J	821 J	596 J	★ 1210 J (0.67)	322 J	478 J
Mercury	0.14 U	0.14 U	0.13 U	0.19 U	0.14 U	0.17 ป .	0.21 U	0.15 U
Nickel	[8.9]	11.2	[7.6]	[6.3]	[9.7]	16.t	[14.8]	[7.4]
Potassium	1670	[1330]	[755]	[1400]	1540	2490	[1660]	[1330]
Selenium	0.56 U	0.66 J	0.52 ป	0.74 U	0.56 U	0.67 U	[1.3]	0.61 U
Silver	0.28 U	[0.28]	0.26 ป	0.37 บ	[0.60]	[0.98] (0.34)	0.43 U	0.30 U
Sodium	74.1 UJ	198 UJ	98.5 UJ	204 ())	73.1 UJ	47.7 U	116 UJ	71.1 UJ
Thallium	1.1 UJ	0.68 UJ	0.52 บ	0.74 U	1.3 UJ	, 1.8 UJ	1.4 UJ	0.70 UJ
Vanadium	[12.4]	15.0	[7.2]	[9.1]	14.5	19.7	[12.9]	[8.6]
Zinc	133 J	107 J	131 J	103 J	★ 429 J (1.41)	★ 722 J (1.68)	232 J	247 J
Cyanide	0.21 U	0.20 U	0.19 U	0.28 บ	0.21 U	, 0.25 U	0.32 U	0.23 U

The associated numerical value is an estimated quantity because Quality Control criteria were not met.

UJ The reported amount is estimated because Quality Control criteria were not met. Element was not detected.

U The analyte was not detected at reported concentration. (Qualified by laboratory software.)

The associated numerical value was detected below the CRQL, but greater than the method detection limit and is therefore an estimate. Presence of the compound is reliable. (Qualified by laboratory software.)

⁽⁾ Sample Quantitation Limit (SQL).

Sample value are \ge to the SQL, \ge 3x the background concentration and \ge 5x all blank concentrations.

- Date: 06/1996 Page 50 of 52

TABLE 19 Sediment from Dolores River - Organic Sample Results Concentrations in µg/kg

Sample ID#: Case #: Sample #: Location:	RA-SE-01 24008 HR-580 Dolores River Background	RA-SE-02 24008 HR-571 Dolores River adjacent to settling ponds	RA-SE-03 24008 HR-568 Dolores River below outfall from settling ponds	RA-SE-04 24008 HR-562 Dolores River below confluence with Silver Creek	RA-SE-08 24008 HR-556 Dolores River 1.7 mi. below settling ponds outfall	RA-SE-09 24008 HR-557 Dolores River 1.9 mi. below settling ponds outfall	RA-SE-10 24008 HR-550 Dolores River 2.8 mi. below settling ponds outfall	RA-SE-11 24008 HR-552 Dolores River 5.3 mi. below settling ponds outfall
Volatile Organic Compounds	Dilution: 1	Dilution: 1	Dilution: 1	Dilution: I	Dilution: -	Dilution: I	Dilution: 1	Dilution: 0.2
Tetrachlorethene	-		•	- 1	2 J (12.50)	•		
Acetone	-	-	-	- ·	-	-	-	★ 12 UJ (2.41)
Semivolatile Organic Compounds	Dilution: 1	Dilution:	Dilution:	Dilution: .	Dilution:	Dilution:	Dilution: L	Dilution:
Di-n-Butylphthalate	27 J	<u> </u>	-		-		-	-
Bis(2-Ethylhexyl) Phthalate	-	-		27 J(402)	28 J (412)	-	120 J (532)	36 J (397)
4-Methylphenol			-	-	-	-	680 (532)	62 J (397)
Pesticides	Dilution:	Dilution: l	Dilution: 1	Dilution: l	Dilution:	Dilution:	Dilution:	Dilution: !
	-	-	-			•	-	

J The associated numerical value is an estimated quantity because required concentrations were below the detection limits.

The analyte was not detected (qualified by laboratory software).

⁽⁾ Sample Quantitation Limit (SQL)

[★] Sample values are \ge to the SQL, \ge 3 x background concentration and \ge 5 x all blank concentrations.

Rico-Argentine ARR/EST Revision: 0 Date: 06/1996 Page 51 of 52

TABLE 20 Quality Assurance/Quality Control - Inorganic Sample Results Concentrations in µg/@

Sample ID: Case #: Traffic Report #: Sample Location: Location Description:	2350415 24008 MHDD84 RA-SW-22 Rinsate blank sample	2350429 24008 MHDD98 RA-SW-23 Rinsate blank sample	2352714 24008 MHDA96 RA-SW-24 Rinsate blank sample
Aluminum	8.0 Ü	16.0 UJ	41.7 UJ
Antimony	3.0 U	3.0 U	[4,4]
Arsenic	2.0 U	2.0 U	2.0 U
Barium .	1.0 U	1.0 U .	· [1.0]
Beryllium	1.0 U	· 1.0 U	[0.1]
Cadmium	1.0 U	1.0 U	1.0 U
Calcium	127 U	127 U .	[128]
Chromium	1.0 U	1.0 U	1.0 U
Cobalt	1.0 U	1.0 U	. 1,0 U
Copper	1.0 U	1.0 ប	1.0 U
lron	10.0 U	10.0 U	10.0 U .
Lead	1.0 U	1.0 ប	2.7 UJ
Magnesium	39.8 UJ	73.0 UJ	73.0 UJ
Manganese	1.0 U	1.0 U	[1.2]
Mercury	0.20 U	0.20 U	0.20 U
Nickel	1.0 U .	1.0 U	U 0.1
Potassium	834 U `	834 U	834 U
Selenium	2.0 U	2.0 U	2.0 U
Silver	1.0 U	1.0 U	1.0 U
Sodium	340 ปร	363 UJ	317 UJ
Thallium ·	2.0 U	2.0 U	2.0 U
Vanadium	1.0 U	1.0 U	1.0 U
Zinc	[2.5]	[6.0]	[6.8]
Cyanide	3.0 Ü	3,0 U	3.0 Ü

Ū

ÙJ

The associated numerical value is an estimated Quantity because Quality Control criteria were not met.

The reported amount is estimated because Quality Control criteria were not met. Element was not detected.

The analyte was not detected at reported concentration. (Qualified by laboratory software.)

The associated numerical value was detected below the CRQL, but greater than the method detection limit and is therefore an estimate. Presence of the compound is [] reliable. (Qualified by laboratory software.)

Rico-Argentine ARR/ESI Revision: 0 Date: 06/1996 Page 52 of 52

TABLE 21 Quality Assurance/Quality Control - Organic Sample Results Concentrations in µg/ℓ

Sample ID#: Case #: Sample #: Location:	RA-SW-18 24008 HR-563 Trip blank	RA-SW-19 24008 HR-576 Trip blank	RA-SW-20 24008 HR-572 Trip Blank	RA-SW-22 24008 HR-560 Rinsate Blank	RA-SW-23 24008 HR-577 Rinsate Blank	RA-SW-24a 24008 HR-482 Rinsate Blank	RA-SW-24b 24008 HQ-930 Rinsate Blank	RA-SW-91 24008 HR-478 Trip Blank	RA-SW-92 24008 HR-483 Trip Blank	RA-SW-93 24008 HQ-928 Trip Blank
Volatile Organic Compounds	Dilution:	Dilution: 1	Dilution: 1	Dilution:	Dilution:	Dilution:	Dilution:	Dilution: I	Dilution:	Dilution:
Acetone	10 UJ	6 J	6 J	-	20	-		•		-
Chloroform	33 J	27	29	24	23	25	-	, 26	28	26 U
Semivolatile Organic Compounds	Dilution: 1	Dilution: 1	Dilution: 1	Dilution:	Dilution:	Dilution:	Dilution:	Dilution: 1	Dilution:	Dilution: 1
	-	•	-		-	-	-	-	-	
Pesticides	Dilution: 1	Dilution:	Dilution: I	Dilution:	Dilution: I	Dilution:	Dilution:	Dilution:	Dilution:	Dilution:
	-	<u> </u>	-	-	<u>-</u>	<u> </u>	-		-	-

The associated numerical value is an estimated quantity,

75-51115 0

APPENDIX A SAMPLE ACTIVITIES REPORT

SAMPLE ACTIVITIES REPORT for the RICO/ARGENTINE MINE AND MILL SITE RICO, COLORADO September 11 - 15, 1995

CERCLIS ID # COD980952519

INTRODUCTION

The Field Sampling Plan (FSP) for the Rico/Argentine Mine and Mill site Expanded Site Inspection (ESI) was approved by the U.S. Environmental Protection Agency (EPA) Site Assessment Manager (SAM), Greg Oberley on August 1, 1995. Field activities were conducted during the week of September 11 - 15, 1995 by URS Consultants, Inc. (URS). The field sampling team consisted of Barry Hayhurst (Field Team Leader), Tim Joseph (Health and Safety Coordinator), Rachel Badger (Environmental Scientist), Roger Petrella (Environmental Sampler), Metha Leslie (Environmental Sampler) and Phil Woodcock (Sampling Technician). URS obtained access to sample locations from Wayne Webster, President of Rico Development Corporation and from individual property owners in the town of Rico.

The field team collected 45 samples, gauged the flow of Silver Creek, Scotch Creek and the Dolores River, described and delineated wetlands for approximately one mile along the Dolores River downstream of the confluence with Silver Creek, and measured water quality parameters (pH, temperature and conductivity) at five non-sampling locations.

During the field sampling activities the weather was uniformly mild and sunny. There were no windy days and temperatures ranged between 40° F at the beginning of the day to about 75° F in late afternoon.

The residents of Rico were generally receptive to the EPA investigation of the site. Almost everyone was interested in the activities and were cooperative with the field sampling team. Several Rico residents expressed an interest in obtaining the results of this ESI.

SAMPLING ACTIVITIES

Table 1 and the attached chain-of-custody forms contain the shipment information for all samples collected during the ESI. Figure 1 shows sample locations and Figure 2 shows the locations and results of the water quality samples. Sampling activities included the collection of 45 samples, specifically 14 source, 3 groundwater, 11 stream surface water, 11 stream sediment and 6 residential soil. Additionally, 9 Quality Assurance/Quality Control (QA/QC) samples were collected.

Samples were shipped to RECRA Environmental of Columbia Maryland for the organic analyses and to Southwest Labs of Oklahoma, Broken Arrow, Oklahoma for the inorganic analyses.

SOURCE SAMPLES

Fourteen source samples were collected (eight soil/tailings, three aqueous and three sediment) from tailing piles, settling ponds, leach pits and ditches associated with activities on the Rico/Argentine mine and mill properties. Samples RA-WSO-01 and RA-WSO-02 were collected from the two cyanide leach pits. Samples collected from the numerous tailing piles (samples RA-WSO-3 through RA-WSO-7) were generally fine grained, yellowish to orange material that was probably deposited from running water. Source sample RA-WSO-08 was collected from stained soil surrounding what appeared to be a fuel oil tank at the mill site. This tank could have contained new or used fuel oil. The overflow from the tank had stained soil for approximately 50 feet down gradient in a ditch leading from the tank.

Three aqueous and collocated sediment samples were collected from the area of the settling ponds along the Dolores River. Sample RA-WS:V/WSE-01 was collected from the uppermost settling pond and sample RA-WSW/WSE-02 was collected from the lowermost settling pond. Sample RA-WSW/WSE-03 was collected from a ditch that flows between the Dolores River and the upper settling pond and cyanide leach pits.

ADIT SAMPLE

Sample RA-WGW-02 was collected from the St. Louis Tunnel Adit. The water in the ditch leading from the adit outfall was precipitating what appeared to be iron oxides on the ditch bed. Flow rate was not measured at the adit or ditch because the flow was to turbulent to give an accurate reading.

HOT SPRING SAMPLE

Sample RA-WGW-03 was collected from a public use hot spring tub located adjacent to the Dolores River. Water from a hot spring approximately 50 feet northeast of the hot tub is gravity drained to the hot tub via a two inch PVC pipe. The hot tub is stained with what appears to be iron oxides. Flow from the source hot spring is approximately 30-50 gallons per minute and flow divereted into the hot tub is approximately 15 gallons per minute. There is a second hot spring approximately 500 feet northeast of the first hot spring. Both hot springs have almost identical temperature, pH and conductivity suggesting a common source. Flow from the second hot spring is approximately 15 to 20 gallons per minute. Flow from the hot springs drains directly into the lowest setting pond, except for the hot tub which drains directly to the Dolores River.

Hot Springs Water Quality (9-12-95)

	Temperature (°F)	pН	Conductivity (µs/cm)
Hot Tub Spring	107.9	6.60	7280
2nd Hot Spring	107.3	6.66	7080

GROUNDWATER SAMPLES

Three groundwater samples were collected. Two of the groundwater samples were collected on-site from the St. Louis Tunnel Adit (RA-WGW-02) and from the public use hot spring (RA-WGW-03). The background groundwater sample (RA-GW-01) was collected from the Rico Ranger Station groundwater well located across the Dolores River from the settling ponds. The well is used as a drinking water well by the Rico Ranger Station staff during the summer season and was sampled directly from the tap. No domestic groundwater wells were located in the town of Rico even though inquiries were made at approximately one-third of the town's residences.

RESIDENTIAL SOIL SAMPLES

Six residential soil samples were taken including background sample RA-SO-01. Written permission from property owners was obtained before all samples were collected. Residential soil sample RA-SO-02 was taken from a lot next to an old railroad ore loading station. The surface of the property was littered with ore grade material. All other residential soil samples were collected from yards and gardens because specific locations where tailing had been used as fill or foundation material could not be identified by any of the interviewed residents.

SURFACE WATER SAMPLES

Eleven surface water samples were collected as a part of this ESI. Eight of the surface water samples were collected from the Dolores River and three were collected from Silver Creek. All of the Dolores River samples were collected as planned except for the most downstream sample, RA-SW-11, which was collected at the new Highway 145 bridge over the Dolores River, approximately one-half mile further downstream than specified in the FSP (Figure 1). The river water was clear and the flow was what would be expected for early September.

Three surface water samples were taken from Silver Creek at the locations specified in the FSP. Silver Creek, at sample location RA-SW-06, was noticeably stained with what appeared to be fresh iron oxides. Sample location RA-SW-06 is just downstream of a spring flowing from the base of the tailings pile. The country rock exposed in outcrops along Silver Creek in this area were also stained orange but not as strongly as the creek bed below the spring.

SEDIMENT SAMPLES

Eleven sediment samples were collected as part of the Rico/Argentine ESI. Eight of the sediment samples were collected from the Dolores river as specified in the FSP except for the most downstream sample, RA-SE-11, which was collected at the new State Highway 145 bridge approximately one-half mile further downstream than specified in the FSP (Figure 1). The Dolores River stream bed in the vicinity of Rico is composed largely of boulders and cobbles. Considerable digging between the larger stones was required to collect sand sized sediment. Very little silt or clay sized sediment was encountered in the riverbed sediment.

Three sediment samples were collected from Silver Creek at the locations specified in the FSP. Silver Creek is a swift flowing mountain stream and its streambed is composed largely of boulders and cobbles.

QUALITY ASSURANCE SAMPLES

Nine quality control samples were collected during this ESI. Four rinsate blanks (RA-SW-22 for 9/11/95, RA-SW-23 for 9/12/95, RA-SW-24 for 9/13/95, and RA-SW-25 for 9/14/95) were collected from decontaminated soil/sediment sampling equipment. A separate trip blank was prepared for each day of sampling (RA-SW-18 for 9/11/95, RA-SW-19 for 9/12/95, RA-SW-20 for 9/13/95 and RA-SW-93 for 9/14/95). One duplicate surface water sample (RA-SW-27) was collected with RA-SW-11. Matrix spike/matrix spike duplicate samples were taken with samples RA-GW-01, RA-SW-01 and RA-SE-01 and are not considered additional samples.

FIELD OBSERVATIONS

Water Quality Field Measurements .

The URS field sampling teams took water quality field measurements (water temperature, pH and conductivity) at all surface water sampling stations and from several tributary streams to the Dolores River that were not sampled. The locations and results of the field readings are displayed on Figure 2.

Figure 3 graphically displays the variations in pH of the eight stations sampled along the Dolores River. The pH of the Dolores River water at the background location (RA-SW-01) was recorded as 7.55. The Dolores River originates in volcanic (acidic) terrain and, upstream of Rico, enters an area where it is eroding a canyon through limestone cliffs of the Hermosa Formation.

The measured pH of the Dolores River increased at sample location RA-SW-02 to pH 8.19. Sample location RA-SW-02 is on the east bank of the Dolores River immediately adjacent to the uppermost settling pond. The upper most settling pond is separated from the Dolores River by an unlined berm which is approximately 50 feet wide and a ditch which flows adjacent to the cyanide leach pits and uppermost settling pond. The pH of the water in the uppermost settling pond was 8.28. Infiltration of settling pond water through the berm into the Dolores River could possibly be the cause of the high pH reading at sample station RA-SW-02.

The pH of the Dolores River drops back to near background at RA-SW-03. The lowest measured pH (6.80) on the main channel of the Dolores River was recorded at RA-SW-04, just downstream of the confluence of Silver Creek and the Dolores River (Figure 2). The lowest pH measured on Silver Creek was 7.28. As the Dolores River leaves the Rico mining district the pH of the river water increases. This increase may be a result of the tributary streams which are draining the limestones of the Hermosa Formation.

The lowest pH reading along the Dolores River was obtained from a water quality station designated as Dolores River, East Channel (immediately upstream of RA-SW-08). This location is a small side channel that is actively eroding a tailings pile during periods of high flow. The

bed of the channel is noticeably stained with what appears to be iron staining and the pH of the channel waters was measured as 6.32.

Figure 4 displays the conductivity reading obtained along the Dolores River. There is a noticeable peak is conductivity at the NPDES outfall for the Rico/Argentine mine and mill. The conductivity quickly decreases to a new level that is slightly above background.

The URS field crew gauged the flow of Silver Creek (at three locations, 100 feet downstream of State Highway 145), of the Dolores River (at Aztec Gulch just above the NPDES outfall) and at Scotch Creek. Scotch Creek has a flow rate similar to Silver Creek and was gauged as a quality control check. These results will be included in the Analytical Results Report (ARR).

The URS field crew also described and delineated wetlands along the Dolores River for approximately one mile downstream of the confluence of Silver Creek. Several small (less than one acre) were noted for the first three-quarters of a mile. A larger palustrine scrub/shrub (obligate) wetland, approximately five acres in size, was documented between three-quarters and one mile downstream of the Silver Creek/Dolores River Confluence.

An ARR will be submitted to EPA within ten weeks of the receipt of the last validated data package.

TABLE 1
Sample Locations and Rationale

Sample Matrix	Sample ID	Location	Rationale
Surface Water	RA-SW-01	Upstream of site incluences on the Dolores River.	Establish background conditions on the Dolores River.
	RA-SW-02	Adjacent to tailings piles on the Dolores River.	Test for impacted fishery.
	RA-SW-03	Confluence of drainage from settling ponds and the Dolores River.	Test for impacted fishery.
	RA-5W-04	Confluence of Silver Creek and the Dolores River.	Test for impacted fishery.
	RA-SW-05	Upstream of site influences on Silver Creek.	Establish background conditions on Silver Creek.
1	RA-SW-06	Downstream of tailings piles on Silver Creek.	Test for impacted fishery.
	RA-SW-07	Silver Creek, downstream of tailings pile in town of Rico.	Test for impacted fishery.
	RA-SW-08	1.7 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.
	RA-SW-09	1.9 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.
	RA-5W-10	2.8 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outrall 002.
	RA-SW-11	5.8 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.

TABLE 1 Sample Locations and Rationale

(continued)

Sample Matrix	Sample ID	Location	Rationale
Surface Water (continued)	RA-SW-12	Opportunity sample; field-located on tributary to the Dolores River	Sample not collected.
	RA-SW-13	Opportunity sample; field-located on tributary to the Dolores River	Sample not collected.
	RA-SW-14	Opportunity sample; field-located on tributary to the Dolores River	Sample not collected.
	RA-SW-15	Opportunity sample; field-located on tributary to the Dolores River	Sample not collected.
	RA-SW-16	Opportunity sample; field-located on tributary to the Dolores River	Sample not collected.
	RA-SW-17	Opportunity sample; field-located on tributary to the Dolores River	Sample not collected.
Sediment	RA-SE-01	Upstream of site influences on the Dolores River.	Establish background conditions on the Dolores River.
	RA-SE-02	Adjacent to tailings piles on the Dolores River.	Test for impacted fishery.
	RA-SE-03	Confluence of drainage from settling ponds and the Dolores River.	Test for impacted fishery.
	RA-SE-04	Confluence of Silver Creek and the Dolores River.	Test for impacted fishery.
	RA-SE-05	Upstream of site influences on Silver Creek.	Establish background conditions on Silver Creek.
	RA-SE-06	Downstream of tailings pile on Silver Creek.	Test for impacted fishery.

TABLE 1
Sample Locations and Rationale
(continued)

Sample Matrix	Sample ID	Location	Rationale
Sediment (continued)	RA-SE-07	Silver Creek, downstream of tailings pile in the town of Rico.	Test for impacted fishery.
	RA-SE-08	1.7 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.
	RA-SE-09	1.9 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.
·	RA-SE-10	2.8 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.
	RA-SE-11	5.3 miles downstream of Outfall 002 on the Dolores River.	Test for impacted fishery and/or segment of impacted wetlands downstream of Outfall 002.
	RA-SE-12	Opportunity sample; field located on tributary to the Dolores River	Sample not collected.
	RA-SE-13	Opportunity sample; field located on tributary to the Dolores River	Sample not collected.
	RA-SE-14	Opportunity sample; field located on tributary to the Dolores River	Sample not collected.
	RA-SE-15	Opportunity sample; field located on tributary to the Dolores River	Sample not collected.
·	RA-SE-16	Opportunity sample; field located on tributary to the Dolores River	Sample not collected.
	RA-SE-17	Opportunity sample; field located on tributary to the Dolores River	Sample not collected.

TABLE 1
Sample Locations and Rationale

(continued)

Sample Matrix	Sample ID	Location	Rationale
Surface Soil	RA-SO-01	Sample from off-site location, outside of site influences.	Establish background soil conditions.
	RA-SO-02	Opportunity soil sample from residential property in Rico.	Establish contaminated soil source area.
	RA-SO-03	Opportunity soil sample from residential property in Rico.	Establish contaminated soil source area.
	RA-SO-04	Opportunity soil sample from residential property in Rico.	Establish contaminated soil source area.
	RA-SO-05	Opportunity soil sample from residential property in Rico.	Establish contaminated soil source area.
	RA-SO-06	Opportunity soil sample from residential property in Rico.	Establish contaminated soil source area.
	RA-SO-07	Opportunity soil sample from residential property in Rico.	Sample not collected.
Groundwater	RA-GW-01	Groundwater sample from upgradient well in the Dolores River Valley.	Establish background conditions in same aquifer as downgradient groundwater sample.
	RA-GW-02	Opportunity groundwater sample.	Sample not collected.
	RA-GW-03	Opportunity groundwater sample.	Sample not collected.
	RA-GW-04	Opportunity groundwater sample.	Sample no collected.
Adit Sample	RA-WGW-01	Source sample from the outfall of the St. Louis Tunnel.	Characterize mine discharge from St. Louis Tunnel.

TABLE 1 Sample Locations and Rationale (continued)

Sample Matrix	Sample ID	Location	Rationale
Hot Spring Sample	RA-WGW-02	Surface water sample from geothermal spring adjacent to settling pond.	Characterize public use geothermal spring.
Source Characterization	RA-W5O-01	Soil sample from abandoned cyanide leach pits along the Dolores River.	Characterize cyanide leach pits.
	RA-WSO-02	Soil sample from abandoned cyanide leach pits along the Dolores River.	Characterize cyanide leach pits.
	RA-WSO-03	Tailings piles along Silver Creek.	Characterize tailings piles.
	RA-WSO-04	Tailings piles along Silver Creek.	Characterize tailings piles.
	RA-WSO-05	Tailings pile at confluence of Silver Creek and the Dolores River.	Characterize tailings pile.
	RA-WSO-06	Tailings pile along the Dolores River, south of Rico.	Characterize tailings pile.
	RA-WSO-07	Tailings along the Dolores River, one mile south of Rico.	Characterize tailings pile.
	RA-WSO-08	Opportunity soil sample from soil in the vicinity of fuel tank at the mill site.	Characterize former contents of empty tank.
	RA-WSW-01	Aqueous sample from uppermost settling pond adjacent to the Dolores River.	Characterize contents of settling pond.
	RA-W5W-02	Aqueous sample from lowermost settling pond adjacent to the Dolores River.	Characterize contents of settling pond.

TABLE 1
Sample Locations and Rationale

(continued)


Sample Matrix	Sample ID	Location	Rationale
Source Characterization (continued)	RA-WSW-03	Aqueous sample from ditch adjacent to upper settling ponds along the Dolores River.	Characterize contents of ditch.
	RA-WSE-01	Sediment sample from uppermost settling pond adjacent to the Dolores River.	Characterize contents of settling pond.
	RA-WSE-02	Sediment sample from lowermost settling pond adjacent to the Dolores River.	Characterize contents of settling pond.
	RA-WSE-03	Sediment sample from ditch adjacent to upper settling ponds along the Dolores River.	Characterize contents of ditch.
QA/QC	RA-SW-18	VOA Trip Blank Sample	Document contamination introduced during sample handling and shipping.
	RA-SW-19	VOA Trip Blank Sample	Document contamination introduced during sample handling and shipping.
	RA-SW-20	VOA Trip Blank Sample	Document contamination introduced during sample handling and shipping.
	RA-5W-22	Rinsate Blank Sample	Document thoroughness of decontamination procedures on soil sampling equipment
	RA-SW-23	Rinsate Blank Sample	Document thoroughness of decontamination procedures on soil sampling equipment
	RA-SW-24	Rinsate Blank Sample	Document thoroughness of decontamination procedures on sediment sampling equipment.
·	RA-SW-25	Rinsate Blank Sample	Document thoroughness of decontamination procedures on soil sampling equipment.

TABLE 1 Sample Locations and Rationale (continued)

Sample Matrix	Sample ID	Location	Rationale
QA/QC (continued)	RA-SW-26	Duplicate of RA-SW-04	Determine the precision of sample collection procedures and laboratory analyses.
	RA-5W-27	Duplicate of RA-SW-11	Determine the precision of sample collection procedures and laboratory analyses.
	RA-SW-93	VCA Trip Blank Sample	Document contamination introduced during sample handling and shipping.
	RA-GW-06	Duplicate of RA-GW-03	Sample not collected.

Figure 3


pH on Dolores River



Distance Between Water Quality Stations Has Been Approximated

Figure 4

Conductivity on Dolores River



Distance Between Water Quality Stations Has Been Approximated

	Λ	Inded Status					mcy			Ω	Chair	anic Traii Tof Cust	ne ne	port		SAS No.			Caso N	u,
ycr	M	Con	iraci Labori	noiy ira	ogran	14				· ·	(For	Inorganic CL	ouy n PAnaly:	sis)					24	1008
Project Code	Accoun	Code	2 Regi	on No	Sar	uplin	g Ču).	···	4. Date		Carrier								
RA	4180	1.58	1 8	~	۱,	U 1	25			9/1	3/15	Fee	dex		. 1	6. Ma (E)	itrix ntor		7. Pro	servative i <i>ter</i>
egional Informatio			Sample		ne)	,				Airbin i	lumber		•			ìn	Colum	n A)		Column (1)
			Rac	wel	5.	Bu	du	0		/:	259	59180	44				Surlace Bround		1.11	KO3 INO3
m-Superland Pro	gram		Rac Sample	r Sign	alurg	3	J	,		1 2 2 2 2 2	¥.			1.1.1		3.1	_eachat	0	3. N	aOH
				اسلانگسر 1880ء	Early A	Action	<u>مر</u> ب			Son	Hum	<i>5 دیلی، ۲</i> نو	70	Klaye	אראוי.		Field QC Soil/Sed		4.11 5.K	2\$O4 2CR2O7
te Name	• ,				[_]	CLEN	A	Long	1	170	o u	st labs Xst Alba Inow, O	2,100	huite(\hat{C}		Dil. (Higt Wasto (I		6. k	a only
Rice Arg	entil	٥-	_ Sr			HEM		1.7	FS RO	1370	Ken	arrow, O.	× 121	1 dr		t (only) 🐪	-	1 1	Mhar (spacdy i Colonin O)
ly, State	Site S	pill ID	- -	'	114	M St			HA O&M	91	8/24	51 - 28 s	-a			J U. 9	Other (s in Colum	pecily nn Al	N. I	lot proserved
ly. State			ST FE		<u>الحرا</u>	<u>esi</u>		<u> </u>	NPLD	A11	N: ′ <u>≤</u>	51-28 c	· Ca	sted	an				<u> </u>	
CLP	A L Mairix Cor		D	_ <u>E</u> _	RAS	Ana		gh			F onal Spo		['	Li		H		1	J .	K
Numbers	(from 1.)	w Type:	vativo	3 S S S S S S S S S S S S S S S S S S S	.	Color		gr. gr		Truc	king Nuu	uper		ation ation		/Day/ /Time	CLP (ponding Organic	Sampler Initiats	Field OC Quaddior
	Jox 6) M		/ (from Box 7)	Metais	힐	ġ ġ		g l		or T	ag Numb	ers	-Idea	ntilier		mpla ection		ple No.		Markett San
labels)	Dihar.		ÖÜser:	Poss	5	Fluence F	¥.	Š		·			l		COIL	colon			l	O a Organisa Pl = Elatento Plk a Portanto des - : Plot a OC Scott
11/02/18	1_ 101	UG.	2	X	P.	7-1-	1		8-1	30	221		04-	SW-23	9/12/	- 11 ax	11.0	~ 7 7	nea	
	-}- '*	2.]-!-	3	- -		- -	- -	, — I ·		303			1	20123	120/2	15.1635	1-CL K	5. T. L.	Δ2/2.	<u> </u>
1110098				-17	<u> </u>	- -	- -		<u>0</u>		323	<u> </u>				_1625	X		\}	E
MHD299_	5-1-1	<u></u> - -	رعاً!	니스	닔	- -	- -	[-]-	<u> </u>					5 <u>0 702.</u>				578	/	
MHDD99_	5/	<u> </u>	- <i> -le</i> _	-	싵		- -	- -	<u>8-</u>	130	<u>334</u>	- 	K#=	<u> 50-02</u>	-\/-	1630	<u> </u>	·	\.\.\	
\				-			- -	.[_].					-			·				
		<u> </u>	_] <i>[</i> _	ula	1	<u>_</u> _5.			£-,-				.]		ĺ]_		<u> </u>	
	_					_ _	_]_		- AL	6/			1_		1					
		}			-				\mathcal{O}						-			_		
			_	- -			_						- - 				 			
			-	- -			- -	1-1		<u>_</u> _			-[[~	·			
hipment for Case	ll	age age	_l Sample(s	 1 0 10	.l - - -	-1 :::10:	_1 tab	.ll.		 _	Addie	ional Sample	_l		<u>. —ا</u>		. [<u> </u>	_	
ompleto? (Y/N)	- 11	I	Stanpicts	, 10 00				,0,0,0	J, Y C.	•	12	17/1			1 1	[avam ca	Custody	Sear Nur	mer(s)
/	<u> </u>	01 -			<u> </u>	·						njano.	- 11	<u> </u>	18/17	<u> </u>				
					1-				 -		OF CU	STODY REC			··				·	
lelinquished by:	, -		Dale / 1	ime	- 1					ilure)		Relinquishe	dby: (S.	lignature)		Date / T	îme	Receive	d by: (Si	gnaturo)
Ruchila.	Bade	ce 191	13/95	ho	O	L	20	leg	X				í					Ì		
talinguished by:			Date /							lturo)	· · ·	Relinquisho	d bv: 75	Sionature1		<u> </u> Date / T	ime	Acceive	d by: 18	ignature)
qzooy.	(Digramma)	"			- 1			3 * - 1	۰۰۰۰ اور				,. ,			401011	110	l	d Oy. (a)	granino)
			1									1						1		
	401		Date /	lime		Recei	ved	lor L	abora	tory by:		Date / 1	îme	Remad	s Is c	ustody se	al intact	? Y/N/nc	M144	·
telinquished by:	(Signaturi	"	Dalor	11110						, -,,		1 20.0,	*****	1		,			,,,,	
telinquished by:	(Signaturi	"	1			Sign				, -,,		1							,,,,	

Green - Region Copy

White - Lab Copy for Return to Region

Yellow - Lab Copy for Return to SMO

SEE REVERSE FOR PURPOSE CODE DEFINATIONS

Man B F N	Environmental Protection Aguicay ract Lateratory Program [2. Region Un Sampling Co.	Organic Traffic Report & Chain of Custody Record (For Organic CLP Analysis)		Case No.
1. Project Code Account Code RA 41861, 58	8 URS	4. Datu Shippod Carrier 9/13/99 Feeley	6. Matrix (Enter in Column A)	7. Preservative (Enter in Column D)
Non-Superland Program Site Name RICO Argunfish City, State RICO, CO	Sampler (Name) Rachel S. Badger Sanysler Signature J. Purpose Carly Action CLEM Action PA FS PRP REM FID RA ST SI O&M FED ESI NPLC	Airbit Number 1 255918053 5. Ship To RECRA Environment 8330 gmilford Rd, Blde Columbia, MD 21046 410/381-2288 ATTN: Sample Custool	1. Surface Water 2. Ground Water 3. Leachate 4. Fletd OC 5. Soil/Sedment 6. Oit (High only) 7. Waste (High only) 8. Other (Spacity in Column A)	1 HCl 2. HNO3 3. NaHSO4 4 H25O4 5. Ico only 6. Other (Specify in Cotumn D) N. Not preserved
CI.P Sample Remote Sample Present Sa	No. No.	RA-WSU-A3 3, 8-1303(e) RA-SW-03 2, 8-1303(e) RA-SW-03 1, 8-1303(e) RA-SW-03 1, 8-1303(e) RA-SW-03 1, 8-1303(e) RA-SE-03 1, 8-1303(e) RA-SE-03 1, 8-1303(e) RA-SE-03 1, RA-SE-03 1, RA-SD-01 1, RA-SD-01	1/12/15 1100 MIDD 90 1/12/15 1100 MIDD 90 1/12/15 1100 MIDD 90 1/12/15 1100 MIDD 91 1/12/15 1100 1/12/15 1100 1/12/15 1200 MIDD 92 1/12/15 1200 MIDD 92	
Flelinquished by: (Signature)	Date / Time Received by: (Signa	CHAIN OF COSTODY RECORD Relinquistied by: (Signa	aturo) Dale / Time fleceive	ed by: (Signaturo)
Recall S. Exeller 9/1	Date / Time Received by: (Signal	Relinquished by: (Sign.	ature) Date / Time Fleceive	ed by: (Signature)
Relinquished by: (Signature)	Oate / Time Received for Labora (Signature)	otory by: Date / Time R	lemarks Is custody seal intact? Y/N/n	lono

DISTRIBUTION - Bus - Banton Conv

anton Conu

Diet . SUB Com

504 5 - - - 01100

CA A4 M A	1Juited States	·	tal Demarks			nic trattic Hepo		5A5 N			Case M	it, i
	Cont	their property	ork LaceTrimi	н П		r of Custody Re Organic CEP Analysis		(ժ արդահա		_	2.	4008
Project Code	Account Code	12 Regio	n Ho ISa	mpling Co.	4. Data Shipped		!			•	···· · - · ·	
	_	ے ا		URS	9/13/95	FEDEX	•	6. Ma	itrix ot <i>er</i>			oservativo ntar in
RA	41861.59	Sampler	 		Ailbill Number				Cohumn	A)		dona D)
gonal lalomation	·				_	918053			Surface			HCL
		FLICE	1515i	Budger	5, Ship to	77/00-52		1	Ground \ Leachaid			HNO3 NaHSO4
n-Superfund Prog	nam 	Samo	Signatur	Barbers-		GNVILONINEL	D91	4.	Lield QU		4	H2504
		3. Purpo	su Earl	Action Lung-Term		GUILFORD RD &	_		Soil/Sod Oil (Higl			lca only Other
o Namo		i aust		CLEM Action PA	COLUM	BIA MD 210	CDG F		Waste "	•	1	(Specify in
RICO ANGE	NTNE	- SF PRF	, =	IUEM [""IUD			76	8.	(High on Other (S			Column D) Not
y, State	Site Spill ID	∥_]sr	ı—	ÐI ∷HA SI ∷D&M	4	381-2288			in Colun		ļ .	proserved
RICU CO		l_lren		ESI LINGTO	ATTN: 5A	MALE GORDINA	7017	<u>L_</u> _			J	
CLD A	BCC	D DA	E C Assalsais	nauia.	F Coodiia	G	H H	.	1		٦,	K
Ct.P Matrix Sample (from	k Conc.: Sample Pro Low Type: vi	11170	S Analysi: = twotter	Tanadaia	nat Specific ng Number	Station Location	Mo/Day Year/Tin		Corresp CLP luc		Sample: Initials	Field QC Qualifier
lumbers Dox 6	al Med Comp / (I	easans I I	₹ <u>8</u> 9	gril or lan	Numbers	ldentifier	Sample	o	Sampl			H ILUK S. S
(from One		× 7) §	M M M				Collecto	on				H. Heisele H. Heisele Pt Pokam (a N. La OC Se
	- ₁ -	- -			0 101 -		\ ,- ,	22			4:0	14 a QC Sa
R549 1	Low Grab 2	2-1-1.	K -	8-131021		2 RA.SW-10			WIFDE	22:0	100	
R549 1	_ __ -\		_ <u> K _</u>	<u> 8-131023</u>		24 KM SW- 10		730	\/.		\	
R551		_ K		8-13/02	5.8-1.3103	26 KA-SW-11	16	28	_MHDI	771	l	
1-8551		_\\	4	8-13102	7.8-1310	128 RA-SW-11	1-16	2.8	1			
1655) Y	- - : : : :	\		8-131029	7 8-13K	30 (CA - SW-11		28				
R559 9			- 1	8-13103		RA-SE-07			71 Salibio	42	1 - 1	,
	<u>- - - - -</u>		<u> </u>	8-13103		RA-SE-07			Will(2)2	124	·• ··-	
12521_5							-	1407		<u>.</u>	- -	
11:551	_		- <u>X</u> -	8:13103	·	KA-SE-07	1.0	1007	V_		.	
1.655 <u>\</u>	_ -/,_ - , -	1-1X	_ _ _	<u> </u>		<u> </u>			WHÖ	<u> </u>	. }	.
17554 V	5 V V	Ψ	K _	8-13103		<u> </u>	11/1/1518	55	<u> </u>		1_4_	<u> </u>
nipment for Case	Page	Sample(s)) to be Us	ed for Laboratory Q	C Additi	onal Sampler Signature	°54" 'J /	/	Chain of	Custody	Seal Nu	nber(s)
amploto? (Y/FI)] & ot Q				(Leg	affected MI	Klin Kick	17				
/ ~	<u> </u>	I			CHAIN OF CUS	TODY RECORD	an marifican C	<u>"ال</u>	l			
elinquished by: (Signaturo)	Date / Ti	imo	Received by: (Signa		Relinquished by: (Sign	nature)	Date	/ Time	Receivo	d by: 7S	ignature)
	TO 10 G	7/3/4 d /	, ,	Ca 1				•	ı		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	J
Kachuls_	Bulger !	13/45	120	FEDEX	<u> </u>				l ·	<u> </u>	-	
elinquished by: (Signature)	Date / T	11110	Received by: (Signa	ituro)	Relinquished by: (Sig	naturo)	Date	/ Time	Neceive	d by: (S	ignaturo)
•		1	ļ						ı	ļ		
						\			<u> </u>	<u> </u>		
Rolingulshed by: ((Signature)	Date / T	ime	Received for Labora (Signature)	itory Dy:	Date / Time	Romarks Is o	custody	seal intac	17 Y/N/n	0110	
			ļ	(3.g)								
		i				!						_

White - Lab Copy for Return to Region Yellow - Lab Copy for Return to SMO

SEE NEVENSE FOR PURPOSE CODE DEFINITIONS 360556

SEPA United State	es Environmental Protection Agency outract Calioratory Program	Organic Traffic Repo & Chain of Custody Re	cord (d opplicable)	Caso No. 24008
Project Coda RA 4/8/01/58 Regional Information Hon-Superfund Program Site Name RCO Arge1/Arg. Site Spill ID RCO CO	2 Flogion No Sampling Co. Sampler (Name) Pacture S. Paragett Sampler Signajure Sampler Signajure CLEM Action Long-Term Action PA FS SF REM RD PRP RI IN INA OSM NPUT	Columbia, MD 21044 410/381-2288	(Enter in Column A) 1. Surface Wire 2. Ground Wa 3. Leachalo 4. Field QC 5. Soil/Sedim 6. Oit (High of 7. Waste (High only) 8. Other (Spain Column	/ Preservative (Enter in Column D) after 1 11Cl ater 2.11NO3 3. NaidSO4 4.112SO4 5. Ico only only) 6. Other (Specity in Column D) N. Not
CLP Matrix Conc.: Sampto P Low Type: 1 Meet Comp./ (from 10 or 1) High Grab I	D E Proser- RAS Analysis Regio valive Track	F G onal Specific Station ang Number Location g Numbers Identifier	H I Correspond CLP Inorging Sampto Sample I Sample I Sample I Sample II	anic Initials Qualifier
HR5735 /ew 6	5 X 8-13039 5 X 8-13039 8-13039 X 8-13039 X 8-13039 X 5-13039	17,8-130798 RA-SW-05 19,8-130400 RA-SW-05 1,8-130302 RA-SW-05 13 RA-SE-05	mil 212	25 RB
HR57L I V V HR57L I V V HR577 V HR577 V V Case Page Complete? (Y/N) V W of 10	5 X 8-1303/3 Sample(s) to be Used for Laboratory O	2,8-130311 RA-SEU-19 2,8-130313 RA-SEU-19 4,8-130315 RH-SW-2 Additional Sampler Signature Rym Ditalk N	3/1/1/1	8 B R R Stody Seal Number(s)
Relinquished by: (Signature) Recurl & Radfin (Relinquished by: (Signature)	Date / Time Received by: (Sign. 7/3/45 /200 Fcdcx Date / Time Received by: (Sign			ocoived by: (Signature)
Relinquished by: (Signature)	Date / Time Received for Labora (Signature)	alory by: Date / Time	Remarks Is custody seal intact?	Y/N/none

CONTROL Opined States Environment	urst Protection Augustu	Organic Traffic Repo			Casar No.
Contract Labora	Hoth Lindiam	Chain of Custody Red	cora .		24 008
		(For Organic CLP Analysis)		· · · · · · · · · · · · · · · · · · ·	2 7 00 0
1, 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		Shipped Carrier	6. Ma		7. Proservative
RA 41861.58 8		3/95 FedEX		itei Column A)	(Enter in Column D)
1 * * = 3 * = 1 * 1 * 1 * 1 * 1 * 1 * 1 * 1 * 1 *		limber		Surface Water	1 HC1
Me - Me	the Leslie	1255918053	2	Ground Water	\$ 111903
Non-Superfund Program Saynay	s Soliature / \ . 5. Ship	To	. 1 "	leachaic Field QC	3 NaHSO4 4. H2SO4
i	May leave RE	CRA Environmen	that 5.	Sod/Sediment	5. Ico only
Site Hamo	Color Lung tonn	20 Gwilford Rd	81. F 6.	Oil (High only)	6. Other
	PA Allen 83	20 0001 4000 40	1,2	Waste (High only)	(Specify in Column D)
Legis Arithmetical legistration	IP THEM THE	lumbia, MD 210		Other (Specify)	N Not
City, State Spill ID ST		カーカルト・マスタタ		m Column A)	preserved
1 <u>-19</u>	D STESI - NPLO AF	N. Sample Cuzto	1		/
CLP Matrix Conc.: Sample Presor- RA	E F AS Analysis Regional Spe	P G cilic Station	Mo/Day/	Corresponding	Sampler Field QC
Sample from Low Type: vative —	Tracking Nun	her Location	Year/Time	CLP Inorganic	Initials Qualities
I blanding to all Mod Kopp A (kop) I		ers Identifier	Sample	Sample No	H. Dines, S. System D. Diglochte
(from labels) One Righ Grab Box 7)	M M AROA		Collection		14 Historia 19 - Perfensi Cont
1 '	A 0. 10XI				+ fister (Rithings)
118558 1 Low Grab 5 X	8-13/001, 8-	- 131007 RA-5W-07	09/11/15 1001	MILDD85	MIL
	X 8-13/002, 8	-131004 RA-5W-07	1001	1	
- ; - - - - - - - - - - - - - - - -	=	-131005 BA-SW-07	100+		-
\\\\\-\-\-\-\-\-\-\-\-\-\-\-\-\	8-13100 B		1		
HP-965 ! 5 X	8.131006, B.	-13/008 RA->W-08		M11515787	
/		<u>- 131010 RA-SU-08</u>]_{
1 5	<u> </u>	3-131011 PA-SW-08	1855	1.	
148564 1 5 X		- 131014 RA SW. 09	1825	WHDD81	
	M 1 1 1 1 1 1 1 1 1	·	· · - · - ·	:::::::::::::::::::::::::::::::::::	
	}	-131010 RA-SW-0"			
1 1 1 1 5		131018 RA-SW-09		<u> </u>	
1118549 1 V V 5 K	8-13/019.8	-131070 RA. 521-10	11/1(230)	MH 2270	1
Shipment for Case Page Sample(s	s) to be Used for Laboratory QC	Additional Sampler Signature	s,	Chain of Custody	Seal Number(s)
Complete? (Y/N) A of ID	· · · · ·	Jan Pot 16 9	Pachels. Belga	_	
1		Lory Progration > W	2000	-	
		N OF CUSTODY RECORD	ومساوح مساوح سندي		
Relinquished by: (Signature) Date / 1	Time Received by: (Signature)	Relinquished by: (Sign	naturo) Date i	Tune Received	d by: (Signature)
1 P. 1. 15 Bullio 1/3/201	1200 Fed BX	1 .			
Fachul Billians Date 11 Remounished by: (Signature) Date 11	Time Comband has (Cinnatural	Relinquished by: (Sigi	nature) Date	Time	d lan (Cinnet t
Heindurshed by: (Signature) Date / 1	Time Received by: (Signature)	riamquisned by: (Sigi	mane) Dale /	Tune Heceive	d by: (Signature)
1 1	\	· · · · · · · · · · · · · · · · · · ·	!	· [
Relinquished by: (Signature) Date /	Time Received for Laboratory by	: Date / Time	itemarks Is custody	continuora VAV	
Retinquished by: (Signature) Date /	(Signature)	. Dato / Illie	iomorna la cusiony	2041 HAGEL 1114/06	unu .
1	1	. ! !			į:
L					1

OISTRIBUTION: Blue - Region Copy White - Leb Copy for Return to Region Yellow - Lab Copy for Return to SMO

EPA Form 9110-2

SEE REVERSE FOR ADDITIONAL STANDARD INSTRUCTIONS -SEE REVERSE FOR PURPOSE CODE DEFINITIONS

WEPA '	atus Environmental Protection Agency Contract Caburatory Program	Organic Traffic Repo & Chain of Custody Re (For Organic CLP Analysis)	cord (d application	Case No
I. Project Code ICA 4/86/.3 Regional Information Non-Superfund Program Situ Namo Pico Angernation Situ Spill ID	Sampler (tame) Sampler Signature 3. Purposo Early Action CLEM Action PA FS - PHP - HEM - HO	4. Datu Shippod Carrier 9/13/99 FEDEX Airbill Number 1 255 918 053 5. Ship To PECRA ENVIRONMEN 8320 GULLFORD PO 10 COLVMBIA, MID 210 410-391-22888	PLUC F 6. Oil (High 7. Waste (High on	Water Nater 2. HNO3 3. NatISO4 4. H2SO4 5. Ice only 6. Other (Specify in Column D) N. Not
Cry. State RICO CO CLP Sample Numbers (from labels) LT 450 LR 550 LR 552 LR 552 LR 552 RESPIRED Site Spill II) Conc.: Sample Low Med Comp./ Fligh Grab Low Low Med Comp./ Fligh Grab LR 550 LR 550 LR 550 LR 550 RESPIRED Page	Valive V	ATTN: SAMPLA CUSTON Final Specific and Number and Number and Number and Numbers RASE-08 RASE-09 RASE-09 RASE-09 RASE-09 RASE-09 RASE-10 RASE-10 RASE-10 RASE-10 RASE-10 RASE-10 RASE-10 RASE-10 RASE-10 RASE-11 RASE-11	H Mo/Day/ You/Timo Sample Coffection 01/11/97 1855 MHD1 1825 MHD1 1825 MHD1 1825 MHD1 1828 MHD 1628	conding Sampler Field OC Orablior Bulliols Segue De No. Bulliols Bulliols De No. Consultion Bullion Segue De No. Consultion Segue De No. Consultation Segue De No. Consultatio
Complete? (Y/N) N 2 of /C	•	Facility Badger for CHAIN OF CUSTODY NECORD	grandle Chain of	Custody Seal Number(s)
Relinquished by: (Signature) Relinquished by: (Signature)	Date / Time fleceived by: (Sign. 13/49 1300 Fedex Date / Time Received by: (Sign.	flelinquished by: (Sign.		Received by: (Signature) Received by: (Signature)
Nelinquished by: (Signature)	Date / Time Received for Labora (Signature)	Nory by: Date / Time F	demarks Is custody seal intact	? Y/N/nono

DISTRIBUTION: Blue - Rentar Com-

TIEL SHA CAME

EB4 Seem 0110.9

CO DEHEROR PAR AND IN

			iental Protect ratory Progra		& Chain	of Custo	dy Record	, a	applicable)		٠٥٠	ingo
		** 115. 1551 .	:-::::::::::::::::::::::::::::::::	Terretain de la company		norganic CLP	Analysis)		. /		المجالين	1008
roject Code R A gional Information	11860-58	Sanyi	er (Name)		4. Date Shipped 4/13/96 Antiil Number	[-ei	lex		6. Matrix (Enter in Colur 1. Sudac	-	(Ent	olama (1)
n-Superland Prog	Sto Spill ID	Samp J. Pur J. Pur SI SI SI SI SI SI SI SI SI SI	ler Signatur Lifter 2 poso Emil 	PA FS REM FO INI RA SI O&M ESI NPLI	5. Ship to Sentlines 1700 We Broken	St Alban Istoin O	Oklahoma	>	2. Ground 3. Leachd 4. Field C 5. Soil/So 6. Oil (Hi 7. Waste only) 8. Other	d Water nte DC ediment gh only) (High	2. Hr 3. N. 4. Hz 5. Kg 6 Hd 7. Ot	103
Sample M Numbers (I	A B C Conc.: Sam Typ (Conc.) A Sam Typ (Conc.) A High Conc.	ple Proser e: vative p./ (from	etais etais	AS Analysis Low High redy redy redy redy redy redy redy redy	F Regional Spec Tracking Num or Tag Numb	citic ber	G Station Location Identilier	H Mo/Da Year/Ti Samp Collect	ino CL1 Io Sa	l nsponding Organic mple No.	J Sampler Initials	K Field GG Qualifier Gualifier
1101293.	low g	3	X 	1_ 8:	.13 0380 <u> </u>	1	RA-SIV-02 RA-SIV-02	11 .	1340 H I	2570	RSIE	· · · · · · · · · · · · · · · · · · ·
	5	<u> le </u> - le -		8-	130389 130389		RA-SE-07	-,-,	1.1	2 <u>571</u>	-	.
1110095 UHDD95	<u> </u>	ما ا		8-	130395 1303910		RA-1050-0	4.1/17/18	3	# <i>HH</i> 5 K573	.	
IIDP9Ce_	[- - -	3	- -	8-	130306 130307		RA-SN-05 RA-SW-05	1/12/19				
1111297		- le			130308 130309		RA-SE-01 PM-SE-05	<u> </u>	- HP	519 1.		
upment for Case simplete? (Y/N)	Page	Sanyie	(s) to be U	Sed for Laboratory O		ional Sampler		leili	Chain o	of Custody	Seal Non	l nber(a)
	- · - · <u> · - · - · · · · · ·</u>		-	(arrenta en la companio	CHAIN OF CUS			<u>-</u>		-11:51-11:0-	• <u>•</u> ••••••••	•
thinquished by: (- 1	Date /		Received by: (Sign		Fremdaizuea	by: (Signature	' '	late / Time	Heceive	d by: {Sa	mature)
Partulfi]	sadjue	13/45	1200	Feder	<u> </u>		1					
tlinquished by: (.		Date	Timo	Received by: (Sign		Relinquished	by: (Signature	, ,	Date / Time	flective	d by: (Si	gnaturo)
olinquished by: (Signature)	Date	Time	Received for Labor (Signature)	alory by:	Date / Tir	mo Remar	ks Is cus	tody seal inta	nct? Y/N/n	one ·	

Q.F.		Joiled States Cont	Environm ract Labo	ignial Pr	olecid rogran	on Age	uch			lr & C	orga Chain	anic Traff of Custo	ic Repo	ort cord		SAS No. (d applicat			Case		
\/ L. [1 -2			•	-		,			•	(For tr	norganic CLI	P Analysis)					-	70	108
1 Project Code	Accoun		1 '	gion He	Sar	aplan	j Co			4. Dato S	hippod		· .			6. Ma	tais:		2 0		vativo
RA.	11/8	61.58	1.	8	1	U	125	5	l	9/13/	95	يستر	DEX			(E)	ntor			tesei Entar	A111A9
Regional Informati		<u> </u>	Sampl	lor (Nai	ma)					Ailbill No	mber		,			ìn	Column) A)	Ì	ı Coli	una D)
			۱ ،	Pool	50	Por	~75	101	,		25	5918	064				V openné			HCI	••
Hon-Superland Pr	couram		Sagn	Inc Sign	natur.		Z <u> </u>			5, Ship To						•	Sround V .eachate			. HNO: . NaOl	
Mante Stolloumum Li				lor Sigr			1_1	lli				ST LABS	OF OK	LANO	MA		Fiuld QC		4.	.11280	$\mathfrak{I}_{\mathbf{d}}$
			. O Pur	poso	Carly.	CLEA		trans f	01111			ALBANY			,		Soil/Sedi Dit (High			. KặCI . lae o	
Site Name			l yad	1		Спек РА	и .	ACIENT	s	0	- 40	TLOANY	, 20112				Vasto (F				r (specity
RIGO AN	26EN17	אל	- SF			пем		<u>"</u> " n	Q1	DA	OKEN.) AMROI 251 - 28.	VOK	740	/2		only) Odove (a.		l	in Co	Hano (I)
City, State	Sito S	pill ID	- H - IS1	T		III Si	,		1A)&M	'	1/8-2	W/ - 28.	<i>S</i> - <i>Y</i>				Other (s) in Colum		1.4	i idoi l	preserved
RICO, CO	2 ・		III	io	ĪΖ	<u>ESI</u>		<u> </u>	1 <u>PLO</u>	ATTN:	541	1918 GOO.	MOINA	ron		l		,			
CLP	Αlε		D	E.	- FIAS	S Ana	eizyl			<u> </u>	۴		G			14	}	1	1		K
Sample	Matrix Cor		Proser-			L Dw Ordy	1 lg			Region Trackin			Static Locati			/Day/ r/Time		ponding			Floid QC
Numbers (troin		ow Type; ed Comp /		8 3		~~!~~	- -				Numbi		Identi			mplo		Organic No. No.	Initial		Qualdier was seem
labels)		gh Grab	Hox 7)		٤	ج الح		§		•			1			ection	,,				O Organisa O Organis
			Opear:	Dss wera	Cyanoe	<u> 2</u> 1	Ŧ	3					l						1		. s Pinkum kv.) Hot n OC Sanga
M11 7087	1 /2	W GRAD	3	X		_ -			9-,	13027	9		R4-5W	-07	9/10/	9 5 1007	HC	558	46	2	
	! = <u>-</u>	. = . = .	- 	-	Ţχľ		-\			130 28			RA-SW					<u>ا کے ق</u> رب	Z:E		
WIIDD89	 -] -	 -} -	- -	-	- -	- :	lI			-				77 Y	_1007			-{{	{	
4110 38		<i> </i>	13	_ _ 2	7-1	_ _	-	i—-i-		30 28			RA-SW	-08	III	1855	_HP_	555	.[]	<u>-</u>	
1 11/11 78	1 1 1]_]]_	3	_1	X		_ _]_].	8-	13028	2		1A-5W	1-08	l_	1855	` ↓	,	1 1	1	
III D 51		- - -	12	X	(-1-	_		9-1	13028	<u>'3</u>		124- Su	1-09		1825	HRO	254		-	
M110081	- -	<u> </u>	3	- -	10	-	-!-	1 — I-4		13028	=		PA-5W		~/-	1835	1.4.2	<i></i>	11	:	
	╏╼╏╼╼╽╼╎	[- - -	; ^	├ ─ी─	-\-) -1 -		17028	~				 - 		1-14	- 17		<u>,—\</u> —	
MH8270	. _		<u> </u>	- 2	<u> </u>	_ -	-1	· I ——— I —			- F		PA-514		- -	1730	<u> </u>	:549	-	_ -	
MI/ DD 70		<u> _</u>	3		_ X		_ _	.[]	y-,	13028	<u>L</u>		124-SW	- 10	_	1730	_l	\checkmark	1		
M11.00 71	1		1		Χ					130 28			R4-511	-11	[[11,24	117	2551	1-1		
MI-00 71	-[[-]		7	-112	$\overline{\mathbf{x}}$	- -	- -	· - ·		130 28			12A-SIV		<u> </u>	1628	r		/	<i>T"\</i> ~	
,	- - - - - 	nge [<u> </u>	_ _	15	_ _	_!_	البال		<u>-</u>	-=-	ional Sample			LW/			<u>v — </u>	ΤΛ		
Shipment for Cas Complete? (Y/N)	ν 11 .		Sample	(\$) 10 0	98 U\$	80 IQI	LEBD	orațo	ity Cit	•				M-11	Λ.	٧., ١٩	main of	Custody	Soal N	limite	a(s)
}	NL5	of -/-			_						Trace	chel Br	due	Y AYL	الأكهر	W					
		,								CHAIN		STODY REC									
Relinquished by:	(Signature	0)	Date /	Time		Recei	ved l	by: (Signa	sture)		Relinquishe	d by: (Sig	naturo)		Date / 1	finie	Neceive	d by:	iSiam	altine)
	_	1		1	[_					i `	• , •	·	,	1					····· - /
Rachels	Barley	c- 19/	13/19	100	01	1-6	201	E,	X	·		ļ	d		.						
Natingolshed by:	. (Signallin	0) 1		Tima	—-\	Rocei	ivod	by: (Signa	almo)		Rolinquishe	d by: (Sig	naturo)		Date / 1	Timo	Nacoiva	d by:	(Signi	ulcuo)
		}	1	i C	١ ١				-							1		1	•		• •
1		,		}	}		•						ŧ		}	- }		1			
Relinquished by	: (Signatur)	Date	/ Time	— l	Roce	ived	lor Li	abora	tory by:		Date /	Timp	Flomark	s Is a	custody se	eal Intaci	7 Y/N/n	ono		
	(- J	·		1		(Sign						1	' {			•	•				
		I			- 1]									

NAME NO DESCRIPTION AND ADMINISTRATION ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATI	114	Unite	d States E					11 C ¥		lr o c	orga	inic Traff	ic Rep	ort		SAS No.		.	Case No).
yer	74		Contri	act Labor	isluty P	rogran	n .			& C	main For k	of Custo Torganic CLI	Day He P Analysis	cora a	1			1	24	1008
Project Code	Acco	unt Co	da	2. Rec	ion No	Sar	noko	ı Co		4. Date S			71101731					·		
RA	ì	861.		8				25		1	195	FED	EX			6, Ma	trix 🔧			setvalive -
gional Informatio			·	Sampl		. l. mal	= :			(7.6.2 Anthii Nu						•	nei Columi	(<i>A</i>)	(t:n m C	wi Soluma (D) -
Diousi imomiano	114			6	0G E		R-			1		9180	1.1			1. \$	Surface \	Nater	1.11	ca ·
				Samp				- CEC	<u>~</u> _	5. Ship To	~	1100	<u> </u>) braiosé stations.			NOJ aOH
a Soperland Pro	gram			Sandy	22	ساسه	-h-3	Lind	L .	5.3117	האנט	ST LABS	000	KLAB	GNA	4. f	Flokt QC		4.14	$_{2}SO_{d}$
				3. Pur		Eurly	Action CLEN	A 10	nrið- Lotur			ALBAN				5. S 6. C	SoiVSedi Oil (High	ment onlyt		်င္ခြင္မရွိလို e coly
e Name RICO An	. ہے۔ پیر	T A	15	 SF PF			PA	" Ĉ	FS			Aura				7.1	Nasto (I		7. O	ther <i>(spacdy</i>
				11	}P		nem Bi]-	IID IRA			251-23		` //		a. c	only) Other (s _l	necity		i <i>Columo</i> D) lot prossivu
y State	Site	Spill t	D —-		n.	 -}	SI	·	_ O&N			AMPICO		' <i>a 1.4</i> FT	10	i	n Colini	in A)		•
EKO, CO	l _T	<u> </u>		0	·	_! <u> </u> 25]. - Fras	ESI S Acco	<u> </u>	<u>์ ไทยเ</u>	<u>D[</u>		MAINEL	G	—— _r		l	 -		}	1
` CLP Sample M	A Jairix	B Conc.:	Sample	Preser-	<u> ;</u>	֓֓֓֓֓֟֓֓֓֓֓֓֓֟֓֓֓֓֟֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֟֓֓֓֓	Low	Thyl		Region			Stati	on	Mo	lt 'Day/		ı ponding	J Sampler	K Field QC
Numbers	(trom (Low Med	Type: Comp./	(from	Melars		<u> </u>	- -=" "	``1		ng Numi Numbo		Locat Ident		_	/timo nple		organiç olo No.	Initials	Qualdior
interior) 	High	Grab	(lox 7)	ž ž	Į	٤		<u> </u>	٠. ١٠٠	, , , , , , , , , , , , , , , , , , , ,		120,111	,,,,,		ection	ا ا	<i>1</i> 10,	\	D. Dogđa sta U - 1003-sta
· i	Jun.			Other	ةِ إِنَّ ا	Cvanide	ON ON	¥.	<u>}</u>		·			:	3					Pt Ponkou t
11007:6	5	Loui	Gans	186	X _					-1302	98		RA- US	0-05	3/10	25 1850	1160	422	ap	
110076	-/		<u> </u>	100	<u> </u>	コン	_ _			1303		 -	2A-105	1-05	7.1	1850		1/	1	
	—)~	· \ -·	\	1 W 1		14	-	- -		-1311			RA -W			1738		W	<i></i> -	
1/11/11/11/11/		<u> </u>	}	以	_ X			╌┨╼╌┟╌	_				·		 -		1-1:1:0	923_	\\	
140074	<u></u>		<i> </i>	126	? - -	- X	} -	- -	_,	<u>-13/15</u>		,	RA-WS		-	_1.7.38	 		· — —-	·}
<u> </u>	_	-	-	1/4/4	2 2	십~	-	- -		-/3//5		· -	74-WS		-	1450	11180	<u> 124</u>		
71/01/25	_\/	l	<u> </u>	184	? _	- X	<u> </u>	_ .	_ &	<u>-13115</u>	4	· - · · ·	PA-WS	0-07	$ \Psi $	1450	\		14	-
			<u> </u>	<u> </u>	- _	_[_ _ _		<u> </u>		<u> </u>	<u> </u>				<u> </u>			
				<u> </u>	<u> </u>					-INF	>						.]			
		[<u> </u>	77		/			+		[
					- - -	_	<u> </u>	-												• ·
nipment for Case omplete? (Y/N)	11/5	Page	7-	Sample 	(s) Io li	e Us	ed lo	Labo	ratory	DC DC	Addili	onal Sample	Signatur	es J			hain of	Custody	Seal Non	nber(s)
<i>.</i>	717	至河	=1.=-1.										-5313	$\frac{\omega \eta \mu}{\omega}$	1 850				********	
	287.00		 1	<u></u>	-	17	<u> </u>		/Cio			TODY REC			—-r-	Date (T			77	
elinquished by:	(Signa	n#O)	-	Date /	ume		recei	veu D)	r. (319	nature)		Relinquished	u uy. (əig	naure)		Date / T	มหย	Heceive	d by: ˈ(Si	gnature)
Knowe	r.Ba	de	c 19/	13/35	1201	ار		Fea	10	y /	1		i ^s			1				
olinguished by:			-/-	Date /		<u> </u>	Neco			nature)		Relinquishe	d by: (Sig	maturo)	-	Date / T	imo	Roceive	d by: (S	ignaturo)
		•		ı				,		-			į, į	_	.	1				,
			_										·——·					i		
elinquished by:	(Signa	luro)		Date /	Time			ivod lo ature)		ratory by:		Date / 1	ime	Romark	s Isc	uslody so	al intact	7 Y/N/ne	one	
,						}	Sign	aan o)		•]								,
						!					· · · · · · · · · · · · · · · · · · ·	li_	i				•			······

	N	Unde	d Siatos I	Moneti	sental P	rator:	ion Ag	jancy				lnorg:	anic Traf	lic Rej	port		SAS No lit applica		Case No	· . [
WET	1		Contr	a¢i i abo	ratory f	,neitr	*11				Č	Chair	of Cust Inorganic CL	OGY HO P Analys	ecord _{ast}		,		24/0	108 1
1. Project Code	1	ount Co		2. Reg	jipn N	ō Si	աթև	19 C	o	-		Shipped	Carrier		::::			•		
RA	1	11861	1.58	8		.	U	177	5		1 9/10	1 45	FEL) <i>EX</i>			6 Ma	alrıx Aler	7. Pres	Servativo Ter
Regional Informati	on			Samp	7				,,,		Airbili				•		1	Column A)	in o	Column (1)
				160	160	C /	ETE	RE	11	A	10	1559	18274					Surface Water Ground Water	1.110	CI NO3
Non-Superlund Pr	ogram			Samp			2_	7	//		5. Ship	To					1 3.	Leachate	J Na	iOH
				3 Pur	<u>C (5)</u> post		Action		∠ ~	·			EST LANS					Field QC Soil/Sediment	5. K	2\$O ₄ 2CB ₂ O ₇
Site Name			_	Load		[CLE PA	М	Actio	leim IFS			W-ALBI					Oil (High only) Waste (High		e only ther <i>(specity</i>
RICU A.	 -,			SI PI	าด		HEN	4 '		RD		BROK	in Aran	en, O	K 79	161	' -	only) Other (specify	in in	Colimn (f)
City State	. Sil	o Spill l	D	<u> </u> s	Γ .	_	INI Si			RA OBM			251-28			a .	. 6.	in Column A)	1 14.14	of prosorved
12100,00				L_lf6	,	—``	<u>IESI</u>	_ •1	_	<u>INPLC</u>	AII	N: 5//	MIPLE CO			<u>. </u>			.),	
CLP Sample	Matrix !		C Sample		- I [٦-:-	S An	7	ligh			r onal Spe		1	G ilion	l	H Mo/Day/		Sampler	K Field QC
Numbers (from	(Irom (3ox 6)	Low Med	Type: Comp./	vative (from	1			- -"				king Nun 39 Numb			ation Hilier	'	Year/Time Sample	CLP Organic Sample No.	Initials	Outablior
labels)	Otton	High		Hox 7)	Diss. Metals	\$ Š	OWON	Ž	200		,,	.		}	,	ļ ·	Collection	Sumple (46)		D - Dayla arg
		<u></u> -	<u></u> ,			ن اع	<u>2</u> .	<u> </u>	ဦ					-	<u>.</u>			 	.	Fl Purbane Co.it - e 16e p GC Sidnya.
WILDURR		<u></u>	5	3	. _ 2	<u> </u>	_ -	_ _	-		31115						13/45 /155		MP	
_ <u>& & BOIL</u> W.	<u> </u>	<u> </u>	G	3	. -	<u> X</u>	_ .	_	.		<u> 311] P</u>			- 1		~	15/95 1155	HR584	MIC	1
WHOUR I	5_	<u> L</u>	6	6		<u> </u>		_ _		8-1	<u> 3/1/]</u>		· · · · · · · · · · · · · · · · · · ·	<u> 184-v</u>	<u>√Σ-οΩ</u>	1	17/15 1155	11/13/17/	11	
W1750 80"	5	L	6_	6	.] .	_ X	_ .	_ _	.	8-1	31778	}		<u> </u>	<u>√2€ 25</u> √	4	3/45 1155	HAYTY	141)	
MII DAGO_	l/	L_	6	_2_	. _[<u> </u>		_		21	31119			E1-1	05/0-03	9/	11/15 14/00	118475	AUP	[
MILDAGO	_/_	1	6	3	_	_ X		_ _	_	8-1	31120)						01/10/75	NP	
MIT DA-91	5	1	- <i>G</i>	4	-1_[:	ᆀᅩ]_ .	_ _	-	8-1	13/2/			RIW	158-03	9	113/15 11/60	1111 474	100	
MH D1191	5	1	<u>_G_</u>	5	_ _	_ X				8-1	13120			12A-10	W-03			1/11 476	NIP	
MIDA92	<u> </u>	<i>L</i>	G	2	1	ΧĹ	.[_]	_ _		8 -	1312	<u>ro</u>		RA-10	1510·07	9	111/18 143	OHRUN	1110	
MILPA 9.2.	1	<u></u>	<u></u>	3		<u>يرا</u> ر	1_1	_ _		6-1	3124	17		KA w	ያ የል~ራዊ	13	10155 143	4118477	INP	
Shipment for Cas		Page		Sample	(s) to t	be Us	ed lo	r Lal	potal	ory O	С	Addit	ional Sample	بالوووزك	مار، كتيريا			Chain of Custody	Seal Mun	mer(s)
Complete? (Y(f))		2_ or	9									3-	C. Guir	1641	F)/ \	ιi				
											CHAIN	OF CU	STODY REC	OBD.	·14-	·-· ·				, 1
Relinquished by:	(Signa	tine)	_ _	Date /	Timo		Rece	ived	by:	(Signa	iture)		Relinquistre	d by: (Si	ignature)		Date /	Time Receive	d by: (Sig	gnature)
8.> ANG 56	osh	, ,	4/0	Yas	1801	'	F	ĘĎ	б¥				·}				1 1			
Notinquished by:	(Signa	turo)	_[Date /	Timo		Nece	ivod	by:	(Signi	ature)		Relinquistra	d by: (Si	ignaturo)		Dato /	Timo Receive	d by: (Si	gnaturo)
				1			-							1						
Relinguished by:	(Signa	turo)	_ _	Date /	Time	_				abora	lory by:		Date / 1	Time	Remark	(S	Is custody 6	oal intact? Y/N/n	ono	
			-	1			(Sigi	ia (UI	u)				1							

	N	Unite	of Status F	nvatanna	erital F	me	nun A	(pent	. 4			ganic Trai				(diapphen	de)	į	Case no	·
Y/LF	Contract Caboratory Program								•			in of Cust				(= 1 - 1 - 1 - 1 - 1		į	240	110
	1 400	оны Сс		2. Reg	an N	iale Slai	 amal	mo	Co.		4. Date Shipp	r Inorganic Ct	. I Mininy:	(al(a)					2/20	
Project Code			58	Ö	.01111		U				9/14/95		SEX			6. Ma				etastivo
96/		80%	10	a Sample				2 2			Airbill Numbe						nter Colum	n A)	(Ent in C	e: ohmin D) =
logional Informati	on				16E			~ 2		1		5918274	l				Surface	,	1.140	·
										''	5. Ship To	11001	<u> </u>	·			Ground t Leachat		2 Ht 3. Ni	
ton-Superlund Pr	ogram			Sampl	ייב זק תאמי	برودور د <i>ال</i> اب	Z	-2	1		Southle	EST LABS	050	KLAHO	WA	4.1	Field QC	:	4.112	SO_4
				3. Pin				MD _		any lus		1. ALBAN					Soil/Sed Oil (Fligt			CB ₂ O ₇
iile Hano RICO A	م نرورا		JE	i epii		-	[PA		ĵ.	<u>"</u> គ្រីន	13000	C. Da	77.	04 2	1/0/2	7.1	Wasto (I		7. Ot	har <i>(specity</i>)
	,			11 SF	117	-		М		- IRO IRA	910	en Asen -251-2	850		, , -	(a.	only) Other (s	pecity		Column D) of preserved
RICO CO	50	e Spill	ID	ST	D	1.5	Si ∠les	.1].	O8	M ATTN:	AMPLE	costo	11110	a		in Colur	m A)		·
CLP	\- <u>-</u>	ß	C	, D	E		AS A		sis	<u> </u>	F		7	G	,	.1 H		1	/	Κ
Sample	Matrix (from	Conc.:	Sample Type:	Preser- valive	-] [c		t legte		Regional S Tracking N			ation :alion		/Day/ r/Timo	Corres	sponding Organic	Sampler Initials	Field QC Qualdier
Numbers (from	(i) ox 6)	Med	Comp./	thom	1	: 호 호	പ്പ്	- 'E			or Tag Nu			ntitier	Sa	niplo	Sam	ple No.		ii 144.60 :. : (1.66.
labets)	C)H+us	High	Grab	Oner 7)	3	ā į š	2 0 2	Fluonoe	Hai				1		Con	lection	1		1 1	D. Dogwans 31. tomodo 11. eParkette Lya
				,	<u> </u> 2	Ž -	2 2	Æ	.후 드	-	10.110.0		-	·	35.0	- 12/14	-10	4(2)		- Children Children b
<u> </u>	.5		<u>.</u>	6_		<u> </u>	/]—				<u>-13112a</u>		_,			5 1749		184 5	72)	<u></u>
<u></u>	_5_		5_	_6_	_ -	_ ^	:-		 -	_]_3	·131140		RA-	₹	<u> [40]49</u>	1149	Hib	1345	16)	
	l		\	<u> </u>		_	_		-1	1_			_		.		<u>/_</u> _			
			 _	<u>.</u>	_ .	_ _	_	4		_ _		<u> </u>	<u> </u>			/	<u> </u>			
		\]		1_1	_ _	4	_			<u> </u>		_		<u> </u>		.			l'
		}	 _	1/-	ل الا	⊿.	_ _	_	<u> </u> _[_	_\			_]	_//	Y/					
			7		7	_ -		[1				7/0	7			 -		
		\	12			_	- -	1 ~ '		_	<u> </u>		_		`\	-	-			
]		1	-	- -	- -	1-	<u> </u>	- -			_		·}		-		·}	·-··-·
		\	·		-	-	-	\ 	}- ·	-)				 -	-				\ 	
Shipment for Cag	1 ₁ -	.l <u>_∠</u> Pag	.1	. l	.ll st to	l be t	1 Is od	.i Ior !	laali Labor	l Odora	OC Ad	ditional Samul	_l,Z or Simoati	TA Z	-1	- 10 m	ـــــاً. المساورة	Cuctoda	.1 Seat Num	b utes
Complete? (Y(d)	i"		1	2000			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					ditional Sampl	. 77	124	all	5	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Chalony	OCH MINI	nertal
		<u>'(</u> ol	المتاك									·		7.77	<u> </u>	<u>ly/</u> 1.				
							7=	·				USTODY REC	<u>-</u>		<u> </u>	• •		<u>,</u> _	<u> </u>	
Refinquished by:				Date /							gnature)	Relinquish	ea by: (5	กฎกลเนเอ)	' [Date / T	imo -	Heceive	4 by: _. (Siç	maluro)
JESELD C	[سل	OW	~ <i>4 1</i> 1	195	λβι) (F	ΞO	Ex				;		- }	ł]		
Natinguished by:	५_ /		<i>-</i>	Date /			กิด	oiv	ed by	r: (Si	gnature)	Rolingulsh	ed by: (S	Signature	, -	Dato / 1	Timo	Receive	d by: (Sig	naturo)
		•	Ì	1								-	ł	-		1				
					 -		- _			- 1 m ²		_	_	-10	_			<u>}</u>		
Relinquished by:	(Signi	stura)		Date /	Time	1			red 10 luro)	ս ւգն	oratory by:	Date /	LIGHT	Homai	KS IS (custody so	an intac	::7 Y/N/ne	ona	
				- {				_	·										-	
	·			i			_L					l		_						

DISTRIBUTION:

Green - Region Copy While - Lab Copy for Return to Region Plnk - SMO Copy Yellow - Lab Copy for Return to SMO EPA Form 9110-1

SEE REVERSE FOR ADDITIONAL STANDARD INSTRUCTIONS - SEE REVERSE FOR PURPOSE CODE DEFINITIONS -

&EP/		Environmental Proto ract Caboratory Prog		& Chair	nic Traffic Repo of Custody Red Organic CLP Analysis)	cord	SAS No (it applie			Casa No	1000
Regional Information Non-Superfund Program Site Name ### RECO Arcs. City, State S	WATTNE Site Split 1D	Sampler Signat	OFS OFTALLA OFTALLA	4. Data Shipped 414 45 Airbill Number 125591 5. Ship To 8320 COLVI	FEDEX	ITAL BLIX F	1. 3 2. 0 3. 1 4. 1 5. 5 6. 0	trix tter Column / Surface \ Ground V Leachate Field QC Soil/Sedi Oil (High Waste (High onl Other (S) in Colum	Water Vater Immunt only)	(En Col 1 1 2 1 3 4 5 1 6 C N.	servative der in lamin D) ICt IMO3 tatISO4 12SO4 ce only Other Specify in Solumin D) Not preserved
Ct.P Matrix Co Sample (from 1 Numbers (Box 6)	onc.:SampldPro .ow Type: va .ded Comp./ (fr	O RAS Analy	Tracki	F out Specific ong Number of Numbers	ATY PLE Cook(d) G Station Location Identifier	H Mo/Day Year/Tin Sample Collection	10	Correspo CLP Inde Sample	rganič	J Sampler Initials	K Field QC Chrilding Bettern Selecto 10-Department 11-Plante PE ethelon Ken
HR582 5	V V S		8-13/2 8-/3/23	24	RA-W50-02	1	V	.ΛΝ<0 2211Μ_	917	7CT 7CT	- 146 3 US Lating is
	L G S			15, <u>26</u> 27,28 21,30	PA-WGW-02		1135		 5तंह -	10 10	
1-12584 1	46	5 X X	8-13123 8-13123	11,32 2,24 5,36	MA-WSW-02	9/13/as 1		MIPA	· ·	70	
11R474 5 11R474 5	L 6	5 X -	8-13-1338 8-13-133	7	RA -WSE -02	\\ \ \ \ \ \	<u> </u>	WHDU WHDU WHOY	84 <u> </u>	70) 70) 101	
Shipment for Caso Complete? (Y (4)	2 of 5	Sampur(s) to ne C	Jsed for Laboratory O		onal Sampler Signature () O P P P P P P P P P P P P P P P P P P	THE		Chain of C	Custody :	Seal Non	ber(s)
Aelinquished by: (Sign	are a	Dato / Timo	Ference Ex.		Relinquished by: (Sign		Date /		Noceive	d by: <i>(Si</i> g	nature)
Relinquished by: (9ight) Relinquished by: (Sign		Date / Time Date / Time	Received by: (Signation Received for Labora	·	Relinquished by: (Sign		Date /			d by: (Sig	natuo)
Triamidianea ph. 1910a		Date / time	(Signature)	nory by,	Date / Time	temarks Is c	uslody s	ival intact	7 Y/N/nc	ภาย	

DISTRIBUTION: Blue - Region Copy

Plnk - SMO Copy

EPA Form 9110-2

VIL	ピ ケ	ጎ ~~	e e cauc P() Box 016 700 557 :	nasulA 6	dria, VA	22313	terti Om	co	& Chain	of (Custody Facility Floridation CLP Analysis	ec	ord	[իւ աթթուննի	u)		14008
1. Project Co	·	4/18	Code 61.5	87	Region		List			4. Date Shippe 414 45 Airbill Number	od Car	rior F.E.D.E.				va (E	osor- ativo ater la luma	n ·	7. Sample Description (Enter in Column A)
Non-Superfu	nd Progr			<u>.</u>	Rocs	ار مےرع Signatu	PE 13	2866	A	125591 5. Ship To 2				 -		1. H 2. I	ICI INO3	•	Surface Water Ground Water
Site Name RICO City, State ICICO		أررع	ito Spill	13. Si Pi	Type of	Activit Pro- Promotor	y Rom PIFS I	- HE	MA	202 W	O 6. 1.4 B 16 - 3	ENVIRON VIIFORD E VA, MD VA-2285 VAMILLE	5, B 31.11 ~	316 246	<i>I</i> .	4. 1 5. 0 6. 1 N.	latiso ipso ₄ Special Special Sol Not proserv	(v) Y	3. Leachnte 4. Hinsatu 5. Soll/Sudiment 6. Oil (Lligh only) 7. Waste (Lligh only) 8. Other (Specify)
CLP Sample Numbers (from labels)	Enter # from Box 7	B Conc. Low Mod High	C Sample Type; Comp / Grab	D Preservative Irom Box 6		AAS An	Pest	Flight only Ario/ TOX	Tract or Ta	F onal Specific king Number ng Numbers		G Station Location Number		H Mo/D: Year/I Samp Collec	lma Jo	Sampler Initials	CLP	J resp. Inorg. ρ. No.	K Enter Appropriate Occalifier for Designated Field CC # - Hank - S - Spike # - Perkin to - 11 - Perkin toot Not a CC Sungle
PAILENT		느	Ċ	6	X				. <u> </u>	0331,32	_	1.5W-91		_,	O439	-1 			B
1-12479		<u> </u>	6	6	X					0333'74	<u> W</u>	5W-01	191	13/45	1728	7()	M	HDA:13	
<u>/ 112479</u>	_ _!_	<u> </u>	<u></u>	.6_		\times			l <u>'</u>	1332136	_	_	.	<u> </u>	1,728	767	.[]	l	
11R479		<u> </u>	_6_	_6			红	<u> </u>		7371'38	_	V	.	<u> </u>	1358	11)		<u> </u>	
14078V	<u> </u>	<u> </u>	<u> </u>	-6			 		<u> </u>	0734,40	<u> [] [] [</u>	-M9M.01	191	13 95	1438	10	M	IDAni	
11R480	<u> </u>	<u> </u>	<u>G</u>	4	<u> </u>	\times		<u> </u>		०२५। ५२	_	<u> </u>	- -	<u> </u>	1475		.	\	<u> </u>
1 HR480		L	6_	1.6_	.	<u> </u>	\leq			2342,44	_	<u> </u>	. _	∤ —⊦	<u> </u>	-	_	1	-
/ <u> R481</u>	5	<u> L</u>	<u> </u>	<u> 6</u>	حدا	ļ	ļ	ļ	.ı <u>~ </u>	0345	RA	1-WSE-01	12	13/45	1328	1 -161	MI	Mas	
VITICARI	_ 5	<u> </u>	<u>6</u>	6_	.	X	<u> </u>	ļ	. [2	746	_ _	_\	_ _	-),	1354	1 721	MILL	246	
/ 11R481	5	レ	G	6	.		<u> X</u>	<u></u>	8-120		_ _	4	_	₩	135	- I · · · · · · · · · · · · · · · ·	111		
Shipment to complete?	Y (V)	Page	A) ot _5	s	ample :	used lo	era spil	(B and)	or dupli	· .	9-1	nal Sampler 815		198 i	1/2/	Chain	ot Cus	lody So	oal Number
Relinquish	rd but 75	ionatur	n1	n:	no / Tim	ne	- Ancel	und hu	: (Signa			DY RECORD linguished by:	(Sign	_]_(_)	Date / Ti	000	Bacal	vod by: (Signature)
3in (ල <u>ා හැ^</u>	•	1/14/45			,	•	E.	210,0)								11000	rod by . (Signaline)
Holinquish	od by			Da	ato / Thr	no	Necel	ved by	: (Sign	aturo)	Ae	linquished by: '	(Sigr	raturo)		Date / Ti	rino	Aocol	vud by: (Signature)
Rollingulsto	ud by: (S	Signatur	(#)	ה ה	110 / Tic	114		ved for alura)	r Lubora	atory by:	- - - <u>-</u>	Date / Time		lomark		uslody so	al Intac	.17 Y/N	Inone
EPA Form 9 DISTRIBUTI	OH:										Sp		_1	epted clined	(Sign	ature)			
Blue - Regio Cupy for Re			ми сер	у жин	L.E.D	Coby I	01 MBIO	.,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-9	Yellow - Lab	SE	E REVERSE FOR	ADD	AMOIT	L STAND	AND INST	RUCTIO	ons (350188

S FF	ΣΔ	Cor	United : Waci Lab	Status ti pretory i O Bos 6	nvironiner Program : Program : 81	nul Proc Sample I Idria, VA	ection Ag Manager 22313	nen Oll	·Cu	Organ & Chain		llic He _l stody F			ĺ	SAS No. (il applicable	υ)	ļ	Case	
1. Project Code	1	ccorin	Codo	703-55	7-2490 (1. Roglar	15 557	2490 amplin	g Co.		(For 4. Date Shippe	Organic Ci d Carrier	LP Analysis)				105BF	·	7. 5	4008 Sample Description
PA Ragional Informa		7/8	9(1)		ampler	(Name)	UR	<u> </u>		Alrbill Numbor		E. DEX	<u>. </u>			(E	nter l Iumn		. (Enter n Column A)
,					Most	esc 1	Pen	RELL	A	125	59/84	12			į	1.14	IC1	-	1.	Surface Water
Non-Superlund f	Progra	im			ampler !	Signali ~- (2	tul	16		5. Ship To	A ENVI	RONAL	M	742	<i>c</i>	2, I [.] 3, N	INO3 laHS0 laSO4) ₄	,3. 4.	Ground Water Leachate Blasate
Silo Nario PICO AR	652	מדקו	18		SF [Pre- Demodle	RIFS: AD	- NE	HA -	COLVI	461A	MD.	,,p 210	146		5. C 6. T	Diher (Speci Ice on	ily)	6. 7.	, Soil/Sodiment , Oil (High only) , Wasto (High only) , Other
City, State PLICO, C			Sita Splll	w l	sr (□)	ssi [—]	HA O&M NPLD		ւ []	l	- 381- ANDLI	2288 : Coni	מז (10	<u>ر </u>		Not Husan	vod		(Specily)
Sample E	nter f	B Conc. Low Mud	C Sample Type: Comp./	D Prese vative trom	اه	A SAF		High only	Track	F nnal Specific ling Number ig Numbers	·Loc	3 atlon atlon mber		H Mo/C Yuar/ Sam	lline	l Sampler Initials	CLP	J resp. Inorg. ip. No. \	for D	K Appropilate Qualifler esignated Field QC
labels) B	Ox 7	I ligh	Grap	Box	VOA	BNA	Pest/ PCB	ANO/ TOX						Collu	ilon .	-			ı	- Black S = Sphe D = Duplicate PE = Perham, Evol, - = Not e OC Sumple
110925	2	41V	6118	<u> </u>	\ \			<u> </u>		501/8-130502		 	9/	MAS	1445	NP	11/	04 99	<u> </u>	
110 925	_	_	. _ _	<u> </u>		<u></u>		ļ	! —	13/9-131504	RA-G	W-01	-	<u> </u>	_ _	mo		1		
HUG25	_[[_{_	_ _ _	<u> </u>	_	<u> _X_</u>	<u> </u> _	<u> </u>	<u> </u>	15-18-130564		\	_	١	_ _	1440	ļ	.l	<u> </u>	
11925		_	. _	<u> </u>		X		ļ	8-1305	07/8-130508	<u> </u>		. _	 		no	.	.	<u> </u>	
1-16925		_{		<u> </u>	<u>. </u>		<u> X</u>	<u> </u>	1-1305	09/8-171510			_	<u> </u>	_	MA	<u> </u>		<u> </u>	
	$ \downarrow $	_		<u> </u>			X		8-130	511/8-170512	<u> </u>	/			__	IN		1	{ ` _	. :
	5		11		X				8-130	520	RA-S	0-05			1440	NO	MII	10300	*	
144926	1		1-1-		J.X	X			8-131					i	1440	Rup		1		
1/2926				\ 			X			0527			- -	1	1440	me	,	1/	-[
110926	_]_	-				-		12	P				_		······································					
Shipment for St	aso ()	Page	1 of	_	Semple AA-GU		~ ~	ke end	or dupli	cate A	Pattle Port	aniple Slo	natu	103		Chain	ol Cu:	stody Se	al Nui	nbor
01					· · ·	<u>.</u>				CHAIN OF CL			0 '							
(Nellinguished by	y (3)	gnatui 1	(0)	9/15	794 1	no 1.30	Recei	ved by	: (Signi -X	ature)	Relinqu	ilshed by:	(Sigr	nature,	'	Date / TI	mo	Rocol	ved by	: (Signaturo)
Holisquistrod	y: (si	gnaki	(0)		Salo / Ti	114	Rocel	vod by	: (Signi	utiro)	Rollivir	delrod by:	(Sigi	naturo	, -	Date / 1	nie	Rocol	yad by	: (Signature)
	· ·			<u> </u>			.						<u></u>		L			_	<u>,</u>	
Fielinquished b	iy: <i>(Sl</i>	gnatu	re)) aie / 11	me	Rece (Sign	lved fo ature)	r Labora	alory by:) Da	te / Time	' '	Romar	ka jao	ustody se	atol le	c1? Y/N	/none	
			. <u>.</u>					distant			Split Sa	mples [740	copted	(Sign	aturo)				
EPA Form 9110-2 DISTRIBUTION:	4 (H OV ,	0.511	vehreee.	LEA!	viin (297)	•-11, htt	******		, .	. , ,			_ ∫o₀	clined						

▶ □ 1 /	1		03-557-2	1490 F	15 557	2490				Organic CLf	P Analysis)	ا با بات ا ا		_	<u>.</u>		[2	1008
PA-		Code //. 5	8	8		ampling	_		4. Dato Shippo	G Carrior	Ex				Vi	osor- nivo	 		mplo scription nter
glonal Information	1		Sa	nplur (•	_			Alrbill Number							ໄນກາກ ຢ			Column A)
n-Superfund Proj	gram		1_	inplay S	Signatu S	Port	-ll	<u> </u>	5. Ship To	9188 1 EN	VINON	 MEN	ML	_	3. N 4. Y	INO3 laHSO, lpSO4	4	2. 0 3. l 4, ti	urface Water fround Water nactuate fusiate oil/Sodfment
RICO ANG		NE Splil i	D SP		Pre- Nemedia PA (TRIFS TRD TRA OAM	CL RE IRE	l. 🗀	COLV.	GUILA, 1-38/	MD - 228	210	46		6. N.	oilter (Specif) Icu only Not reserve	į.	6, C 7, V 0, C	oirsockhold Dil (Filgh only) Vasto (Filgh only) Dihor <i>(Spudly)</i>
CLP A	B	C Sample	D	 -	ENS A		jus		F nal Specifie	<i>974.27.5</i> G Stati		1	<i>-ታ</i> ው/ <u>ር</u> }} lo/Day/	1	l Sampler		030	Enter Ac	K propriate Qualifle
Sample lumbers (from labels)	Low Med	Type: Compu	vative from Box 6			Pest	High only AAO/ TOX	Track	Ing Number g Numbers	Loca Num	don	Ye S	ar/Time Sample olloction	•	Initials	CLP I Samp	norg.	for Des	ignated Field OC Nank: S = Spha D = Duplicale D = Porbrin, Eval, Not a OC Sampla
1Q930 L	Low	SME		X				8-13	0539	RA-SU	124	1/1	1/8 X	45	as	1116	N 37		
12930 1		GMAT			Χ.			-> 	0540	<u> </u>	1-24		Ì	1	100		{		
10.930 1		146	<u> </u>	<u> </u>		X	· 		0541		-24		 	<u> </u>	PP		<u> </u>		
a 930 1		6000		文					0542	RA-SI					MA	. ;		.	
12990 1		<u>OIAB</u>			X				30543	RASI		 	<u> </u>		fil	<i> </i>		<u></u>	
12930 1	LIN	6118				-X-		8-1	30544	RAIS	way		<u>/ _ \</u>	<u> </u>	BP	44 .	<u> </u>	. - -	·
	_		·	 	 		\rightarrow	-		 		 -			ļ . 	Ì		·	
	-	<u> </u>	<u> </u>		 	<u> </u>	 -	ļ -	-	 					 	-		 `	
· 	-	\ 			<u> </u>			<u> </u>				-			·	·		-	····
nlpmant for Case ampleto? (N)	Page	L V ol _3 2,	<u> </u> S	amplo i	ll of boev /		1 end/ 72 >	1 or dupli	cate A	ddlion at Sti	ymplor/Sig	rjature:	; 3 lm		Chain	of Cust	ody Sc	al Numb	or
			——! <u> </u>			4	.		CHAIN OF C			172					_		
ufficial street by	(Sygnatui DL	0)	7 Da	107 Tin 25	11:3L	1	red by:	(Signa	turo) ————————————————————————————————————	Relinquis	shed by: ((Signia	ur 0)		Daio / Ti	me	Recei	ved by:	(Signaturo)
ulicapulshou by:	Signilli	(b)	- (\$ 0	lo / Tin			-	(Signa	iture)	Rollngul	shed by:	(Signat	uro)	\ <u>-</u> -	Dato / Ti	mo	Rocul	ved by:	(Signaturo)
telloquished by:	(Signatu	(6) ·		ile) Ilr	no .	Recol (Signa		r Labore	wry by:		s / Time	_l ! He	marks	is cu	stody se	al Intac	Y VIN	/none	
PA Form 9110-2 (R	av. 5-81) 1	Replaces	EPA For	m (2075)•7), pro	vloue e	dition v	which me	y be used	Spilt Sar	Toles]Accer	betc	Signa	ture)				
ISTRIBUTION:		•	•							1	r	Dacil	nod						

SEPA United States I Contr	Environmental Protection Agency act Laboratory Program	Inorganic Traffic & Chain of Custody (For Inorganic CLP Ar	v Record	SAS No. · (Il upplicatio)	Case No. 24/008
1. Project Code Account Code 124 : 4/86/, 58	2. Region No. Sampling Co. WRS	4. Date Shipped Carrier		8. Matrix (Enlor	7. Preservative (Enter
Regional information	Sampler (Name)	Alrbill Number		In Column A)	in Column D)
1 18 18 18 18 18 18 18 18 18 18 18 18 18	KOGER ETRELLA	1255918823		1. Surface Water 2. Ground Water	1.1ICI 2.HNO3
Non Superfund Program	Sampler Signature	5. Ship To	- 1744 4 4 4	3. Leachato	3, NaOH
* :	3. Purpuso Early Action	SOUTH WEST HABS OF	,	4. Field QC 5. Soil/Sediment	4.112SO ₄ 5.K2CR2O ₇
Site Maino :	CLEM Action	1700 W. ALBANY,		6. Oil (High only)	6. too only
RICO ASCENTINE	SE PA	820 KEN ANTOW, 918-251-2858	OK TYOIZ	7. Waste (High only)	7. Other (specify in Column D)
		. 918-251-2858	7	8. Other (specify	, N. Not preserved
City, State CO She Spill 10	ST SI OAM	1 1-11 /4		in Column A)	
CLP A B C	D E - RAS Analysis	F		H · · }	
Sample Matrix Conc.: Sample	Proser- Low High	Ragional Specific		/Day/ Corresponding	Sampler Floid QC
Numbers (from Low Type:		Tracking Number or Tag Numbers		//////////////////////////////////////	Initials Qualiflor
P Inhales I High Grab	Box 71 ≱ ≱ ⊉ Ž Ď . Š	or regitations		mpla Sampla No. ection	B = (Nark S = Spika D = (Ngikate D = (Narkate
(i debis) () Other	Osial: N E S S E E S	, .	İ	. [PE - Partiero, Eval
MHDD:35 5: 10W GRAS	·	130537 R	4-WSO-08 9/14/	95 1400 114 929	po
MILDD35 5 LOW GARB	1: 1 X 1 6	170533 14	A-650-08 9/14/	55 MB HU 929	10
to the first tender to the control of the control o		130537 R	A-SW-21/9/14/	15/6/1 Ha930	MP
	1 = 1 [1] [1] [1] [1] [1]	- 		,——,—,—,——,——	-
1-11:1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	 	· ^ - 		5145 1/0 930	Kuf
MH DD 38 51 YOU GRAS			A50-07 9/14/	s- 1710	NO
MHDD38 51 KUW KOMB	<u> </u>	130546 R	4-50-07 9/14/	15/7/0	RP
		- 10	,		
3 1 1 2		Rafe			
3.1	· - - - - - - -	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			-
			·	 }	-
Shipinont la Case Page	Sample(s) to be Used for Laboratory Of	C Additional Samples Sig		Chain of Custody	Soal Number(s)
Compiliar (7/4) 201 4	MHDA 99		LANS.		·
11/19	<u></u>	CHAIN OF CUSTODY RECORD	<u> </u>		
fielingulatien ty: (Signature)	Date / Time Received by: (Signa	ature) Ralinquished by	r: (Signuture)	Date / Time Receive	d by: (Signature)
Taylor 17/	5/95 11:30 Fed Ex	£.			
Hollnyushod by (Sloteluly)	Date / Time Received by: (Signal	Helinguished by	(: (Signature)	Date / Time Receive	d by: (Signature)
				The state of the s	
Rolln(rished by: (Signitury)	Date / Time Received for Labore (Signature)	lory by: Date / Time	Remarks is c	ustody seal intact? Y/N/n	
					·

proMagno

Tre Clo Report Chair of Custory Form Inserticions

APPENDIX B PHOTOLOG



PHOTO 1

Sample location RA-WSW/WSE-01. St. Louis Tunnel. Uppermost of settling ponds. Outfall is in the upper right corner under the little shack. Water in the pond is about six to eight inches deep. Iron staining is from sediment.





PHOTO 2

Sample location RA-WSO-03. T. Joseph collecting sample from the tailings pile on the north bank of Silver Creek.




РНОТО 3

Silver Creek upstream of sample location RA-SW/SE-06. Note the rusty-colored iron staining of cobbles in the stream bed.




РНОТО 4

Sample RA-WSW/WSE-03 taken from the ditch between the upper settling ponds and the Dolores River. Note the orange staining.



РНОТО 5

R. Badger taking sample RA-WGW-02 from PVC pipe leading into the community-use hot tub. Note the iron oxide stained carbonate deposits around the tub.



РНОТО 6

Second hot spring from the hot spring area. Note water is forcibly ejecting. Flow is about 15 to 20 gallons per minute. Note iron stained carbonate deposits.





PHOTO 7

R. Petrella collecting Residential Soil Sample RA-SO-02 at the Lindaur residence.



M. Leslie collecting Residential Soil Sample RA-SO-03 at the Folsom residence.



РНОТО 9

M. Leslie collecting Residential Soil Sample RA-SO-04 at the Hogan Residence.




PHOTO 10

M. Leslie collecting Residential Soil Sample RA-SO-05 at the Ferando residence.




PHOTO 11

R. Badger collecting Residential Soil Sample RA-SO-06 at the Kneppel residence.



PHOTO 12

View of tailings pile at RA-SW/SE-08 just south of town of Rico. Dolores River is on the left side of photo where it is actively eroding the tailings. Tailings were sampled as RA-WSO-06.



РНОТО 13

View to south along Dolores River of tailings pile split by Dolores River at RA-SW/SE-09. Tailings on left (east) side of river were sampled as RA-WS0-09.

APPENDIX C SITE INSPECTION DATA SUMMARY

SI Data Summary	Site Nam	e <u>Rico · A</u>	rgentine.
Site Name Rico-Argentine	E	PA Region Vil	1 Date <u>2/96</u>
Contractor Name or State Office and Address		1099 1814	51.
	<u> </u>	· · · · · · · · · · · · · · · · · · ·	
GENERAL SITE		<u></u>	
1. CERCLIS ID No		_	
Address State Highway 195	City/	<u> Pico</u>	
County Dolores State CO Zip Cod	e <u>81332</u> co	ongressional Dis	strict
2. Owner name Rico Development Corp	Operator name _	May we	Webster
Owner address P.O. Box 730	Operator address	·	- . -
City Rico State CO	City	s	tate
3. Type of ownership (check all that apply): □ Private □ Federal/Agency □ Other		unty	ipal
4. Approximate size of property:	acres	Reference(s)	
5. Latitude <u>37 ° 42 .05</u> ° Longitude <u>108</u> °	01 .39	Reference(s) <u>Ü</u>	1565 1960
6. Site status: □ Active 対 nactive □ Unknown		Reference(s) _L	JRS 1995
7. Years of operation: From: 1860 to: Nevent	□ Unknown	Reference(s) 🔟	MPS 1995
8. Previous investigations:			
Type Agency/State/Contractor	<u>Date</u>		
SI EPA (TAT)			E & E 1985
Bureau of Reclamation	19 17?	Reference(s)	Bureau & Rec, undated
SIP EPA (ARCS)	1994	Reference(s)	<u>URS 1994</u>
		Reference(s) _	
· · · · · · · · · · · · · · · · · · ·		Reference(s)	· ·
		Reference(s) _	<u> </u>

	7).
Site Name	<u>Kico-Argentine</u>
•	

WASTE SOURCE INFORMATION

1.	Waste source types (check all that apply)
	☐ Constituent
	□ Wastestream (type)
	□ Landfill .
	□ Drums
	Contaminated soil
	□ Land treatment
	☐ Tanks or non-drum containers (type)
	☐ Pile (type)
	Surface impoundment (backfilled)
	MOther softline ponds
	0 1
	Reference(s) UOS 1996
2.	Types of wastes (check all that apply)
	□ Organic chemicals
	12 Inorganic chemicals
	Municipal wastes
	☐ Radionuclides
	☐ Metais
	Pesticides/Herbicides
	□ Solvents
	Other
	Reference(s) 1105 1996
3.	Summarize history of waste disposal operations:
	Total along and land of hit Silver Could
	Tailing piles are found alon both Silver Creek
	and the Dolores River from oust minim activities.
	m 1 1 H
_/	Mweralized waters are seeping from belleth tailing piles alm
o .	has done to she silver again. They are
<u>></u> /	luce Greak into silver creek. Drivage from the mue
1)	or Kings is presed through a series of settling ponds and discharge
	, b of
ι'n	is the fiver.
	·
	11.05 10.66
	Reference(s) UOS 1996

SI	Data	Summary
JI	Data	Julianal y

4. Source characterization (Attach pages to show quantity and calculations.)

Site Name Rico - Argentine

Source 1 name:	Tailing piles along 5/100 Creek Source type Contained	td Sol
Describe source:	Tailing Oiles along Silver Gook	
	•	-
Ground water migration:	,	-
Surface water migration	on containment: <u>alowe</u>	_
Air migration (gas and	i migration) containment: Nove	_
Constituent quantity of Wastestream quantity	tes: ☐ Liquid 🛱 Solid ☐ Sludge/Slurry ☐ Gas ☐ Unknown If hazardous substances:	s) s)
Hazardous substances	s associated with source 1:	
Cadmium	Arsnic Mercury	
Copper Silver		
	Cyanid c	•
Reference(s)	1.105 1996	_
		•
Source 2 name:	A series of settling ponds between St. Louis timel	nont and
Ground water migratio	. –	_
Surface water migratio	on containment: AAH berms around bonds	_
Air migration (gas and	migration) containment:	
Constituent quantity of	es: ASLiquid ASolid ASudge/Slurry AGas AUnknown f hazardous substances: containing hazardous substances: Area of Source (ft²): 36000	
Hazardous substances	s associated with source 2:	
Codmism	ZINC. MERCURY	
Correc		
_Silver	And tomiNy	
Reference(s)	1105 1996	

SI	Data	Summary
----	------	---------

Site Name	Rico	- Ara	e_{ij}/\bar{t}	و رسا

CONTINUATION PAGE FOR SOURCE CHARACTERIZATION

Describe source: Ground water migration containment: Surface water migration containment: Air migration (gas and migration) containment: Physical state of wastes: □ Liquid □ Solid □ Sludg Constituent quantity of hazardous substances: Wastestream quantity containing hazardous substances: Volume of source (yd³):	e/Slurry □ Gas	□ Unknown	
Ground water migration containment: Surface water migration containment: Air migration (gas and migration) containment: Physical state of wastes: Liquid Solid Sludg Constituent quantity of hazardous substances:	e/Slurry □Gas	□ Unknown	
Surface water migration containment: Air migration (gas and migration) containment: Physical state of wastes: Liquid Solid Sludg Constituent quantity of hazardous substances:	e/Slurry ⊡ Gas	□ Unknown	
Surface water migration containment: Air migration (gas and migration) containment: Physical state of wastes: Liquid Solid Sludg Constituent quantity of hazardous substances:	e/Slurry ⊡ Gas	□ Unknown	
Physical state of wastes: Liquid Solid Sludge Constituent quantity of hazardous substances:	e/Slurry 🗆 Gas	□ Unknown	
Constituent quantity of hazardous substances:		<u> </u>	(enach: unit:
	Area or source	e (ft²):	(specify units
Hazardous substances associated with source #			
Reference(s)			
Source # Name	Sou	urce type	
Describe source:			
Ground water migration containment:		·	
Surface water migration containment:			
Air migration (gas and migration) containment:	 _	- ·	
Physical state of wastes: Liquid Solid Sludge Constituent quantity of hazardous substances:	/Slurry □ Gas		(specify units
Wastestream quantity containing hazardous substances Volume of source (yd²):	Area of source	(ft²):	(specify units
Hazardous substances associated with source #:			
			
		<u> </u>	•
Reference(s)			

	SI	Data	Summary
--	----	------	---------

Site Name Rico - Argentus

5.	Descriptio	n of remov	ral or remed	llai activiti	es				•	
		il has occui he removal	rred, identify	the remov	al authority	y and des	cribe the	e activities.	Specify the	•
	<u>Ubri</u>	ais reme	edul aci	Ruitios	have	bon	ond	uted o	i F	
	12	site	Read	chuitie	: have	be.	large	& cona	licted	
	hu A	Nacando	-/ Arco.			<u>.</u>				
_	- 29 1 . °	700.0 7100	-7 7 11 <u>-0.</u>					•		
	Az	huites	have in	rche ded	build	hga 1	lina	treatre	nt pla	— "/-
£	30 St.	Louis	twinel	out	all:	Capil	5 1N	ells	buch A	Mar
ad	its, ins	killing	have in twoel	and	postr	ten	bry	as of	/ limi	7
					-		_	•	• • • • • • • • • • • • • • • • • • • •	
	<u>-</u>				<u> </u>					
										_
	<u></u>				· · · ·			:		_
					· - ··				·•	
										
	<u> </u>					-			٠,	
				· .						
					<u></u>					
	.,			·						
										_
				 				··· · · · · · · · · · · · · · · · · ·	<u></u>	
		 								
				_	- · · <u>- · · · · · · · · · · · · · · · · · </u>	<u> </u>			·	_
			· · · · · · · · · · · · · · · · · · ·		· 					
	Reference(s	s)	INRS	1995		-				

	SI	Data	Summary
--	----	------	---------

Reference(s)

Site Name	- Rico	- Ara	entrue

-	GROUND WATER INFORMATION
•	Ground water drinking water use within 4 miles of site sources: ☐ Municipal ☐ Private ☐ Both ☐ No Drinking Water Use
	Reference(s) <u>UOS 1996</u>
	Is ground water contaminated? Yes Si No Uncertain but likely Uncertain but not likely Additional sampling required Is analytical evidence available? Ayes No Reference(s)
	Is ground water contamination attributable to the site? ☐ Yes ☐ No ☐ Additional sampling required & Nor Applicable Reference(s) ☐ UOS 1996 NA
	Are drinking water wells contaminated? Yes PNo Uncertain but likely Uncertain but not likely Additional sampling required Is analytical evidence available? Yes No Reference(s) UOS 1996 Net precipitation (HRS Section 3.1.2.2): 4.1 inches Reference(s) Www.g. Delauxe, KS
	County average number of persons per residence: 259 Reference(s) 1990 Ceusus -U.S.
	Discuss general stratigraphy underlying the site. Attach sketch of stratigraphic column.
-	naterials De Hermer Granibon (the teder and landship
_	nd coarse sandstoned underly the unconsolidated
?	The uppermost layer of material is celluvial and landslice materials. The Hermon Formation (Interlugered linestern and course sandstones) underly the unconsolidated exterials. As intrusive body has deformed the Hermosa H
_	
_	· · · · · · · · · · · · · · · · · · ·

8. Using Table GW-1 (next page), summarize geology underlying the site (starting with formation #1 as closest to ground surface). Indicate if formation is interconnected with overlying formation.

Does a karst aquifer underlie	<u>ن .</u> کا ت	and, ruel	10-100 84		
Reference(s) Does a kurst aquifer underlie and possibly Depth to top of aquifer: / ○ In the table below, enter the nawithin 4 miles of the site. For	2 5		10-100 ft.	10-2101	yes
Reference(s) Does a kurst aquifer underlie and the possibly of the table below, enter the new within 4 miles of the site. For		andstoves and imistenes	500 Ft.	104/010-3	NO
Reference(s) Does a karst aquifer underlie and possibly Depth to top of aquifer: / O In the table below, enter the name within 4 miles of the site. For					
Reference(s) Does a kurst aquifer underlie and possibly Depth to top of aquifer: / O In the table below, enter the nawithin 4 miles of the site. For					
Reference(s) Does a kurst aquifer underlie and yes No possibly. Depth to top of aquifer: / O In the table below, enter the nawithin 4 miles of the site. For					_
Does a kurst aquifer underlie : Yes No possibly Depth to top of aquifer: / O In the table below, enter the name within 4 miles of the site. For					
☐ Yes ☐ No ☐ ₽05516by Depth to top of aquifer: _/ ○ In the table below, enter the nowithin 4 miles of the site. For	505 1	1974			
In the table below, enter the name within 4 miles of the site. For	in Hermi	usa Fm		rence(s) <u>1156</u>	
	umber of pe	eople obta	Ining drinking	water from well-	s located
POPULATION SERVED	B44 444	THIN DISTAN	CE CATERGORII	ES BY AQUIFER	

DISTANCE OF WELL(S) FROM SITE SOURCES	AQUIFER A: INCLUDES FORMATIONS	AQUIFER B: INCLUDES FORMATIONS	AQUIFER C: INCLUDES FORMATIONS
1/4 mile or less			
>1/4 to 1/2 mile			!
>1/2 to 1 mile	2-6 summer	residents	
>1 to 2 miles			
>2 to 3 miles			
>3 to 4 miles			
Reference(s)	HAS URS	1995	

12. Is ground water from multiple wells blended prior to distribution? Reference(s) 45	12. Is ground water fro	m multiple wells blended prior to distribution?	1,05	IAC.
— · · · · · · · · · · · · · · · · · · ·	□ Yes 🗗 Yu	Reference(s)	MO	1 (1)

SI Data Summary	•	Site Name	KILO-/trapohue
13. is ground water □ Yes ⊠ (No	blended with surface water	? Reference	e(s) <u>11125 1595</u>
riefly describe:			
	<u> </u>	·	·
	ncompletely contained soun HRS Section 3.3.1):	ce available to grout	nd water to nearest Reference(s) <u>URS 199</u> 9
5. Briefly describe stan	idby drinking water wells w	thin 4 miles of sour	ces at the site:
None	·	·	
, -			
Reference(s)	URS 1995	-	
relesence(s)			
	ummarize ground water and ackground ground water samp		i sampling investigations.
	rces within 4 miles of site s inimum) of commercial food o	•	•
☐ Commercial livestoo	•	or Commercial locage o	ф
☐ Ingredient in comme	•		
□ Supply for commerce □ Supply for major or	cial aquaculture designated water recreation (area, excluding drinkir	ng water use
☐ Water usable for dri	inking water but no drinking w		
None of the above	1100		
Reference(s)	URS 199	<u>ک</u>	
3. Wellhead protection :	area (WHPA) within 4 miles	of site sources (HR)	S Section 3.3.4):
☐ Source with non-zer	ro containment factor value lie	es within or above Wh	IPA .
☐ Observed ground war ☐ WHPA lies within 4	ater contamination attributable miles of site sources	e to site source(s) lies	; within WHPA
д⊠Nоле	Times of site sections		
Reference(s)	· URS 199	<	
dditional ground water	nathway description:		
_	· ·	•	24 1
	# The is only ou	e grounduct	is well occume
nthe site			
That old -	urea This wel	1 is topocial	shically hicker
INWI SITE SOU	erea. This wel	1 is topograf	shically higher
•	rces, up gradient	on Re Nolo	es siver
eterences(s)	urea. This wel ves, up gradient URS 1995	on the 10061	es siver

TABLE GW-2: ANALYTICAL RESULTS FOR GROUND WATER PATHWAY See table

SAMPLE ID & DATE	TYPE OF WELL	SCREENED '	HAZARDOUS SUBSTANCE	CONCENTRATION (SPECIFY UNITS)	DETECTION LIMIT	REFERENCES
	☐ Irrigation ☐ Monitoring ☐ Drinking water People served ☐ Other					
	☐ Irrigation ☐ Monitoring ☐ Drinking water People served ☐ Other					
	☐ Inigation ☐ Monitoring ☐ Drinking water People served ☐ Other					
	☐ trilgation ☐ Monitoring ☐ Drinking water People served ☐ Other	,				
· · · · · · · · · · · · · · · · · · ·	☐ Irrigation ☐ Monitoring ☐ Drinking water People served ☐ Other	· ·				
	☐ Irrigation ☐ Monitoring ☐ Drinking water People served ☐ Other					
	☐ Irrigation ☐ Monitoring ☐ Drinking water People served ☐ Other		į			
	☐ Irrigation ☐ Monitoring ☐ Drinking water People served ☐ Other					

Site Name _	Rico-	Argentive	
_	•	- 	

SURFACE WATER INFORMATION

Complete this section of the data summary for each watershed if there are multiple watersheds. Photocopy this page if necessary.

_	See Figure	
	Surface water from Sher Cre Kwer. The Dolores rwer Place	rek enters the Dolores
_	Kwer. The Dolores rwer flow	is dowistream through
7	a mountainous canyon for 15 x	
	Reference(s) \(\int \lambda \text{RS } \lambda \text{IRS } \lambda \text{ISS}	
-	Is surface water contaminated?	t not likely
-	Is surface water contamination attributable to the shower □ No □ Additional sampling required	Reference(s) <u>UOS 1996</u>
	Floodplain category in which site sources are located 11-year 12-10-year 12-100-year 12-500-year 12-50	ed (check all that apply): Reference(s) <u>URS 1995</u>
	Describe flood containment for each source (HRS S	·
	Source #1 Touling Silve Gark Flood containment	_A/0,10
	Source #2 Setting Pands Flood containment	berns_
	Source #3 Flood containment	
	Source # Flood containment	
	Source # Flood containment	
	Source # Flood containment	
	Source # Flood containment	
	Reference(s)	
	Shortest overland distance to surface water from an 20 feet	y source (HRS Section 4.1.2.1.2.1.3); Reference(s)/_/CS _ 196
	Size of drainage area (HRS Section 4.4.3): 4500 Ac	

Sandy / Gavell Journs Derence(s)	2.1.2.1.2).
11.00	
lerence(s) <u>URS 1995</u>	
ference(s) <u>URS 1995</u>	
year 24-hour rainfail (HRS Section 4.1.2.1.2.1.2): / S inches Reference(s) Dime !/
evation of the bottom of nearest surface water body: SOO feet above sea level Reference(s) <u>[156-5</u>
levation of top of uppermost aquifer: 9200 feet above sea level Reference(s	s) <u>USG-S</u>
redominant type of water body between probable point of entry to surface	water and 🗀
arest drinking water intake: River □ Lake Reference(s	s) <u>USGS</u>
wnstream.	
TARGET NAME/TYPE WATER DISTANCE FLOW TARGET CHARACTERISTIC	TARGET S' SAMPLED?
BODY TYPE FROM PPE (CFS) CHARACTERISTIC Cut Fishery Ruer 0.0 136	
BODY TYPE FROM PPE (CFS) CHARACTERISTIC Cut Fishery River 0.0 136	
aut Fishery Ruer 0.0 136	
rout Fishery Ruer 0.0 136	

SI Data Summary	Site Name Lico - Itigen	<u>ער</u>
15. Describe any standby drinking water intakes within	n 15 miles downstream.	
MIODE IDEATINED		
Reference(s)		
16.*Surface water resources within 15 miles downstrea [Irrigation (5-acre minimum) of commercial food or co		
☐ Commercial livestock watering ☐ Ingredient in commercial food preparation		
Major or designated water recreation area, excluding Water designated by the state for drinking water use		
☐ Water usable for drinking water but no drinking wate ☑None of the above	er intakes within 15 miles downstream	
Reference(s) <u>IARS 1995</u>		

17. Using Table SW-1, summarize surface water analytical results for all sampling investigations.

include and identify background sample results.

B-14

SI Data	Summary
---------	---------

Site Name	Rico	-Arcen	hue
•	•		

SOIL INFORMATION					
Is surficial or soil contamination pr					
2. Is surficial or soil contamination at ☐ Yes ☐ No ☐ Additional sampling					
3. Is surficial contamination on the procenter, or workplace? ☑ Yes □ No □ Uncertain but likely □ Additional sampling required Is analytical evidence available? ☑	11.05 202				
4.* Total area of surficial contaminatio	n (HRS Section 5.2.1.2): Reference(s)				
5.* Attractiveness/accessibility of the all all that apply:	reas of observed contamination (HRS Section 5.2.1.1). Check				
☐ Designated recreational area ☐ Used regularly, or accessible and use ☐ Moderately accessible with some use ☐ Slightly accessible with some use ☐ Accessible with no use ☐ Inaccessible with some use ☐ Inaccessible with no use ☐ Reference(s)					
	tical results detecting surficial contamination within 200 feet inter, or workplace. Include and identify background sample				
Using Table SE-2, summarize analytical results detecting surficial contamination within the boundary of a resource or a terrestrial sensitive environment. Include and identify background sample results if not listed in Table SE-1.					
i. Population within 1-mile travel distr	ance from site. Do not include populations from Table SE-1.				
DISTANCE FROM SITE SOURCES	POPULATION				
1/4 mile or less:	100				
>1/4 to 1/2 mile	150				
>1/2 to 1 mile	19.2				

Bob Small -

Reference(s)

TABLE SW-1: SUMMARY OF ANALYTICAL RESULTS FOR SURFACE WATER PATHWAY

SAMPLE ID	SAMPLE TYPE	SAMPLE OBJECTIVE	TARGET NAME	HAZARDOUS SUBSTANCE	CONCENTRATION (SPECIFY UNITS)	DETECTION LIMIT	REFERENCES
	☐ Aqueous ☐ Sediment ☐ Other	☐ Release ☐ Fishery ☐ Orinking water ☐ Sensitive environment Distance from PPE					
	☐ Aqueous ☐ Sediment ☐ Other	☐ Release ☐ Fishery ☐ Drinking water ☐ Sensitive environment ☐ Sistance from PPE					
· .	☐ Aqueous ☐ Sediment ☐ Other	☐ Release ☐ Fishery ☐ Drinking water ☐ Sensitive environment ☐ Distance from PPE					
	☐ Aqueous ☐ Sediment ☐ Other	☐ Release ☐ Fishery ☐ Drinking water ☐ Sensitive environment ☐ Distance from PPE					·
	☐ Aqueous ☐ Sediment ☐ Other	☐ Release ☐ Fishery ☐ Drinking water ☐ Sensitive environment ☐ Distance from PPE					
	Aqueous Sediment	☐ Release ☐ Fishery ☐ Drinking water ☐ Sensitive environment Distance from PPE					:
_	☐ Aqueous ☐ Sediment ☐ Other	☐ Release ☐ Fishery ☐ Drinking water ☐ Sensitive environment Distance from PPE					
	☐ Aqueous ☐ Sediment ☐ Other	☐ Refease ☐ Fishery ☐ Drinking water ☐ Sensitive environment Distance from PPE					
-	☐ Aqueous ☐ Sediment ☐ Other	☐ Release ☐ Fishery ☐ Drinking water ☐ Sensitive environment Distance from PPE					

TABLE SE-1: ANALYTICAL RESULTS FOR SOIL EXPOSURE PATHWAY

SAMPLE ID	SAMPLE DEPTH	TYPE OF PROPERTY	POPULATION	HAZARDOUS SUBSTANCE	CONCENTRATION (SPECIFY UNITS)	DETECTION LIMIT	REFERENCES
		☐ Residence ☐ School ☐ Daycare center ☐ Workplace	·	5			
		☐ Residence ☐ School ☐ Daycare center ☐ Workplace		†			"
		☐ Residence ☐ Schoot ☐ Daycare center ☐ Workplace					
		☐ Residence ☐ School ☐ Daycare center ☐ Workolace	· .		<u> </u>		
		☐ Residence ☐ School ☐ Daycare center ☐ Workplace					
		☐ Residence ☐ School ☐ Daycare center ☐ Workplace					
	•	☐ Residence ☐ School ☐ Daycare center ☐ Workplace					
		☐ Residence ☐ School ☐ Daycare center ☐ Workplace					

B-17

SAMPLE ID & DATE	SAMPLE DEPTH	TYPE OF TARGET	HAZARDOUS SUBSTANCE	CONCENTRATION (SPECIFY UNITS)	DETECTION LIMIT	REFERENCES
	•	Terrestrial sensitive environment		,,_,	- ' "	
		☐ Resources* ☐ Commercial agriculture ☐ Commercial silviculture ☐ Commercial tivestock production or grazing		1		
		☐ Terrestrial sensitive environment				
		☐ Resources* ☐ Commercial agriculture ☐ Commercial silviculture ☐ Commercial tivestock production or grazing			·	·
		☐ Terrestrial sensitive environment			·	
		☐ Resources* ☐ Commercial agriculture ☐ Commercial silviculture ☐ Commercial livestock ☐ production or grazing				
		☐ Terrostrial sensitive environment				
		☐ Resources* ☐ Commercial agriculture ☐ Commercial silviculture ☐ Commercial livestock production or grazing	·			

	Summary

Site Name	Rico	-Argentue	
	•		

AID	INICO	DAA	NOITA
416	HVPL		4 I KUZIN

	
Is air contamination present at the s Yes □ No □ Uncertain but likely Additional sampling required Is analytical evidence available? □	区 Uncertain but not likely
2. Is air contamination attributable to t ☐ Yes ☑ No ☐ Additional sampling	
substances released from the site? Yes No Uncertain but likely Additional sampling required	nments, or wetlands exposed to airborne hazardous Uncertain but not likely Yes DNo Reference(s) <u>UPS 1995</u>
	of the following source types at the site: □ Landfill □ Buried surface impoundment NA
5.* Particulate migration potential factor	r value: (HRS Figure 6-2)
6.* Particulate mobility factor value:	(HRS Figure 6-3)
 Distance from any incompletely con area: 4//o miles Reference(Population within 4 miles of site source) 	
DISTANCE FROM SITE SOURCES	POPULATION
0 (within site sources)	0
1/4 mile or less	100
>1/4 to 1/2 mile	150
>1/2 to 1 mile	192
>1 to 2 miles	200
>2 to 3 miles	205
>3 to 4 miles	210
Reference(s)	URS 1995
9.* Resources within ½ mile of site soul Commercial agriculture Commercial silviculture Major or designated recreation area None of the above	rces (HRS Section 6.3.3):
Reference(s)	V(1C) 17(7)

SI	Data	Summary

Site Name _	Rico-Argentine
_	

10. Sensitive environments and wetlands within 4 miles of the site.

NAME/DESCRIPTION/LOCATION OF SENSITIVE ENVIRONMENT OR WETLAND	DISTANCE FROM SITE (MILES)	TYPE OF SENSITIVE ENVIRONMENT	WETLAND SIZE (ACRES)
Wetlands along			
Dolores River below	05 to 1.0		<u> 15.0</u>
(dawstram) of Silver Crak			<u> </u>
and The town of Pico			
δ			
·		,	

11.	Using Table Air-1, summarize air analytical results for all sampling investigations.	Include
	and identify background sample results.	

NO Air Samples

TABLE AIR-1: SUMMARY OF ANALYTICAL RESULTS FOR AIR PATHWAY

SAMPLE ID	SAMPLE TYPE	DISTANCE FROM SITE (MILES)	TARGET(S) WITHIN DISTANCE CATEGORY	HAZARDOUS SUBSTANCE	CONCENTRATION (SPECIFY UNITS)	DETECTION LIMIT	REFERENCES
			☐ Number of people ☐ Name of sens, environment				
			☐ Wetland acreage	1			
			☐ Number of people ☐ Name of sens, environment	; ,			
		· · · · · · · · · · · · · · · · · · ·	☐ Wetland acreage				
			☐ Number of people ☐ Name of sens, environment	`	<u> </u> -		
· .			☐ Wetland acreage			<u></u>	
			☐ Number of people ☐ Name of sens, environment	,			·
		·	① Wetand acreage				
			☐ Number of people ☐ Name of sens, environment	. Administration			·
	<u></u>		☐ Wetland acreage ☐ Number of people ☐ Name of sens. environment				
	 		☐ Wetland acreage			<u></u>	
			☐ Number of people ☐ Name of sens, environment				
]		☐ Wetland acreage		<u>L</u>		

50

Si	Data	Summary
----	------	---------

Site Name	
Sue Manie	

ADDITIONAL INFORMATION AND COMMENTS			
·			
	<u></u>		
<u> </u>			
· · · · · · · · · · · · · · · · · · ·			
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
	<u> </u>		
<u> </u>	·		
<u> </u>	<u> </u>		
· · · · · · · · · · · · · · · · · · ·			
			
	· · · · · · · · · · · · · · · · · · ·		
·			
Reference(s)			

APPENDIX D

VALIDATION REPORTS AND LABORATORY DATA

(under separate cover)